

2026





TRADEMARK AND COPYRIGHT

All trademarks, images, illustrations, photographs, icons, graphic and textual contents, technical information, products, advertising and any other distinctive signs contained in this catalogue are the exclusive property of the Principal.

Images, logos and visuals created by MGA Group, Accent Barbiero and Lithos.

Any reproduction, even partial, modification, distribution or unauthorized use of the contents of this catalogue, in any form or by any means, is strictly prohibited without the prior written consent of the Principal.

RECOMMENDED RETAIL PRICE WITHOUT VAT.



LA NORDICA EXTRAFLAME

LUMEN		Hybrid Stoves	
LUMEN	12	HYBRID STOVES	143
Wood-burning stoves		Pellet stoves	
WOOD-BURNING STOVES	25	PELLET STOVES	147
AUTOMATIC WOOD-BURNING STOVES	65	PELLET THERMO STOVES	199
WOOD-BURNING THERMO STOVES	67		
Wood-burning Cookers		Pellet fireplaces	
WOOD-BURNING COOKERS	73	PELLET INSERTS	219
WOOD-BURNING THERMO COOKERS	105		
Wood-burning fireplaces		Pellet Boilers	
WOOD-BURNING INSERTS	109	PELLET BOILERS	227
WOOD-BURNING MONOBLOCKS	119		
WOOD-BURNING THERMO FIREPLACES	121	Pellet accessories	
		PELLET ACCESSORIES	234
Wood accessories			
ACCESSORIES	123		
Cucinotte			
CUCINOTTE	138		

ABOUT US

For over 50 years, we've brought warmth into homes.

Tradition and innovation Made in Italy, with over 200 high-tech solutions delivering warmth and safety in more than 50 countries worldwide.

There is work, and there is passion.

There is family, and there is a vision.

There is optimism, innovation, and the determination to evolve while remaining true to one's identity.



Every La Nordica-Extraflame product embodies all of this — and much more. This is well known to the many customers who, for over fifty years, have trusted a brand that has become synonymous with warmth, reliability, and safety.

From the dream of brothers Silvano and Giannino Dal Zotto in the 1960s, a solid industrial reality was born — still led today by the same family, with a renewed spirit and a constant focus on the future. We design and manufacture wood-burning and pellet stoves, cookers,

fireplaces, and boilers with the same passion and dedication that have always defined us. Today, our range is further enriched by the new Lumen electric fireplace line.

Over more than fifty years of history, we have reached over 50 countries worldwide, offering more than 200 Made in Italy products designed to generate domestic heat from renewable sources. A growth built on strong foundations of quality, design, technology, and respect for the environment, certified by the highest international standards.

Our history is the foundation of our future.



+200

Innovative products

Over 200 products for domestic heating, with electric, wood-burning and pellet solutions in constant evolution.

5

Production facilities

Five Made in Italy production sites, ensuring quality and a strong international presence.

+50

Countries worldwide

An international sales network active in more than 50 countries.

7

Thematic classrooms

Continuous training for technicians and sales professionals through seven specialized classrooms at the Training Center.

+400

Technical service centers in Europe

Over 400 qualified centers providing fast, up-to-date support, directly connected to Customer Service.



Traditional Line



The solidity of materials, the harmony of lines and safety in use are the key characteristics of La Nordica-Extraflame products.

Index Traditional Line

Wood-burning Stoves

25	BRIGITTA.16
26	SUPER JUNIOR LEAN
27	EMILIANA.165 MAIOLICA
28	EMILIANA.165 STEEL
29	GEMMA LEAN CERAMICA
30	GEMMA LEAN PETRA
31	GEMMA FORNO.165 CERAMICA
32	GEMMA FORNO.165 PETRA
33	GIULIETTA.165
34	CANDY LEAN.165
35	EMI LEAN
36	ASIA 5.0
37	TEA.16
40	MARLENA.16
41	ISETTA LEAN
42	ISETTA CC LEAN
43	ISETTA FORNO
44	JENNIFER.16
45	ESTER 5.0
46	ESTER FORNO 5.0
47	FEDORA.16 MAIOLICA
48	FEDORA.16 STEEL
49	ROSSELLA R1.16 CERAMICA
50	ROSSELLA R1.16 PETRA
51	ROSSELLA PLUS FORNO.165 CERAMICA
52	ROSSELLA PLUS FORNO.165 PETRA
53	ISOTTA LEAN
54	ISOTTA CC LEAN
55	ISOTTA FORNO EOS
57	CONCITA.16 MAIOLICA
58	CONCITA.16 STEEL

Wood-burning Thermo Stoves

67	TERMOROSSELLA PLUS FORNO DSA.16 CERAMICA
68	TERMOROSSELLA PLUS FORNO DSA.16 PETRA
69	TERMOROSSELLA PLUS DSA.16 CERAMICA
70	TERMOROSSELLA PLUS DSA.16 PETRA

Wood-burning Cookers

73	VICENZA.16
74	VERONA XXL.16 PETRA
75	VERONA XXL.16 MAIOLICA
76	VERONA XXL.16
77	FAMILY.16 4,5
78	SOVRANA EASY.16
79	ROSETTA.16 CERAMICA
80	ROSETTA.16 PETRA
81	ROSETTA.16 MAIOLICA
82	ROSETTA SX.16 CERAMICA
83	ROSETTA SX.16 PETRA
84	ROSETTA SX.16 STEEL
85	ROSA SX REVERSE.16 CERAMICA
86	ROSA SX REVERSE.16 PETRA
89	ROSA.16 CERAMICA
90	ROSA.16 PETRA
91	ROSA.16 MAIOLICA
92	ROSA.16 STEEL
96	ROSA L.16 STEEL
97	ROSA XXL.16 PETRA
98	ROSA XXL.16 MAIOLICA
99	ROSA XXL.16 STEEL
87	VENEZIA.16
93	SUPREMA.16

Wood-burning Thermo Cookers

105	TERMOROSA DSA LEAN LIBERTY
106	TERMOROSA DSA LEAN PETRA
107	TERMOROSA XXL DSA LEAN

Wood-burning Inserts

109	INSERTO 60.16
110	INSERTO 70 H49.16
111	INSERTO 80 CRYSTAL EVO.16
112	INSERTO 70.165
113	INSERTO 70 LEAN.165
114	INSERTO 80 LEAN
115	INSERTO 80 H49 LEAN
116	INSERTO 100 LEAN
117	INSERTO 80 WIDE.16

Wood-burning Thermo Fireplaces

121	TERMOCAMINO WF PLUS.16
-----	------------------------

Pellet Stoves

147	LUISELLA 5.0
148	LUISELLA 5.0 MAXI
150	KETTY 5.0
156	MARIELLA AD
157	MARIELLA PLUS AD
160	AMIKA AD
161	AMIKA PETRA AD
164	KLAUDIA 5.0 EVO
165	KLAUDIA PLUS 5.0 EVO
166	MARILENA PLUS 5.0.16
167	MARILENA PLUS PETRA 5.0.16
168	MARILENA PLUS CRYSTAL 5.0.16
171	TEODORA EVO
172	ANNABELLA AD EVO
178	DAHIANA AD
179	DAHIANA PLUS AD
183	SOUVENIR PLUS LUX 5.0
184	SOUVENIR PLUS PETRA 5.0
185	SOUVENIR PLUS STEEL 5.0
186	TEOREMA
187	TEOREMA PLUS AD
191	LUCIA PLUS.16
192	LUCIA.16

Pellet Thermo Stoves

200	VIRNA IDRO.16
201	MARINA IDRO H11
202	MARINA IDRO H13
203	COSTANZA IDRO 5.0
211	ISIDE IDRO 5.0.16
212	RAFFAELLA IDRO H15 5.0.16
213	RAFFAELLA IDRO H18 5.0.16

Pellet Inserts

219	COMFORT P70 H49 5.0
220	COMFORT P70 AIR
221	COMFORT P70 AIR PLUS
222	COMFORT P85
223	COMFORT P85 PLUS
224	COMFORT IDRO L80.16

Pellet Boilers

227	PK15 EVO
228	PK20 EVO
230	PK25 EVO
231	PK30 EVO

PRESTIGE

Line



The new product line, a perfect symbiosis
of design and warmth, dedicated
exclusively to specialised retailers.

Lumen

- 17 LUMEN 870
- 19 LUMEN 1200
- 21 LUMEN 1600

Wood-burning Stoves

- 38 LIÙ.16 PETRA
- 39 LIÙ.16 MAIOLICA
- 56 LAVINIA EOS
- 59 NOVA FORNO.16 MAIOLICA
- 60 NOVA FORNO.16 STEEL
- 61 DANTE.16
- 62 DANTE.16 CON PORTALEGNA

Wood-burning Thermo Stoves

- 71 SIERRA.16

Wood-burning Cookers

- 88 MILLY.16
- 94 GARDENIA.16 PETRA
- 95 GARDENIA.16 STEEL
- 100 GARDENIA XXL PETRA
- 101 GARDENIA XXL STEEL
- 102 GARDENIA XXL CERAMICA
- 103 ALASKA.16

Wood-burning Monoblocks

- 119 MONOBLOCCO 3LC.165
- 120 MONOBLOCCO 90PA.165

Pellet Stoves

- 149 PEGGY
- 151 ANGELICA JUNIOR
- 152 ANGELICA EVO
- 153 ANGELICA PLUS EVO
- 154 ANGY TOP
- 155 LINA TOP
- 158 MOIRA EVO
- 159 SABRY AD
- 162 DANIELA
- 163 DANIELA PLUS
- 169 PAMELA STEEL
- 170 PAMELA CRYSTAL
- 173 DEBBY EVO
- 174 DEBBY PETRA EVO
- 180 SHARON PLUS PETRA
- 181 SHARON PLUS CRYSTAL
- 182 SHARON PLUS STEEL

Pellet Thermo Stoves

- 199 ROSANNA IDRO 5.0



Evolution *line*

The best of
La Nordica-Extraflame Group production.
For the best retailers:
Design, technology and performance.

Automatic Wood-burning Stoves

65 LARISSA.16

Hybrid Stoves

143 MARGARET GRES
144 MARGARET PETRA

Pellet Stoves

175 KATIA 9 5.0 EVO
176 KATIA 11
177 MIETTA EVO
188 SINFONY
189 ANNALISA PLUS CRYSTAL EVO
190 ANNALISA PLUS GRES EVO
193 NORIS
194 NORIS LUX
195 NORIS PLUS
196 NORIS PLUS LUX
197 TERRY PLUS

Pellet Thermo Stoves

204 GUENDA IDRO 5.0
205 ISIDORA IDRO H16 5.0 EVO
206 ISIDORA IDRO H20 5.0 EVO
207 ISIDORA IDRO H23 5.0 EVO
208 MIRIANA IDRO H16
209 MIRIANA IDRO H20
210 MIRIANA IDRO H23
214 EVELYNE IDRO EVO
215 FLORIANA IDRO CRYSTAL
216 FLORIANA IDRO GRES

Pellet Boilers

229 PR20 EVO
232 PR30 EVO

Lumen

LA NORDICA Electric Fireplaces

Lumen electric fireplaces are designed to bring the visual warmth of fire to any space, without installation constraints. No flue, no piping: a single power outlet is all it takes to transform a room into a welcoming environment.

Advanced LED technology recreates the flame with remarkable realism, enhanced by the use of genuine Italian logs. Flame intensity and effect are fully adjustable, allowing you to set the mood for any occasion, from quiet evenings to more formal settings.

Refined design, immediate installation, zero emissions: the contemporary choice for those who refuse to give up the charm of a real fire.



The new flame that lives in every space.

Our electric fireplaces are designed to effortlessly fit any type of environment, thanks to great installation versatility. They can be recessed directly into the wall or surface-mounted for a faster, functional solution — no invasive structural work required.

Available configurations

Available in three aesthetic configurations:

Front, corner, or panoramic to offer maximum design freedom and showcase the flame from one or more perspectives, based on the space and style of the environment.

Cladding kit: Available finishes

Our electric fireplaces are designed to effortlessly fit any type of environment, thanks to great installation versatility. They can be recessed directly into the wall or surface-mounted for a faster, functional solution — no invasive structural work required.


Smart control

Lumen can be easily controlled via remote control, dedicated app, or Alexa voice assistant. You can adjust flame intensity and speed across three levels, manage ventilation (Off, 1000 W, 2000 W), and customise flame and ember lighting. Via the app, save your preferred settings or use simple voice commands with Alexa for instant control of light, flame, and ventilation.


LUMEN 1200 INSTALLATION WITH CHALK FRAME



Panoramic



Corner (RH side - LH side)



Frontal



Anthracite



Stone



Chalk





LUMEN 870

PRESTIGE
Line

LUMEN



3005740
€ 1.925,00

OPTIONAL ACCESSORIES CLADDING KIT

Dimensions with frame (WxHxD)	1370 x 531 x 408 mm
Frame weight	15 kg



Anthracite
7023660
€ 730,00



Stone
7023661
€ 730,00



Chalk
7023662
€ 730,00



TECHNICAL DATA

Heating power (min-max)	0 - 2,0 kW
Dimensions (WxHxD)	870 x 469 x 319 mm
Net weight	37 kg
Electrical consumption (heating OFF)	21 W
Ventilation	Frontal



Standard WiFi



Switchable
ventilation



Natural wood

FEATURES

FLAME REALISM

- LED technology that recreates a realistic and evocative flame effect
- Easily customise brightness and flame speed via remote control, Total Control 3.0 app, or Alexa voice commands
- Option to exclude and adjust flame and ember colour tones (reds and yellows)

EASY INSTALLATION

- “Plug & play” installation - no flue or masonry work required
- Quick and practical front inspection

BUILT TO LAST

- Genuine Italian hand-crafted wood treated with protective resin
- Durable materials for a solid, long-lasting design

THERMAL COMFORT

- Adjustable ventilation across three power modes: off, 1000 W, 2000 W
- Chrono function to schedule on/off times
- Auto mode for automatic temperature management via ambient sensor



LUMEN 1200

PRESTIGE
Line

LUMEN



3005741
€ 2.350,00

OPTIONAL ACCESSORIES CLADDING KIT

Dimensions with frame (WxHxD)	1700 x 631 x 408 mm
Frame weight	19 kg



Anthracite
7023670
€ 800,00



Stone
7023671
€ 800,00



Chalk
7023672
€ 800,00



TECHNICAL DATA

Heating power (min-max)	0 - 2,0 kW
Dimensions (WxHxD)	1200 x 569 x 319 mm
Net weight	54 kg
Electrical consumption (heating OFF)	27 W
Ventilation	Frontal



Standard WiFi



Switchable
ventilation



Natural wood

FEATURES

FLAME REALISM

- LED technology that recreates a realistic and evocative flame effect
- Easily customise brightness and flame speed via remote control, Total Control 3.0 app, or Alexa voice commands
- Option to exclude and adjust flame and ember colour tones (reds and yellows)

EASY INSTALLATION

- "Plug & play" installation - no flue or masonry work required
- Quick and practical front inspection

BUILT TO LAST

- Genuine Italian hand-crafted wood treated with protective resin
- Durable materials for a solid, long-lasting design

THERMAL COMFORT

- Adjustable ventilation across three power modes: off, 1000 W, 2000 W
- Chrono function to schedule on/off times
- Auto mode for automatic temperature management via ambient sensor



LUMEN 1600

PRESTIGE
Line

LUMEN



3005742
€ 2.920,00

OPTIONAL ACCESSORIES CLADDING KIT

Dimensions with frame (WxHxD)	2100 x 631 x 408 mm
Frame weight	23 kg



Anthracite
7023680
€ 800,00



Stone
7023681
€ 800,00



Chalk
7023682
€ 800,00



TECHNICAL DATA

Heating power (min-max)	0 - 2,0 kW
Dimensions (WxHxD)	1600 x 569 x 319 mm
Net weight	72 kg
Electrical consumption (heating OFF)	32 W
Ventilation	Frontal



Standard WiFi



Switchable
ventilation



Natural wood

FEATURES

FLAME REALISM

- LED technology that recreates a realistic and evocative flame effect
- Easily customise brightness and flame speed via remote control, Total Control 3.0 app, or Alexa voice commands
- Option to exclude and adjust flame and ember colour tones (reds and yellows)

EASY INSTALLATION

- “Plug & play” installation - no flue or masonry work required
- Quick and practical front inspection

BUILT TO LAST

- Genuine Italian hand-crafted wood treated with protective resin
- Durable materials for a solid, long-lasting design

THERMAL COMFORT

- Adjustable ventilation across three power modes: off, 1000 W, 2000 W
- Chrono function to schedule on/off times
- Auto mode for automatic temperature management via ambient sensor

Wood

Wood is one of the oldest and most efficient sources of domestic heating. La Nordica-Extraflame's wood-burning products are the result of a rigorous design process in which material quality, construction precision and operational safety are fundamental values.

Every model reflects decades of industry expertise, expressed through balanced forms and technical solutions that ensure lasting high performance. Quality, tradition and innovation come together to deliver heating that is authentic, reliable and environmentally responsible.

LA NORDICA Wood-burning Products



Wood-burning Stoves

La Nordica-Extraflame wood-burning stoves combine high heating performance with a refined aesthetic that makes them a defining feature of any interior. A wide selection of models, dimensions and premium finishes allows you to find the right match for any living style, from rustic environments to contemporary settings.

Every stove is engineered for energy efficiency, low emissions and ease of use, in full compliance with the latest environmental standards. Choosing wood means choosing a renewable, cost-effective source of heat, one that creates an atmosphere no other system can replicate.

BRIGITTA.16

4,7 kW-N 135 m³



ENAMELLED CAST IRON WOOD-BURNING STOVE

Enamelled cast iron structure



Black
3000140
€ 832,00

TECHNICAL DATA

Nominal power	4,7 kW-N
Efficiency	81 %
Seasonal efficiency	71 %
Hourly consumption	1,4 kg/h
Dimensions (WxHxD)	404 x 640 x 397 mm
Net weight	70 kg
Flue outlet diameter and position	120 mm (T)
Hearth opening size (WxH)	233 x 214 mm
Hearth dimensions (WxHxD)	330 x 294 x 215 mm

FEATURES

Extractable ash drawer	Ceramic glass
Post-combustion system for low emissions	Stove made completely of enamelled cast-iron
Adjustable primary and secondary air for better combustion management	Small dimensions for fitting into small spaces

SUPER JUNIOR LEAN

5,7 kW-N 163 m³



WOOD-BURNING STOVE

Enamelled steel exterior cladding



Black
3008930
€ 770,00



Green
3008935
€ 770,00

Minimum order 4 pieces or multiples thereof

TECHNICAL DATA

Nominal power	5,7 kW-N
Efficiency	80 %
Seasonal efficiency	70 %
Hourly consumption	1,6 kg/h
Dimensions (WxHxD)	356 x 802 x 423 mm
Net weight	66 kg
Flue outlet diameter and position	120 mm (T)
Hearth opening size (WxH)	216 x 178 mm
Hearth dimensions (WxHxD)	220 x 336 x 276 mm



Cast iron ring set

FEATURES

Cast iron hearth	Ceramic glass
Extractable ash drawer	Enamelled cast iron door, base and top
Post-combustion system for low emissions	Chrome brass handles
Adjustable primary and secondary air for better combustion management	External grid shaker

EMILIANA.165 MAIOLICA

6,5 kW-N 186 m³



WOOD-BURNING STOVE

Majolica cladding



Bordeaux
3009220
€ 1.770,00



White Infinity
3009221
€ 1.770,00

OPTIONAL

Ring Ø 100 mm air fitting	Code 6035510	Price € 7,50
---------------------------	-----------------	-----------------

TECHNICAL DATA

Nominal power	6,5 kW-N
Efficiency	86 %
Seasonal efficiency	76 %
Hourly consumption	1,8 kg/h
Dimensions (WxHxD)	453 x 1002 x 490 mm
Net weight	135 kg
Flue outlet diameter and position	120 mm (T)
Hearth opening size (WxH)	210 x 255 mm
Hearth dimensions (WxHxD)	273 x 330 x 320 mm



Outdoor air intake



Cast iron ring set

FEATURES

Cast iron hearth	Adjustable primary and secondary air for better combustion management
Extractable ash drawer	Ceramic glass
Post-combustion system for low emissions	Enamelled cast iron door, base and top

EMILIANA.165 STEEL

6,5 kW-N 186 m³



WOOD-BURNING STOVE

Enamelled steel exterior cladding



Anthracite Black
3009230
€ 1.435,00

OPTIONAL

Ring Ø 100 mm air fitting

Code

6035510

Price

€ 7,50

TECHNICAL DATA

Nominal power	6,5 kW-N
Efficiency	86 %
Seasonal efficiency	76 %
Hourly consumption	1,8 kg/h
Dimensions (WxHxD)	453 x 1002 x 490 mm
Net weight	121 kg
Flue outlet diameter and position	120 mm (T)
Hearth opening size (WxH)	210 x 255 mm
Hearth dimensions (WxHxD)	273 x 330 x 320 mm



Outdoor air intake



Cast iron ring set

FEATURES

Cast iron hearth	Adjustable primary and secondary air for better combustion management
Extractable ash drawer	Ceramic glass
Post-combustion system for low emissions	Enamelled cast iron door, base and top

GEMMA LEAN CERAMICA

6,5 kW-N 186 m³



WOOD-BURNING STOVE

Ceramic exterior cladding



Elegance Bordeaux
3005100
€ 1.075,00



Elegance White
Infinity
3005101
€ 1.075,00



Liberty Panna
3005102
€ 1.075,00

TECHNICAL DATA

Nominal power	6,5 kW-N
Efficiency	80 %
Seasonal efficiency	70 %
Hourly consumption	1,9 kg/h
Dimensions (WxHxD)	460 x 900 x 495 mm
Net weight	87 kg
Flue outlet diameter and position	120 mm (T)
Hearth opening size (WxH)	220 x 215 mm
Hearth dimensions (WxHxD)	220 x 370 x 290 mm



Cast iron ring set

FEATURES

Cast iron hearth	Adjustable primary and secondary air for better combustion management
Extractable ash drawer	Ceramic glass
Post-combustion system for low emissions	Enamelled cast iron door, base and top

GEMMA LEAN PETRA

6,5 kW-N 186 m³



WOOD-BURNING STOVE

Ceramic exterior cladding



Natural Stone
3005110
€ 1.105,00

TECHNICAL DATA

Nominal power	6,5 kW-N
Efficiency	80 %
Seasonal efficiency	70 %
Hourly consumption	1,9 kg/h
Dimensions (WxHxD)	460 x 900 x 495 mm
Net weight	100 kg
Flue outlet diameter and position	120 mm (T)
Hearth opening size (WxH)	220 x 215 mm
Hearth dimensions (WxHxD)	220 x 370 x 290 mm



Cast iron ring set

FEATURES

Cast iron hearth	Adjustable primary and secondary air for better combustion management
Extractable ash drawer	Ceramic glass
Post-combustion system for low emissions	Enamelled cast iron door, base and top

GEMMA FORNO.165 CERAMICA

7,3 kW-N 209 m³



WOOD-BURNING STOVE WITH OVEN

Majolica cladding



Elegance Bordeaux
3009300
€ 1.500,00



Elegance White
Infinity
3009301
€ 1.500,00

STANDARD EQUIPMENT

Enamelled oven tray 210 x 301 mm

OPTIONAL	Code	Price
Enamelled oven tray 210 x 301 mm	1111105	€ 23,30

TECHNICAL DATA

Nominal power	7,3 kW-N
Efficiency	86 %
Seasonal efficiency	76 %
Hourly consumption	1,9 kg/h
Dimensions (WxHxD)	460 x 1265 x 495 mm
Net weight	125 kg
Flue outlet diameter and position	120 mm (T)
Hearth opening size (WxH)	220 x 215 mm
Hearth dimensions (WxHxD)	220 x 370 x 290 mm
Oven Dim. (WxHxD)	227 x 296 x 290 mm
Oven capacity	20 l



Cast iron ring set

FEATURES

Cast iron hearth	Ceramic glass
Extractable ash drawer	Enamelled cast iron doors, frame and top
Post-combustion system for low emissions	Large enamelled oven 20 l
Adjustable primary and secondary air for better combustion management	

GEMMA FORNO.165 PETRA

7,3 kW-N 209 m³



WOOD-BURNING STOVE WITH OVEN

Natural stone cladding



Natural Stone
3009310
€ 1.540,00

STANDARD EQUIPMENT

Enamelled oven tray 210 x 301 mm

OPTIONAL	Code	Price
Enamelled oven tray 210 x 301 mm	1111105	€ 23,30

TECHNICAL DATA

Nominal power	7,3 kW-N
Efficiency	86 %
Seasonal efficiency	76 %
Hourly consumption	1,9 kg/h
Dimensions (WxHxD)	460 x 1265 x 495 mm
Net weight	140 kg
Flue outlet diameter and position	120 mm (T)
Hearth opening size (WxH)	220 x 215 mm
Hearth dimensions (WxHxD)	220 x 370 x 290 mm
Oven Dim. (WxHxD)	227 x 296 x 290 mm
Oven capacity	20 ℓ



Cast iron ring set

FEATURES

Cast iron hearth	Ceramic glass
Extractable ash drawer	Enamelled cast iron door, base and top
Post-combustion system for low emissions	Large enamelled oven 20 l
Adjustable primary and secondary air for better combustion management	

GIULIETTA.165

6,5 kW-N 186 m³



ENAMELLED CAST IRON WOOD-BURNING STOVE

Enamelled cast iron structure



Anthracite Black
3009440
€ 1.255,00

TECHNICAL DATA

Nominal power	6,5 kW-N
Efficiency	80 %
Seasonal efficiency	70 %
Hourly consumption	1,9 kg/h
Dimensions (WxHxD)	487 x 750 x 430 mm
Net weight	115 kg
Flue outlet diameter and position	120 mm (B/T)
Hearth opening size (WxH)	235 x 260 mm
Hearth dimensions (WxHxD)	350 x 290 x 225 mm

FEATURES

Extractable ash drawer	Ceramic glass
Post-combustion system for low emissions	Stove made completely of enamelled cast-iron
Adjustable primary and secondary air for better combustion management	

CANDY LEAN.165

6,6 kW-N 189 m³



ENAMELLED CAST IRON WOOD-BURNING STOVE

Enamelled cast iron structure



Anthracite Black
3011440
€ 1.020,00

TECHNICAL DATA

Nominal power	6,6 kW-N
Efficiency	80 %
Seasonal efficiency	70 %
Hourly consumption	1,9 kg/h
Dimensions (WxHxD)	404 x 934 x 397 mm
Net weight	85 kg
Flue outlet diameter and position	120 mm (T)
Hearth opening size (WxH)	233 x 315 mm
Hearth dimensions (WxHxD)	330 x 356 x 215 mm

FEATURES

Extractable ash drawer	Ceramic glass
Post-combustion system for low emissions	Stove made completely of enamelled cast-iron
Adjustable primary and secondary air for better combustion management	

NEW 2026 | EMI LEAN

6,6 kW-N 189 m³



ENAMELLED CAST IRON WOOD-BURNING STOVE

Enamelled cast iron structure



Anthracite Black
3010640
€ 840,00

TECHNICAL DATA

Nominal power	6,6 kW-N
Efficiency	80 %
Seasonal efficiency	70 %
Hourly consumption	1,9 kg/h
Dimensions (WxHxD)	404 x 784 x 398 mm
Net weight	75 kg
Flue outlet diameter and position	120 mm (T)
Hearth opening size (WxH)	233 x 315 mm
Hearth dimensions (WxHxD)	330 x 356 x 215 mm

FEATURES

Cast iron hearth	Post-combustion system for low emissions
Extractable ash drawer	Adjustable primary and secondary air for better combustion management
Cast iron sides, top and door enamelled	Ceramic glass

ASIA 5.0

7,0 kW-N 201 m³



WOOD-BURNING STOVE



Vulcan
3007611
€ 1.450,00

OPTIONAL	Code	Price
Additional ventilation ring Ø 120 mm	1130100	€ 16,70

TECHNICAL DATA


The height figure includes the tube, see data sheet.

Nominal power	7,0 kW-N
Efficiency	86 %
Seasonal efficiency	76 %
Hourly consumption	1,8 kg/h
Dimensions (WxHxD)	438 x 1385 x 473 mm
Net weight	154 kg
Flue outlet diameter and position	120 mm (T)
Hearth opening size (WxH)	220 x 215 mm
Hearth dimensions (WxHxD)	220 x 328 x 290 mm



FEATURES

Cast iron hearth	Enamelled cast iron door
Extractable ash drawer	50 cm enamelled steel pipe, standard
Post-combustion system for low emissions	Front panels and sides in enamelled steel
Adjustable primary and secondary air for better combustion management	
Ceramic glass	



TEA.16

7,0 kW-N 201 m³



WOOD-BURNING STOVE



Anthracite Black
3004830
€ 810,00



White
3004831
€ 810,00

TECHNICAL DATA


The height figure includes the tube, see data sheet.

Nominal power	7,0 kW-N
Efficiency	86 %
Seasonal efficiency	76 %
Hourly consumption	1,8 kg/h
Dimensions (WxHxD)	414 x 1346 x 473 mm
Net weight	79 kg
Flue outlet diameter and position	120 mm (T)
Hearth opening size (WxH)	220 x 215 mm
Hearth dimensions (WxHxD)	228 x 365 x 278 mm



FEATURES

Extractable ash drawer	Refractory Hearth
Post-combustion system for low emissions	Cast iron door, base and top
Adjustable primary and secondary air for better combustion management	Shaker
Ceramic glass	



LIÙ.16 PETRA

7,5 kW-N 215 m³

PRESTIGE
Line



WOOD-BURNING STOVE

Natural stone cladding



Natural Stone
3002710
€ 2.439,00

STANDARD EQUIPMENT

Additional ventilation ring Ø 100 mm

TECHNICAL DATA

The height figure includes the tube, see data sheet.

Nominal power	7,5 kW-N
Efficiency	86 %
Seasonal efficiency	76 %
Hourly consumption	2,0 kg/h
Dimensions (WxHxD)	528 x 1562 x 508 mm
Net weight	201 kg
Flue outlet diameter and position	130 mm (T)
Hearth opening size (WxH)	270 x 375 mm
Hearth dimensions (WxHxD)	295 x 429 x 310 mm




Direct outdoor air
intake



Nordiker hearth

FEATURES

Extractable ash drawer	Wide view of the focus
Post-combustion system for low emissions	Adjustable primary and secondary air with a single register for better combustion management
Stove made completely of enamelled cast-iron	
Curved ceramic glass	



LIÙ.16 MAIOLICA

7,5 kW-N 215 m³

PRESTIGE
Line



WOOD-BURNING STOVE

Majolica cladding



Bordeaux
3002720
€ 2.336,00



White Infinity
3002721
€ 2.336,00

STANDARD EQUIPMENT

Additional ventilation ring Ø 100 mm

TECHNICAL DATA

The height figure includes the tube, see data sheet.

Nominal power	7,5 kW-N
Efficiency	86 %
Seasonal efficiency	76 %
Hourly consumption	2,0 kg/h
Dimensions (WxHxD)	537 x 1562 x 508 mm
Net weight	170 kg
Flue outlet diameter and position	130 mm (T)
Hearth opening size (WxH)	270 x 375 mm
Hearth dimensions (WxHxD)	295 x 429 x 310 mm




Direct outdoor air
intake



Nordiker hearth

FEATURES

Extractable ash drawer	Wide view of the focus
Post-combustion system for low emissions	Adjustable primary and secondary air with a single register for better combustion management
Stove made completely of enamelled cast-iron	
Curved ceramic glass	



MARLENA.16

7,5 kW-N 215 m³



ENAMELLED CAST IRON WOOD-BURNING STOVE

Enamelled cast iron structure



Anthracite Black
3002840
€ 1.835,00

STANDARD EQUIPMENT

Additional ventilation ring Ø 100 mm

OPTIONAL	Code	Price
Rear heat shield	7119353	€ 96,20

TECHNICAL DATA

The height figure includes the tube, see data sheet.

Nominal power	7,5 kW-N
Efficiency	86 %
Seasonal efficiency	76 %
Hourly consumption	2,0 kg/h
Dimensions (WxHxD)	465 x 1562 x 475 mm
Net weight	140 kg
Flue outlet diameter and position	130 mm (T)
Hearth opening size (WxH)	270 x 375 mm
Hearth dimensions (WxHxD)	295 x 429 x 310 mm




Direct outdoor air intake



Nordiker hearth

FEATURES

Extractable ash drawer	Curved ceramic glass
Post-combustion system for low emissions	Wide view of the focus
Adjustable primary and secondary air for better combustion management	
Stove made completely of enamelled cast-iron	



ISETTA LEAN

7,7 kW-N 221 m³



ENAMELLED CAST IRON WOOD-BURNING STOVE

Enamelled cast iron structure



Anthracite Black
3008240
€ 1.745,00

TECHNICAL DATA

Nominal power	7,7 kW-N
Efficiency	80 %
Seasonal efficiency	70 %
Hourly consumption	2,2 kg/h
Dimensions (WxHxD)	661 x 707 x 594 mm
Net weight	163 kg
Flue outlet diameter and position	150 mm (B)
Hearth opening size (WxH)	380 x 225 mm
Hearth dimensions (WxHxD)	439 x 280 x 200 mm

FEATURES

Extractable ash drawer	Stove made completely of enamelled cast-iron
Post-combustion system for low emissions	Side loading door
Adjustable primary and secondary air for better combustion management	Rear flue outlet with 90° elbow (see technical drawing)
Ceramic glass	

ISETTA CC LEAN

7,7 kW-N221 m³



ENAMELLED CAST IRON WOOD-BURNING STOVE

Enamelled cast iron structure



Anthracite Black
3008440
€ 1.820,00

TECHNICAL DATA

Nominal power	7,7 kW-N
Efficiency	80 %
Seasonal efficiency	70 %
Hourly consumption	2,2 kg/h
Dimensions (WxHxD)	661 x 759 x 594 mm
Net weight	171 kg
Flue outlet diameter and position	150 mm (B)
Hearth opening size (WxH)	380 x 225 mm
Hearth dimensions (WxHxD)	439 x 280 x 200 mm



FEATURES

Extractable ash drawer	Stove made completely of enamelled cast-iron
Post-combustion system for low emissions	Side loading door
Adjustable primary and secondary air for better combustion management	Top cooking plate and rings in polished cast-iron
Ceramic glass	Rear flue outlet with 90° elbow (see technical drawing)

NEW 2026 | ISETTA FORNO

8,2 kW-N235 m³



ENAMELLED CAST IRON WOOD STOVE WITH OVEN

Enamelled cast iron structure



Anthracite Black
3010440
€ 2.600,00

STANDARD EQUIPMENT

Enamelled backing tray 220x320 mm
Chrome plated oven grill 260x318 mm

OPTIONAL	Code	Price
Enamelled backing tray 220x320 mm	7730002	€ 23,30
Chrome plated oven grill 260x318 mm	7730003	€ 16,70

TECHNICAL DATA

Nominal power	8,2 kW-N
Efficiency	86 %
Seasonal efficiency	76 %
Hourly consumption	2,2 kg/h
Dimensions (WxHxD)	661 x 1162 x 452 mm
Net weight	228 kg
Flue outlet diameter and position	150 mm (T)
Hearth opening size (WxH)	380 x 225 mm
Hearth dimensions (WxHxD)	439 x 280 x 200 mm
Oven Dim. (WxHxD)	340 x 245 x 265 mm
Oven capacity	22 ℓ



FEATURES

Extractable ash drawer	22 l porcelain enamelled steel oven
Front and side loading door	Lava stone oven interior lining
Ash-collection tank and enamelled cast-iron feet	Adjustable primary and secondary air for better combustion management
Cast iron + Nordiker hearth	Post-combustion system for low emissions

JENNIFER.16

7,7 kW-N 221 m³



ENAMELLED CAST IRON WOOD-BURNING STOVE

Enamelled cast iron structure



Anthracite Black
3002541
€ 1.690,00

STANDARD EQUIPMENT

Additional ventilation ring Ø 100 mm

TECHNICAL DATA

Nominal power	7,7 kW-N
Efficiency	80 %
Seasonal efficiency	70 %
Hourly consumption	2,3 kg/h
Dimensions (WxHxD)	702 x 914 x 478 mm
Net weight	141 kg
Flue outlet diameter and position	150 mm (T)
Hearth opening size (WxH)	532 x 212 mm
Hearth dimensions (WxHxD)	585 x 290 x 255 mm



FEATURES

Extractable ash drawer	Post-combustion system
Adjustable primary and secondary air for better combustion management	Stove made completely of enamelled cast-iron
Ceramic glass	

ESTER 5.0

8,0 kW-N 229 m³



WOOD-BURNING STOVE WITH HEAT RECOVERY SYSTEM

Natural stone cladding



Vulcan
3000611
€ 2.380,00

STANDARD EQUIPMENT

EPS system

OPTIONAL	Code	Price
Additional ventilation ring Ø 120 mm	1130100	€ 16,70

TECHNICAL DATA


The height figure includes the tube, see data sheet.

Nominal power	8,0 kW-N
Efficiency	86 %
Seasonal efficiency	76 %
Hourly consumption	2,2 kg/h
Dimensions (WxHxD)	540 x 1331 x 485 mm
Net weight	243 kg
Flue outlet diameter and position	130 mm (T)
Hearth opening size (WxH)	300 x 350 mm
Hearth dimensions (WxHxD)	295 x 390 x 300 mm



FEATURES

Extractable ash drawer	EPS system for heat recovery
Post-combustion system for low emissions	Enamelled cast iron door
Adjustable primary and secondary air for better combustion management	Wide view of the focus
Ceramic glass	



ESTER FORNO 5.0

8,0 kW-N 229 m³



WOOD-BURNING STOVE WITH OVEN

Natural stone cladding



Vulcan
3000711
€ 3.370,00

STANDARD EQUIPMENT

Enamelled oven tray 255 x 348 mm

OPTIONAL	Code	Price
Enamelled oven tray 255 x 348 mm	1013024	€ 23,30
Additional ventilation ring Ø 120 mm	1130100	€ 16,70

TECHNICAL DATA

The height figure includes the tube, see data sheet.

Nominal power	8,0 kW-N
Efficiency	86 %
Seasonal efficiency	76 %
Hourly consumption	2,2 kg/h
Dimensions (WxHxD)	540 x 1512 x 485 mm
Net weight	317 kg
Flue outlet diameter and position	130 mm (T)
Hearth opening size (WxH)	300 x 340 mm
Hearth dimensions (WxHxD)	295 x 315 x 300 mm
Oven Dim. (WxHxD)	268 x 238 x 338 mm
Oven capacity	22 ℓ




Outdoor air intake



Nordiker hearth

FEATURES

Extractable ash drawer	Porcelain enamelled steel oven
Post-combustion system for low emissions	
Adjustable primary and secondary air for better combustion management	
Ceramic glass	
Enamelled cast iron door	
Wide view of the focus	



FEDORA.16 MAIOLICA

8,3 kW-N 238 m³



WOOD-BURNING STOVE

Majolica cladding



Bordeaux
3000820
€ 2.190,00



White Infinity
3000821
€ 2.190,00

OPTIONAL

Ring Ø 100 mm air fitting

Code

6035510

Price

€ 7,50

TECHNICAL DATA

Nominal power	8,3 kW-N
Efficiency	86 %
Seasonal efficiency	76 %
Hourly consumption	2,3 kg/h
Dimensions (WxHxD)	559 x 1086 x 547 mm
Net weight	175 kg
Flue outlet diameter and position	130 mm (T)
Hearth opening size (WxH)	315 x 285 mm
Hearth dimensions (WxHxD)	377 x 368 x 362 mm



Outdoor air intake



Cast iron ring set

FEATURES

Cast iron hearth	Adjustable primary and secondary air for better combustion management
Extractable ash drawer	Ceramic glass
Post-combustion system for low emissions	Enamelled cast iron door, base and top

FEDORA.16 STEEL

8,3 kW-N 238 m³



WOOD-BURNING STOVE

Enamelled steel exterior cladding



Anthracite Black
3000830
€ 1.775,00

OPTIONAL

Ring Ø 100 mm air fitting

Code

6035510

Price

€ 7,50

TECHNICAL DATA

Nominal power	8,3 kW-N
Efficiency	86 %
Seasonal efficiency	76 %
Hourly consumption	2,3 kg/h
Dimensions (WxHxD)	559 x 1086 x 547 mm
Net weight	150 kg
Flue outlet diameter and position	130 mm (T)
Hearth opening size (WxH)	315 x 285 mm
Hearth dimensions (WxHxD)	377 x 368 x 362 mm



Outdoor air intake



Cast iron ring set

FEATURES

Cast iron hearth	Adjustable primary and secondary air for better combustion management
Extractable ash drawer	Ceramic glass
Post-combustion system for low emissions	Enamelled cast iron door, base and top

ROSSELLA R1.16 CERAMICA

9,0 kW-N 258 m³



WOOD-BURNING STOVE

Majolica cladding



Liberty Bordeaux
3004100
€ 1.525,00



Liberty White Infinity
3004101
€ 1.525,00



Liberty Panna
3004102
€ 1.525,00

OPTIONAL

Additional ventilation ring Ø 120 mm

Code

1130100

Price

€ 16,70

TECHNICAL DATA

The height figure includes the tube, see data sheet.


Nominal power	9,0 kW-N
Efficiency	86 %
Seasonal efficiency	76 %
Hourly consumption	2,4 kg/h
Dimensions (WxHxD)	578 x 1370 x 586 mm
Net weight	155 kg
Flue outlet diameter and position	130 mm (T)
Hearth opening size (WxH)	315 x 285 mm
Hearth dimensions (WxHxD)	373 x 389 x 362 mm



Outdoor air intake

FEATURES

Cast iron hearth	Ceramic glass
Extractable ash drawer	Enamelled cast iron doors, frame and top
Post-combustion system for low emissions	
Adjustable primary and secondary air for better combustion management	



ROSSELLA R1.16 PETRA

9,0 kW-N 258 m³



WOOD-BURNING STOVE

Natural stone cladding



Natural Stone
3004110
€ 1.560,00

OPTIONAL

	Code	Price
Additional ventilation ring Ø 120 mm	1130100	€ 16,70

TECHNICAL DATA

The height figure includes the tube, see data sheet.


Nominal power	9,0 kW-N
Efficiency	86 %
Seasonal efficiency	76 %
Hourly consumption	2,4 kg/h
Dimensions (WxHxD)	578 x 1370 x 586 mm
Net weight	170 kg
Flue outlet diameter and position	130 mm (T)
Hearth opening size (WxH)	315 x 285 mm
Hearth dimensions (WxHxD)	373 x 389 x 362 mm



Outdoor air intake

FEATURES

Cast iron hearth	Ceramic glass
Extractable ash drawer	Enamelled cast iron doors, frame and top
Post-combustion system for low emissions	
Adjustable primary and secondary air for better combustion management	



ROSSELLA PLUS FORNO.165 CERAMICA

9,4 kW-N 270 m³



WOOD-BURNING STOVE WITH OVEN

Majolica cladding



Liberty Bordeaux
3009900
€ 2.515,00



Liberty Panna
3009902
€ 2.515,00

STANDARD EQUIPMENT

Enamelled oven tray 298 x 375 mm

OPTIONAL	Code	Price
Enamelled oven tray 298 x 375 mm	1014024	€ 23,30
Chrome-plated oven rack 298 x 375 mm	1014100	€ 17,60
Additional ventilation ring Ø 120 mm	1130100	€ 16,70

TECHNICAL DATA

Nominal power	9,4 kW-N
Efficiency	86 %
Seasonal efficiency	76 %
Hourly consumption	2,5 kg/h
Dimensions (WxHxD)	559 x 1411 x 536 mm
Net weight	195 kg
Flue outlet diameter and position	130 mm (T)
Hearth opening size (WxH)	355 x 245 mm
Hearth dimensions (WxHxD)	379 x 370 x 327 mm
Oven Dim. (WxHxD)	330 x 300 x 370 mm
Oven capacity	37 ℓ



Cast iron ring set

FEATURES

Cast iron hearth	Ceramic glass
Extractable ash drawer	Enamelled cast iron door, base and top
Post-combustion system for low emissions	Wood drawer
Adjustable primary and secondary air for better combustion management	Porcelain enamelled steel oven

ROSSELLA PLUS FORNO.165 PETRA

9,4 kW-N 270 m³



WOOD-BURNING STOVE WITH OVEN

Natural stone cladding



Natural Stone
3009910
€ 2.515,00

STANDARD EQUIPMENT

Enamelled oven tray 298 x 375 mm

OPTIONAL	Code	Price
Enamelled oven tray 298 x 375 mm	1014024	€ 23,30
Chrome-plated oven rack 298 x 375 mm	1014100	€ 17,60
Additional ventilation ring Ø 120 mm	1130100	€ 16,70

TECHNICAL DATA

Nominal power	9,4 kW-N
Efficiency	86 %
Seasonal efficiency	76 %
Hourly consumption	2,5 kg/h
Dimensions (WxHxD)	559 x 1411 x 536 mm
Net weight	219 kg
Flue outlet diameter and position	130 mm (T)
Hearth opening size (WxH)	355 x 245 mm
Hearth dimensions (WxHxD)	379 x 370 x 327 mm
Oven Dim. (WxHxD)	330 x 300 x 370 mm
Oven capacity	37 ℓ



Outdoor air intake



Cast iron ring set

FEATURES

Cast iron hearth	Ceramic glass
Extractable ash drawer	Enamelled cast iron door, base and top
Post-combustion system for low emissions	Wood drawer
Adjustable primary and secondary air for better combustion management	Porcelain enamelled steel oven

ISOTTA LEAN

9,3 kW-N 267 m³



ENAMELLED CAST IRON WOOD-BURNING STOVE

Enamelled cast iron structure



Anthracite Black
3008640
€ 2.140,00

TECHNICAL DATA

Nominal power	9,3 kW-N
Efficiency	80 %
Seasonal efficiency	70 %
Hourly consumption	2,7 kg/h
Dimensions (WxHxD)	790 x 775 x 660 mm
Net weight	212 kg
Flue outlet diameter and position	150 mm (B/T)
Hearth opening size (WxH)	510 x 290 mm
Hearth dimensions (WxHxD)	546 x 348 x 290 mm

FEATURES

Extractable ash drawer	Ceramic glass
Post-combustion system for low emissions	Stove made completely of enamelled cast-iron
Adjustable primary and secondary air for better combustion management	Side loading door

ISOTTA CC LEAN

9,3 kW-N 267 m³



ENAMELLED CAST IRON WOOD-BURNING STOVE

Enamelled cast iron structure



Anthracite Black
3008840
€ 2.233,00

TECHNICAL DATA

Nominal power	9,3 kW-N
Efficiency	80 %
Seasonal efficiency	70 %
Hourly consumption	2,7 kg/h
Dimensions (WxHxD)	790 x 828 x 660 mm
Net weight	223 kg
Flue outlet diameter and position	150 mm (B/T)
Hearth opening size (WxH)	510 x 290 mm
Hearth dimensions (WxHxD)	546 x 348 x 290 mm



FEATURES

Top cooking plate and rings in polished cast-iron	Ceramic glass
Extractable ash drawer	Stove made completely of enamelled cast-iron
Post-combustion system for low emissions	Side loading door
Adjustable primary and secondary air for better combustion management	

ISOTTA FORNO EOS

11,0 kW-N 315 m³



WOOD-BURNING STOVE WITH OVEN

Enamelled cast iron structure



Anthracite Black
3009840
€ 3.165,00

STANDARD EQUIPMENT

Enamelled oven tray 385 x 294 mm
Chrome-plated oven rack 420 x 298 mm

OPTIONAL	Code	Price
Enamelled oven tray 385 x 294 mm	1119000	€ 36,30
Chrome-plated oven rack 420 x 298 mm	7119151	€ 15,80

TECHNICAL DATA

Nominal power	11,0 kW-N
Efficiency	86 %
Seasonal efficiency	76 %
Hourly consumption	2,9 kg/h
Dimensions (WxHxD)	790 x 1244 x 520 mm
Net weight	305 kg
Flue outlet diameter and position	150 mm (T)
Hearth opening size (WxH)	510 x 290 mm
Hearth dimensions (WxHxD)	546 x 348 x 290 mm
Oven Dim. (WxHxD)	443 x 290 x 305 mm
Oven capacity	39 ℓ



FEATURES

Extractable ash drawer	Stove made completely of enamelled cast-iron
Post-combustion system for low emissions	Side loading door
Adjustable primary and secondary air for better combustion management	39 l panoramic enamelled oven with lava stone interior
Ceramic glass	

LAVINIA EOS

11,7 kW-N 336 m³

PRESTIGE
Line



CAST IRON WOOD-BURNING STOVE WITH HEAT RECOVERY SYSTEM AND CATALYTIC FILTER

Enamelled cast iron structure



Anthracite Black
3007440
€ 2.560,00

STANDARD EQUIPMENT

EPS system
Additional ventilation ring Ø 100 mm

TECHNICAL DATA

The height figure includes the tube, see data sheet.

Nominal power	11,7 kW-N
Efficiency	86 %
Seasonal efficiency	76 %
Hourly consumption	3,1 kg/h
Dimensions (WxHxD)	773 x 1213 x 685 mm
Net weight	248 kg
Flue outlet diameter and position	150 mm (T)
Hearth opening size (WxH)	442 x 248 mm
Hearth dimensions (WxHxD)	650 x 290 x 300 mm



Direct outdoor air intake



Nordiker hearth




Catalytic filter



Cast iron ring set

FEATURES

Extractable ash drawer	Side-loading door with retractable handle
Post-combustion system for low emissions	
Adjustable primary and secondary air for better combustion management	
Ceramic glass	
EPS system for heat recovery	
Stove made completely of enamelled cast-iron	
Thermometer	
Ash-saving tank	



CONCITA.16 MAIOLICA

11,8 kW-N 338 m³



WOOD-BURNING STOVE WITH HEAT RECOVERY SYSTEM

Majolica cladding



Bordeaux
3000320
€ 2.230,00



White Infinity
3000321
€ 2.230,00

STANDARD EQUIPMENT

EPS system

OPTIONAL	Code	Price
Ring Ø 100 mm air fitting	6035510	€ 7,50

TECHNICAL DATA

The height figure includes the tube, see data sheet.

Nominal power	11,8 kW-N
Efficiency	86 %
Seasonal efficiency	76 %
Hourly consumption	3,2 kg/h
Dimensions (WxHxD)	559 x 1545 x 569 mm
Net weight	185 kg
Flue outlet diameter and position	150 mm (T)
Hearth opening size (WxH)	315 x 285 mm
Hearth dimensions (WxHxD)	357 x 450 x 362 mm



Outdoor air intake




Nordiker hearth



Cast iron ring set

FEATURES

Extractable ash drawer	Ceramic glass
Post-combustion system for low emissions	Enamelled cast iron door, base and top
Adjustable primary and secondary air for better combustion management	EPS system for heat recovery



CONCITA.16 STEEL

11,8 kW-N 338 m³



WOOD-BURNING STOVE WITH HEAT RECOVERY SYSTEM

Enamelled steel exterior cladding



Anthracite Black
3000330
€ 1.850,00

STANDARD EQUIPMENT

EPS system

OPTIONAL	Code	Price
Ring Ø 100 mm air fitting	6035510	€ 7,50

TECHNICAL DATA

The height figure includes the tube, see data sheet.

Nominal power	11,8 kW-N
Efficiency	86 %
Seasonal efficiency	76 %
Hourly consumption	3,2 kg/h
Dimensions (WxHxD)	559 x 1545 x 569 mm
Net weight	157 kg
Flue outlet diameter and position	150 mm (T)
Hearth opening size (WxH)	315 x 285 mm
Hearth dimensions (WxHxD)	357 x 450 x 362 mm



Outdoor air intake




Nordiker hearth



Cast iron ring set

FEATURES

Extractable ash drawer	Ceramic glass
Post-combustion system for low emissions	Enamelled cast iron door, base and top
Adjustable primary and secondary air for better combustion management	EPS system for heat recovery



NOVA FORNO.16 MAIOLICA

11,8 kW-N 338 m³



WOOD-BURNING STOVE WITH OVEN

Majolica cladding



Bordeaux
3003220
€ 3.175,00



Matt White
3003221
€ 3.175,00

STANDARD EQUIPMENT

Enamelled oven tray 298 x 375 mm

Chrome-plated oven rack 298 x 375 mm

OPTIONAL	Code	Price
Enamelled oven tray 298 x 375 mm	1014024	€ 23,30
Chrome-plated oven rack 298 x 375 mm	1014100	€ 17,60
Ring Ø 100 mm air fitting	6035510	€ 7,50

TECHNICAL DATA

Nominal power	11,8 kW-N
Efficiency	86 %
Seasonal efficiency	76 %
Hourly consumption	3,2 kg/h
Dimensions (WxHxD)	559 x 1547 x 569 mm
Net weight	256 kg
Flue outlet diameter and position	150 mm (T)
Hearth opening size (WxH)	315 x 285 mm
Hearth dimensions (WxHxD)	357 x 450 x 362 mm
Oven Dim. (WxHxD)	330 x 300 x 370 mm
Oven capacity	37 ℓ



Outdoor air intake



Nordiker hearth



Cast iron ring set

FEATURES

Extractable ash drawer	Large (37 l) enamelled oven for cooking all types of food (including pizza)
adjustable primary and secondary air, pre-calibrated tertiary air	Low door that can be opened for cleaning the ash drawer
Enamelled cast iron door, base and top	

NOVA FORNO.16 STEEL

11,8 kW-N 338 m³

PRESTIGE
Line



WOOD-BURNING STOVE WITH OVEN

Enamelled steel exterior cladding



Anthracite Black
3003230
€ 2.725,00

STANDARD EQUIPMENT

Enamelled oven tray 298 x 375 mm

Chrome-plated oven rack 298 x 375 mm

OPTIONAL	Code	Price
Enamelled oven tray 298 x 375 mm	1014024	€ 23,30
Chrome-plated oven rack 298 x 375 mm	1014100	€ 17,60
Ring Ø 100 mm air fitting	6035510	€ 7,50

TECHNICAL DATA

Nominal power	11,8 kW-N
Efficiency	86 %
Seasonal efficiency	76 %
Hourly consumption	3,2 kg/h
Dimensions (WxHxD)	559 x 1547 x 569 mm
Net weight	217 kg
Flue outlet diameter and position	150 mm (T)
Hearth opening size (WxH)	315 x 285 mm
Hearth dimensions (WxHxD)	357 x 450 x 362 mm
Oven Dim. (WxHxD)	330 x 300 x 370 mm
Oven capacity	37 l



Outdoor air intake



Nordiker hearth



Cast iron ring set

FEATURES

Extractable ash drawer	Large (37 l) enamelled oven for cooking all types of food (including pizza)
adjustable primary and secondary air, pre-calibrated tertiary air	Low door that can be opened for cleaning the ash drawer
Enamelled cast iron door, base and top	

DANTE.16

12,4 kW-N 356 m³

PRESTIGE
Line

DANTE WITH BENCH (optional)



WOOD-BURNING STOVE

Painted steel cladding



Matte Black
3000440
€ 2.564,00



Dimension with bench (WxHxD) 1490x1984x542 mm

STANDARD EQUIPMENT

Additional ventilation ring Ø 100 mm

OPTIONAL	Code	Price
Bench for Dante 1490 x 470 x 550 mm	7115010	€ 855,00

TECHNICAL DATA

The height figure includes the tube, see data sheet.

Nominal power	12,4 kW-N
Efficiency	86 %
Seasonal efficiency	76 %
Hourly consumption	3,3 kg/h
Dimensions (WxHxD)	822 x 1514 x 593 mm
Net weight	158 kg
Flue outlet diameter and position	160 mm (T)
Hearth opening size (WxH)	624 x 248 mm
Hearth dimensions (WxHxD)	615 x 268 x 358 mm




Direct outdoor air intake



Nordiker hearth

FEATURES

Extractable ash drawer	Coated steel insert structure
Post-combustion system for low emissions	Door and grille in cast iron
Adjustable primary and secondary air for better combustion management	Reversible door
Lowered fire top for better flame view	



DANTE.16 CON PORTALEGNA

12,4 kW-N 356 m³

PRESTIGE
Line



WOOD-BURNING STOVE

Painted steel cladding



Matte Black
3000441
€ 2.884,00

STANDARD EQUIPMENT

Additional ventilation ring Ø 100 mm

TECHNICAL DATA

The height figure includes the tube, see data sheet.

Nominal power	12,4 kW-N
Efficiency	86 %
Seasonal efficiency	76 %
Hourly consumption	3,3 kg/h
Dimensions (WxHxD)	822 x 1938 x 593 mm
Net weight	183 kg
Flue outlet diameter and position	160 mm (T)
Hearth opening size (WxH)	624 x 248 mm
Hearth dimensions (WxHxD)	615 x 268 x 358 mm




Direct outdoor air
intake



Nordiker hearth

FEATURES

Post-combustion system for low emissions	Coated steel insert structure
Adjustable primary and secondary air for better combustion management	Door and grille in cast iron
Lowered fire top for better flame view	Reversible door



Dante.16

WOOD-BURNING
STOVES



WOOD-BURNING STOVE WITH AUTOMATIC COMBUSTION AIR CONTROL

Enamelled cast iron cladding and painted steel sides



Anthracite Black
3002630
€ 3.800,00

STANDARD EQUIPMENT

- Radio Remote Control
- Button with LED
- Integrated Navel Wi-Fi module
- Ring Ø 100 mm air fitting

OPTIONAL	Code	Price
Wireless probe. Available for: Larissa	7046321	€ 153,00

TECHNICAL DATA

Nominal power	9,3 kW-N
Efficiency	86 %
Seasonal efficiency	76 %
Hourly consumption	2,5 kg/h
Dimensions (WxHxD)	628 x 1225 x 483 mm
Net weight	202 kg
Flue outlet diameter and position	130 mm (B/T)
Hearth opening size (WxH)	337 x 350 mm
Hearth dimensions (WxHxD)	380 x 410 x 255 mm



Switchable ventilation



Standard radio remote control



Nordiker hearth



Standard WiFi



Direct outdoor air intake

FEATURES

Front, door, top and base in enamelled cast iron

Button with LED

Painted steel sides

The electronic system regulates the input of combustion airs to optimise the stove's various operating phases: Ignition = Helps speed up flame ignition by introducing more primary air; Combustion = Balances combustion airs to optimise efficiency: thus less consumption and emissions; Eco mode = Reduces combustion air passages in a calculated manner to keep embers warm for as long as possible; this also facilitates lighting new logs of wood in the event of reloading

Automatic Wood-burning Stoves

La Nordica-Extraflame automatic wood-burning stoves bring a new level of comfort and simplicity to wood heating. An intelligent control system autonomously manages combustion, optimising wood consumption and maintaining the desired temperature without requiring constant user intervention.

The appeal of a real fire combines with the convenience of modern management: programmable ignition, precise power control and maximum energy efficiency. The tradition of wood heating, reimagined with today's technology.

11,1 kW-N 8,0 kW-H₂O 318 m³



WOOD-BURNING THERMO STOVE WITH OVEN

Majolica cladding



Liberty Bordeaux
3004500
€ 3.121,00



Liberty Panna
3004502
€ 3.121,00

STANDARD EQUIPMENT

Enamelled oven tray 298 x 375 mm

OPTIONAL	Code	Price
Enamelled oven tray 298 x 375 mm	1014024	€ 23,30
Chrome-plated oven rack 298 x 375 mm	1014100	€ 17,60
Automatic thermal discharge valve DSA	7118410	€ 226,00
Additional ventilation ring Ø 120 mm	1130100	€ 16,70

TECHNICAL DATA

Nominal power	11,1 kW-N
Power given back to water	8,0 kW-H ₂ O
Efficiency	86 %
Seasonal efficiency	76 %
Hourly consumption	3,1 kg/h
Dimensions (WxHxD)	559 x 1411 x 538 mm
Net weight	218 kg
Flue outlet diameter and position	130 mm (T)
Hearth opening size (WxH)	355 x 220 mm
Hearth dimensions (WxHxD)	307 x 347 x 345 mm
Oven Dim. (WxHxD)	330 x 300 x 370 mm
Oven capacity	37 ℓ



Cast iron ring set

FEATURES

Cast iron hearth	Ceramic glass
Extractable ash drawer	Enamelled cast iron door, base and top
Post-combustion system for low emissions	Wood drawer
Adjustable primary and secondary air for better combustion management	Porcelain enamelled steel oven

Wood-burning Thermo Stoves

La Nordica-Extraflame wood-burning thermo-stoves are engineered to integrate seamlessly with the home’s hydraulic system, transferring the heat produced by combustion directly to the circuit water to feed radiators and thermal distribution systems.

A solution that combines the efficiency of centralised heating with the aesthetic value and pleasure of a wood fire. The DSA system, a safety heat exchanger enabling closed-vessel installation, is included as standard, ensuring maximum system reliability and compliance with the strictest regulatory requirements.

TERMOROSSELLA PLUS FORNO DSA.16 PETRA

11,1 kW-N 8,0 kW-H₂O 318 m³



WOOD-BURNING THERMO STOVE WITH OVEN

Natural stone cladding



Natural Stone
3004510
€ 3.121,00

STANDARD EQUIPMENT

Enamelled oven tray 298 x 375 mm

OPTIONAL	Code	Price
Enamelled oven tray 298 x 375 mm	1014024	€ 23,30
Chrome-plated oven rack 298 x 375 mm	1014100	€ 17,60
Automatic thermal discharge valve DSA	7118410	€ 226,00
Additional ventilation ring Ø 120 mm	1130100	€ 16,70

TECHNICAL DATA

Nominal power	11,1 kW-N
Power given back to water	8,0 kW-H ₂ O
Efficiency	86 %
Seasonal efficiency	76 %
Hourly consumption	3,1 kg/h
Dimensions (WxHxD)	559 x 1411 x 538 mm
Net weight	242 kg
Flue outlet diameter and position	130 mm (T)
Hearth opening size (WxH)	355 x 220 mm
Hearth dimensions (WxHxD)	307 x 347 x 345 mm
Oven Dim. (WxHxD)	330 x 300 x 370 mm
Oven capacity	37 ℓ



Cast iron ring set

FEATURES

Cast iron hearth	Ceramic glass
Extractable ash drawer	Enamelled cast iron door, base and top
Post-combustion system for low emissions	Wood drawer
Adjustable primary and secondary air for better combustion management	Porcelain enamelled steel oven

TERMOROSSELLA PLUS DSA.16 CERAMICA

11,1 kW-N 8,0 kW-H₂O 318 m³



WOOD-BURNING THERMO STOVE

Majolica cladding



Liberty Bordeaux
3004400
€ 2.285,00



Liberty Panna
3004402
€ 2.285,00

OPTIONAL

	Code	Price
System separator kit 2.0	6012027	€ 892,00
Digital regulator for thermo-products	6012100	€ 176,00
Anti-condensation mixing valve 55°C	7118402	€ 208,00
Automatic thermal discharge valve DSA	7118410	€ 226,00
Ring Ø 100 mm air fitting	6035510	€ 7,50

TECHNICAL DATA

Nominal power	11,1 kW-N
Power given back to water	8,0 kW-H ₂ O
Efficiency	86 %
Seasonal efficiency	76 %
Hourly consumption	3,1 kg/h
Dimensions (WxHxD)	559 x 967 x 538 mm
Net weight	162 kg
Flue outlet diameter and position	130 mm (T)
Hearth opening size (WxH)	355 x 220 mm
Hearth dimensions (WxHxD)	307 x 347 x 345 mm



Cast iron ring set

FEATURES

Extractable ash drawer	Ceramic glass
Post-combustion system for low emissions	Predisposition for DSA safety device (DSA valve optional)
Firebox in steel and cast iron	Enamelled cast iron door
Adjustable primary and secondary air for better combustion management	Thermostatic air valve

TERMOROSSELLA PLUS DSA.16 PETRA

11,1 kW-N 8,0 kW-H₂O 318 m³



WOOD-BURNING THERMO STOVE

Natural stone cladding



Natural Stone
3004410
€ 2.300,00

OPTIONAL	Code	Price
System separator kit 2.0	6012027	€ 892,00
Digital regulator for thermo-products	6012100	€ 176,00
Anti-condensation mixing valve 55°C	7118402	€ 208,00
Automatic thermal discharge valve DSA	7118410	€ 226,00
Ring Ø 100 mm air fitting	6035510	€ 7,50

TECHNICAL DATA

Nominal power	11,1 kW-N
Power given back to water	8,0 kW-H ₂ O
Efficiency	86 %
Seasonal efficiency	76 %
Hourly consumption	3,1 kg/h
Dimensions (WxHxD)	559 x 967 x 538 mm
Net weight	175 kg
Flue outlet diameter and position	130 mm (T)
Hearth opening size (WxH)	355 x 220 mm
Hearth dimensions (WxHxD)	307 x 347 x 345 mm



FEATURES

Extractable ash drawer	Ceramic glass
Post-combustion system for low emissions	Predisposition for DSA safety device (DSA valve optional)
Firebox in steel and cast iron	Enamelled cast iron door
Adjustable primary and secondary air for better combustion management	Thermostatic air valve

SIERRA.16

15,4 kW-N 10,2 kW-H₂O 442 m³



WOOD-BURNING THERMO STOVE WITH OPEN TANK SYSTEM AND CLOSED CIRCUIT

Cast iron and enamelled steel cladding



Anthracite Black
3004230
€ 6.550,00

STANDARD EQUIPMENT

Enamelled oven tray 298 x 375 mm
Chrome-plated oven rack 318 x 405 mm
Movable grate lifter kit
Display LCD
Additional ventilation ring Ø 100 mm

OPTIONAL	Code	Price
Enamelled oven tray 298 x 375 mm	1014024	€ 23,30
Chrome-plated oven rack 318 x 405 mm	7016710	€ 32,90

TECHNICAL DATA

Product certified according to EN 16510-2-1

Nominal power	15,4 kW-N
Power given back to water	10,2 kW-H ₂ O
Efficiency	86 %
Seasonal efficiency	76 %
Hourly consumption	4,1 kg/h
Dimensions (WxHxD)	1252 x 858 x 665 mm
Net weight	310 kg
Flue outlet diameter and position	150 mm (B/T)
Hearth opening size (WxH)	267 x 179 mm
Hearth dimensions (WxHxD)	297 x 626 x 454 mm
Oven Dim. (WxHxD)	333 x 363 x 430 mm
Oven capacity	51 ℓ



FEATURES

Front, frame and doors in enamelled cast iron	Access for ash drawer
Stainless steel cover Polished cast iron plate for access to coils + water inlet	Object drawer
Touch display for thermostove control: • Water level for 'bain-marie' • Oven light control • System water temperature • DHW temperature • System pump management • 3-way valve management • AUX pump management • AUX generator management • Acoustic signalling of machine alarms	Smooth cast iron plate
Enamelled steel sides	Standard hydraulic equipment: - Serpentine for heating circuit - Serpentine for sanitary circuit - Control unit: Antifreeze function; Anti-blocking pump function - Low consumption electronic circulator for primary circuit - Non return valve - Automatic bleed joker - Sanitary flow switch - Level switch - Sacrificial magnesium anode - Primary circuit temperature probe - Charge/discharge tap
Access for technical compartment	

Wood-burning Cookers

La Nordica-Extraflame wood-burning cookers are designed for those who want a product that does more than one thing at once: heating the room, cooking on the hob and using the oven, all from a single energy source.

Available in both classic and modern versions, with a range of finishes, they adapt naturally to any living environment. Wood-fired cooking expresses an authentic way of preparing food, enhancing the flavour of ingredients and restoring the pleasure of a domestic ritual rich in meaning. Technology and tradition, in a single product.

LA NORDICA

VICENZA.16

6,0 kW-N 172 m³



INSERTION OR FREE-STANDING WOOD BURNING COOKER

Glass and satin or enamelled stainless steel cladding



Anthracite Black 3006830 € 2.555,00	Inox 3006833 € 2.600,00
---	-------------------------------

STANDARD EQUIPMENT

Enamelled oven tray 385 x 294 mm
Chrome-plated oven rack 340 x 400 mm
Additional ventilation ring Ø 100 mm

OPTIONAL	Code	Price
Enamelled oven tray 385 x 294 mm	1119000	€ 36,30
Ceramic glass kit Vicenza	7016130	€ 259,00
Chrome-plated oven rack 340 x 400 mm	7016158	€ 16,20
Vicenza Evo stainless steel - side panel with right hole	7026111	€ 92,00
Vicenza Evo stainless steel - side panel with left hole	7026112	€ 92,00
Vicenza Evo anthracite - side panel with right hole	7026198	€ 90,00
Vicenza Evo anthracite - side panel with left hole	7026199	€ 90,00
Vicenza Evo - stainless steel top thickness 4 cm	7046102	€ 219,00

TECHNICAL DATA

Nominal power	6,0 kW-N
Efficiency	86 %
Seasonal efficiency	76 %
Hourly consumption	1,6 kg/h
Dimensions (WxHxD)	600 x 910 x 600 mm
Net weight	137 kg
Flue outlet diameter and position	120 mm (T/B/RH side/ LH side)
Hearth opening size (WxH)	232 x 160 mm
Hearth dimensions (WxHxD)	232 x 230 x 340 mm
Oven Dim. (WxHxD)	350 x 175 x 410 mm
Oven capacity	25 ℓ



FEATURES

Top cooking plate and rings in polished cast-iron	Standard top height 3 cm
Extractable ash drawer	Double-glazed oven door with stainless steel gaskets
Post-combustion system for low emissions	Reversible doors
Front in enamelled steel	Option of fitting between furniture cabinets without an additional kit
Stainless steel frame	Porcelain enamelled steel oven with light
Triple-glazed fire door	

VERONA XXL.16 PETRA

7,1 kW-N 204 m³



FREE-STANDING WOOD-BURNING COOKER

Natural stone cladding



Natural Stone
3005510
€ 3.585,00

STANDARD EQUIPMENT

Enamelled oven tray 490 x 318 mm

Chrome-plated oven rack 520 x 413 mm

Additional ventilation ring Ø 100 mm

OPTIONAL	Code	Price
Enamelled oven tray 490 x 318 mm	1119113	€ 36,30
Glass-ceramic top kit for Verona XXL - Rosa L 5.0	7016255	€ 332,00
Chrome-plated oven rack 520 x 413 mm	7016566	€ 35,20
Verona XXL - stainless steel top thickness 4 cm	7046201	€ 290,00

TECHNICAL DATA

Nominal power	7,1 kW-N
Efficiency	85 %
Seasonal efficiency	75 %
Hourly consumption	2,0 kg/h
Dimensions (WxHxD)	800 x 910 x 600 mm
Net weight	206 kg
Flue outlet diameter and position	150 mm (B/T)
Hearth opening size (WxH)	500 x 160 mm
Hearth dimensions (WxHxD)	568 x 215 x 240 mm
Oven Dim. (WxHxD)	547 x 275 x 450 mm
Oven capacity	68 ℓ



FEATURES

Extractable ash drawer	Cast iron frame, plate and rings
Stainless steel frame	Oven with excess steam valve
Standard top height 3 cm	Chrome-plated oven rack with pull-out slides
Double-glazed oven door with stainless steel gaskets	Front in enamelled steel
Reversible doors	Porcelain enamelled steel oven with light

VERONA XXL.16 MAIOLICA

7,1 kW-N 204 m³



FREE-STANDING WOOD-BURNING COOKER

Majolica cladding



Bordeaux
3005520
€ 3.545,00

White Infinity
3005521
€ 3.545,00

STANDARD EQUIPMENT

Enamelled oven tray 490 x 318 mm

Chrome-plated oven rack 520 x 413 mm

Additional ventilation ring Ø 100 mm

OPTIONAL	Code	Price
Enamelled oven tray 490 x 318 mm	1119113	€ 36,30
Glass-ceramic top kit for Verona XXL - Rosa L 5.0	7016255	€ 332,00
Chrome-plated oven rack 520 x 413 mm	7016566	€ 35,20
Verona XXL - stainless steel top thickness 4 cm	7046201	€ 290,00

TECHNICAL DATA

Nominal power	7,1 kW-N
Efficiency	85 %
Seasonal efficiency	75 %
Hourly consumption	2,0 kg/h
Dimensions (WxHxD)	800 x 910 x 600 mm
Net weight	200 kg
Flue outlet diameter and position	150 mm (B/T)
Hearth opening size (WxH)	500 x 160 mm
Hearth dimensions (WxHxD)	568 x 215 x 240 mm
Oven Dim. (WxHxD)	547 x 275 x 450 mm
Oven capacity	68 ℓ



FEATURES

Extractable ash drawer	Cast iron frame, plate and rings
Stainless steel frame	Oven with excess steam valve
Standard top height 3 cm	Chrome-plated oven rack with pull-out slides
Double-glazed oven door with stainless steel gaskets	Front in enamelled steel
Reversible doors	Porcelain enamelled steel oven with light

VERONA XXL.16

7,1 kW-N 204 m³



INSERTION OR FREE-STANDING WOOD BURNING COOKER

Stainless steel or enamelled coating



Anthracite Black

3005530

€ 3.200,00

Inox

3005533

€ 3.240,00

STANDARD EQUIPMENT

- Enamelled oven tray 490 x 318 mm
- Chrome-plated oven rack 520 x 413 mm
- Additional ventilation ring Ø 100 mm

OPTIONAL	Code	Price
Enamelled oven tray 490 x 318 mm	1119113	€ 36,30
Glass-ceramic top kit for Verona XXL - Rosa L 5.0	7016255	€ 332,00
Chrome-plated oven rack 520 x 413 mm	7016566	€ 35,20
Verona XXL anthracite - side panel with right hole	7026196	€ 90,00
Verona XXL anthracite - side panel with left hole	7026197	€ 90,00
Verona XXL stainless steel - side panel with right hole	7026250	€ 92,00
Verona XXL stainless steel - side panel with right hole	7026262	€ 92,00
Verona XXL - stainless steel top thickness 4 cm	7046201	€ 290,00

TECHNICAL DATA

Nominal power	7,1 kW-N
Efficiency	85 %
Seasonal efficiency	75 %
Hourly consumption	2,0 kg/h
Dimensions (WxHxD)	800 x 910 x 600 mm
Net weight	175 kg
Flue outlet diameter and position	150 mm (T/B/RH side/ LH side)
Hearth opening size (WxH)	500 x 160 mm
Hearth dimensions (WxHxD)	568 x 215 x 240 mm
Oven Dim. (WxHxD)	547 x 275 x 450 mm
Oven capacity	68 ℓ



FEATURES

Extractable ash drawer	Option of fitting between furniture cabinets without an additional kit
Front in enamelled steel	Cast iron frame, plate and rings
Stainless steel frame	Oven with excess steam valve
Standard top height 3 cm	Chrome-plated oven rack with pull-out slides
Double-glazed oven door with stainless steel gaskets	Porcelain enamelled steel oven with light
Reversible doors	

FAMILY.16 4,5

7,5 kW-N 215 m³



WOOD-BURNING COOKER

Porcelain steel exterior cladding



Anthracite Black

3006930

€ 1.595,00

White

3006931

€ 1.595,00

Caramello

3006934

€ 1.595,00

STANDARD EQUIPMENT

Enamelled oven tray 298 x 375 mm		
OPTIONAL	Code	Price
Enamelled oven tray 298 x 375 mm	1014024	€ 23,30
Chrome-plated oven rack 298 x 375 mm	1014100	€ 17,60
Stainless steel tray	1014950	€ 53,00
Lid kit - Family 4,5 - Sovrana Easy	7014515	€ 60,50

TECHNICAL DATA

Nominal power	7,5 kW-N
Efficiency	81 %
Seasonal efficiency	71 %
Hourly consumption	2,2 kg/h
Dimensions (WxHxD)	964 x 895 x 642 mm
Net weight	125 kg
Flue outlet diameter and position	130 mm (T)
Hearth opening size (WxH)	217 x 190 mm
Hearth dimensions (WxHxD)	220 x 220 x 400 mm
Oven Dim. (WxHxD)	330 x 300 x 410 mm
Oven capacity	41 ℓ



FEATURES

Enamelled steel dome	Post-combustion system for low emissions
Cast iron hearth	Double-glazed fire door, ceramic interior
Front and frame in enamelled cast iron	double glass fire door
Top cooking plate and rings in polished cast-iron	Wood drawer
Extractable ash drawer	Feet for easy cleaning
	Porcelain enamelled steel oven

SOVRANA EASY.16

7,5 kW-N 215 m³



WOOD-BURNING COOKER

Porcelain steel exterior cladding



Anthracite Black 3007030 € 1.625,00	White 3007031 € 1.625,00	Caramello 3007034 € 1.625,00
---	--------------------------------	------------------------------------

STANDARD EQUIPMENT

Enamelled oven tray 298 x 375 mm

OPTIONAL	Code	Price
Enamelled oven tray 298 x 375 mm	1014024	€ 23,30
Chrome-plated oven rack 298 x 375 mm	1014100	€ 17,60
Stainless steel tray	1014950	€ 53,00
Lid kit - Family 4,5 - Sovrana Easy	7014515	€ 60,50

TECHNICAL DATA

Nominal power	7,5 kW-N
Efficiency	81 %
Seasonal efficiency	71 %
Hourly consumption	2,2 kg/h
Dimensions (WxHxD)	964 x 899 x 641 mm
Net weight	140 kg
Flue outlet diameter and position	130 mm (B/T)
Hearth opening size (WxH)	217 x 190 mm
Hearth dimensions (WxHxD)	220 x 220 x 400 mm
Oven Dim. (WxHxD)	330 x 300 x 410 mm
Oven capacity	41 ℓ



FEATURES

Enamelled steel dome	Post-combustion system for low emissions
Cast iron hearth	Double-glazed fire door, ceramic interior
Front and frame in enamelled cast iron	double glass fire door
Top cooking plate and rings in polished cast-iron	Wood drawer
Extractable ash drawer	Porcelain enamelled steel oven

ROSETTA.16 CERAMICA

7,9 kW-N 227 m³



WOOD-BURNING COOKER

Majolica cladding



Liberty Bordeaux 3003800 € 1.960,00	Liberty Panna 3003802 € 1.960,00
---	--

STANDARD EQUIPMENT

Enamelled oven tray 232 x 390 mm

OPTIONAL	Code	Price
Enamelled oven tray 232 x 390 mm	1210610	€ 23,30
Stainless steel tray	1013950	€ 53,00
Chrome-plated oven rack 234 x 380 mm	1014110	€ 16,70
Movable grate kit Rosa/Rosetta	1033402	€ 126,00
Additional ventilation ring Ø 120 mm	1130100	€ 16,70

TECHNICAL DATA

Nominal power	7,9 kW-N
Efficiency	86 %
Seasonal efficiency	76 %
Hourly consumption	2,1 kg/h
Dimensions (WxHxD)	885 x 895 x 572 mm
Net weight	153 kg
Flue outlet diameter and position	130 mm (B/T)
Hearth opening size (WxH)	209 x 265 mm
Hearth dimensions (WxHxD)	230 x 270 x 382 mm
Oven Dim. (WxHxD)	245 x 300 x 384 mm
Oven capacity	28 ℓ



FEATURES

Cast iron hearth	Adjustable primary and secondary air for better combustion management
Top cooking plate and rings in polished cast-iron	Ceramic glass
Extractable ash drawer	Enamelled cast iron doors and frame
Post-combustion system for low emissions	Front in enamelled steel
Wood drawer	Porcelain enamelled steel oven

ROSETTA.16 PETRA

7,9 kW-N 227 m³



WOOD-BURNING COOKER

Natural stone cladding



Natural Stone
3003810
€ 2.045,00

STANDARD EQUIPMENT

Enamelled oven tray 232 x 390 mm

OPTIONAL	Code	Price
Stainless steel tray	1013950	€ 53,00
Chrome-plated oven rack 234 x 380 mm	1014110	€ 16,70
Enamelled oven tray 232 x 390 mm	1210610	€ 23,30
Movable grate kit Rosa/Rosetta	1033402	€ 126,00
Additional ventilation ring Ø 120 mm	1130100	€ 16,70

TECHNICAL DATA

Nominal power	7,9 kW-N
Efficiency	86 %
Seasonal efficiency	76 %
Hourly consumption	2,1 kg/h
Dimensions (WxHxD)	885 x 895 x 572 mm
Net weight	167 kg
Flue outlet diameter and position	130 mm (B/T)
Hearth opening size (WxH)	209 x 265 mm
Hearth dimensions (WxHxD)	230 x 270 x 382 mm
Oven Dim. (WxHxD)	245 x 300 x 384 mm
Oven capacity	28 ℓ



FEATURES

Cast iron hearth	Adjustable primary and secondary air for better combustion management
Top cooking plate and rings in polished cast-iron	Ceramic glass
Extractable ash drawer	Enamelled cast iron doors and frame
Post-combustion system for low emissions	Front in enamelled steel
Wood drawer	Porcelain enamelled steel oven

ROSETTA.16 MAIOLICA

7,9 kW-N 227 m³



WOOD-BURNING COOKER

Majolica cladding



Bordeaux
3003820
€ 2.375,00

Taupe
3003822
€ 2.375,00

STANDARD EQUIPMENT

Enamelled oven tray 232 x 390 mm

OPTIONAL	Code	Price
Stainless steel tray	1013950	€ 53,00
Chrome-plated oven rack 234 x 380 mm	1014110	€ 16,70
Movable grate kit Rosa/Rosetta	1033402	€ 126,00
Enamelled oven tray 232 x 390 mm	1210610	€ 23,30
Additional ventilation ring Ø 120 mm	1130100	€ 16,70

TECHNICAL DATA

Nominal power	7,9 kW-N
Efficiency	86 %
Seasonal efficiency	76 %
Hourly consumption	2,1 kg/h
Dimensions (WxHxD)	885 x 895 x 572 mm
Net weight	169 kg
Flue outlet diameter and position	130 mm (B/T)
Hearth opening size (WxH)	209 x 265 mm
Hearth dimensions (WxHxD)	230 x 270 x 382 mm
Oven Dim. (WxHxD)	245 x 300 x 384 mm
Oven capacity	28 ℓ



FEATURES

Cast iron hearth	Adjustable primary and secondary air for better combustion management
Top cooking plate and rings in polished cast-iron	Ceramic glass
Extractable ash drawer	Enamelled cast iron doors and frame
Post-combustion system for low emissions	Front in enamelled steel
Wood drawer	

ROSETTA SX.16 CERAMICA

7,9 kW-N 227 m³



WOOD-BURNING COOKER

Majolica cladding



Liberty Bordeaux
3003900
€ 1.960,00

Liberty Panna
3003902
€ 1.960,00

STANDARD EQUIPMENT

Enamelled oven tray 232 x 390 mm

OPTIONAL	Code	Price
Stainless steel tray	1013950	€ 53,00
Chrome-plated oven rack 234 x 380 mm	1014110	€ 16,70
Movable grate kit Rosa/Rosetta	1033402	€ 126,00
Enamelled oven tray 232 x 390 mm	1210610	€ 23,30
Additional ventilation ring Ø 120 mm	1130100	€ 16,70

TECHNICAL DATA

Nominal power	7,9 kW-N
Efficiency	86 %
Seasonal efficiency	76 %
Hourly consumption	2,1 kg/h
Dimensions (WxHxD)	885 x 895 x 572 mm
Net weight	153 kg
Flue outlet diameter and position	130 mm (B/T)
Hearth opening size (WxH)	209 x 265 mm
Hearth dimensions (WxHxD)	230 x 270 x 382 mm
Oven Dim. (WxHxD)	245 x 300 x 384 mm
Oven capacity	28 ℓ



FEATURES

Cast iron hearth	Adjustable primary and secondary air for better combustion management
Top cooking plate and rings in polished cast-iron	Ceramic glass
Extractable ash drawer	Enamelled cast iron doors and frame
Post-combustion system for low emissions	Front in enamelled steel
Wood drawer	Porcelain enamelled steel oven

ROSETTA SX.16 PETRA

7,9 kW-N 227 m³



WOOD-BURNING COOKER

Natural stone cladding



Natural Stone
3003910
€ 2.045,00

STANDARD EQUIPMENT

Enamelled oven tray 232 x 390 mm

OPTIONAL	Code	Price
Stainless steel tray	1013950	€ 53,00
Chrome-plated oven rack 234 x 380 mm	1014110	€ 16,70
Movable grate kit Rosa/Rosetta	1033402	€ 126,00
Enamelled oven tray 232 x 390 mm	1210610	€ 23,30
Additional ventilation ring Ø 120 mm	1130100	€ 16,70

TECHNICAL DATA

Nominal power	7,9 kW-N
Efficiency	86 %
Seasonal efficiency	76 %
Hourly consumption	2,1 kg/h
Dimensions (WxHxD)	885 x 895 x 572 mm
Net weight	167 kg
Flue outlet diameter and position	130 mm (B/T)
Hearth opening size (WxH)	209 x 265 mm
Hearth dimensions (WxHxD)	230 x 270 x 382 mm
Oven Dim. (WxHxD)	245 x 300 x 384 mm
Oven capacity	28 ℓ



FEATURES

Cast iron hearth	Adjustable primary and secondary air for better combustion management
Top cooking plate and rings in polished cast-iron	Ceramic glass
Extractable ash drawer	Enamelled cast iron doors and frame
Post-combustion system for low emissions	Front in enamelled steel
Wood drawer	Porcelain enamelled steel oven

ROSETTA SX.16 STEEL

7,9 kW-N 227 m³



WOOD-BURNING COOKER



Anthracite Black

3003930

€ 1.830,00

Dotted White

3003931

€ 1.830,00

STANDARD EQUIPMENT

Enamelled oven tray 232 x 390 mm

OPTIONAL	Code	Price
Enamelled oven tray 232 x 390 mm	1210610	€ 23,30
Stainless steel tray	1013950	€ 53,00
Chrome-plated oven rack 234 x 380 mm	1014110	€ 16,70
Movable grate kit Rosa/Rosetta	1033402	€ 126,00
Additional ventilation ring Ø 120 mm	1130100	€ 16,70

TECHNICAL DATA

Nominal power	7,9 kW-N
Efficiency	86 %
Seasonal efficiency	76 %
Hourly consumption	2,1 kg/h
Dimensions (WxHxD)	885 x 895 x 572 mm
Net weight	139 kg
Flue outlet diameter and position	130 mm (B/T)
Hearth opening size (WxH)	209 x 265 mm
Hearth dimensions (WxHxD)	230 x 270 x 382 mm
Oven Dim. (WxHxD)	245 x 300 x 384 mm
Oven capacity	28 ℓ



FEATURES

Cast iron hearth	Adjustable primary and secondary air for better combustion management
Top cooking plate and rings in polished cast-iron	Ceramic glass
Extractable ash drawer	Enamelled cast iron doors and frame
Post-combustion system for low emissions	Front in enamelled steel
Wood drawer	Porcelain enamelled steel oven

ROSA SX REVERSE.16 CERAMICA

8,2 kW-N 235 m³



WOOD-BURNING COOKER

Majolica cladding



Liberty Bordeaux

3005800

€ 2.465,00

Liberty Panna

3005802

€ 2.465,00

STANDARD EQUIPMENT

Enamelled oven tray 232 x 390 mm

Additional ventilation ring Ø 100 mm

OPTIONAL	Code	Price
Chrome-plated oven rack 234 x 380 mm	1014110	€ 16,70
Stainless steel tray	1014950	€ 53,00
Enamelled oven tray 232 x 390 mm	1210610	€ 23,30

TECHNICAL DATA

Nominal power	8,2 kW-N
Efficiency	86 %
Seasonal efficiency	76 %
Hourly consumption	2,3 kg/h
Dimensions (WxHxD)	1030 x 897 x 650 mm
Net weight	183 kg
Flue outlet diameter and position	150 mm (B/T)
Hearth opening size (WxH)	349 x 235 mm
Hearth dimensions (WxHxD)	374 x 290 x 320 mm
Oven Dim. (WxHxD)	245 x 300 x 384 mm
Oven capacity	28 ℓ



FEATURES

Cast iron hearth	Adjustable primary and secondary air for better combustion management
Top cooking plate and rings in polished cast-iron	Ceramic glass
Extractable ash drawer	Enamelled cast iron doors and frame
Post-combustion system for low emissions	Front in enamelled steel
Wood drawer	Porcelain enamelled steel oven

ROSA SX REVERSE.16 PETRA

8,2 kW-N 235 m³



WOOD-BURNING COOKER

Natural stone cladding



Natural Stone
3005810
€ 2.545,00

STANDARD EQUIPMENT

Enamelled oven tray 232 x 390 mm
Additional ventilation ring Ø 100 mm

OPTIONAL	Code	Price
Chrome-plated oven rack 234 x 380 mm	1014110	€ 16,70
Stainless steel tray	1014950	€ 53,00
Enamelled oven tray 232 x 390 mm	1210610	€ 23,30

TECHNICAL DATA

Nominal power	8,2 kW-N
Efficiency	86 %
Seasonal efficiency	76 %
Hourly consumption	2,3 kg/h
Dimensions (WxHxD)	1030 x 897 x 650 mm
Net weight	200 kg
Flue outlet diameter and position	150 mm (B/T)
Hearth opening size (WxH)	349 x 235 mm
Hearth dimensions (WxHxD)	374 x 290 x 320 mm
Oven Dim. (WxHxD)	245 x 300 x 384 mm
Oven capacity	28 ℓ



FEATURES

Cast iron hearth	Adjustable primary and secondary air for better combustion management
Top cooking plate and rings in polished cast-iron	Ceramic glass
Extractable ash drawer	Enamelled cast iron doors and frame
Post-combustion system for low emissions	Front in enamelled steel
Wood drawer	Porcelain enamelled steel oven

VENEZIA.16 *

8,3 kW-N 238 m³



INSERTION OR FREE-STANDING WOOD BURNING COOKER

Glass and satin or enamelled stainless steel cladding



Anthracite Black *	White *	Inox *
3005430	3005431	3005433
€ 3.385,00	€ 3.385,00	€ 3.420,00

* While stocks last
STANDARD EQUIPMENT

Enamelled oven tray 298 x 375 mm
Chrome-plated oven rack 318 x 405 mm
Additional ventilation ring Ø 100 mm

OPTIONAL	Code	Price
Enamelled oven tray 298 x 375 mm	1014024	€ 23,30
Glass-ceramic top kit for Venezia	7016430	€ 364,00
Chrome-plated oven rack 318 x 405 mm	7016710	€ 32,90
Venezia stainless steel - side panel with right hole	7026314	€ 92,00
Venezia anthracite - side panel with right hole	7026381	€ 90,00
Venezia - stainless steel top thickness 4 cm	7046302	€ 312,00

TECHNICAL DATA

Nominal power	8,3 kW-N
Efficiency	86 %
Seasonal efficiency	76 %
Hourly consumption	2,2 kg/h
Dimensions (WxHxD)	900 x 910 x 600 mm
Net weight	175 kg
Flue outlet diameter and position	130 mm (B/T/RH Side)
Hearth opening size (WxH)	257 x 250 mm
Hearth dimensions (WxHxD)	298 x 320 x 425 mm
Oven Dim. (WxHxD)	333 x 313 x 428 mm
Oven capacity	45 ℓ



FEATURES

Top cooking plate and rings in polished cast-iron	Double-glazed oven door with stainless steel gaskets
Extractable ash drawer	Option of fitting between furniture cabinets without an additional kit
Post-combustion system for low emissions	Oven with excess steam valve
Wood drawer	Front in enamelled cast iron
Double glass fire door	Porcelain enamelled steel oven with light
Stainless steel frame	Cast iron refractory hearth
Standard top height 3 cm	

MILLY.16

8,7 kW-N 250 m³

PRESTIGE
Line
Foodwarmer (optional)



WOOD-BURNING COOKER

Enamelled steel and majolica cladding



Bordeaux
3002920
€ 2.800,00

White Infinity
3002921
€ 2.800,00

STANDARD EQUIPMENT

Chrome-plated oven rack 427 x 410 mm
Enamelled oven tray 386 x 426 mm
Additional ventilation ring Ø 100 mm

OPTIONAL	Code	Price
Chrome-plated oven rack 427 x 410 mm	1017109	€ 15,80
Enamelled oven tray 386 x 426 mm	1017229	€ 36,30
Food warmer burgundy	7018010	€ 717,00
Food warmer white infinity	7018013	€ 717,00

TECHNICAL DATA

Nominal power	8,7 kW-N
Efficiency	86 %
Seasonal efficiency	76 %
Hourly consumption	2,4 kg/h
Dimensions (WxHxD)	1050 x 910 x 670 mm
Net weight	217 kg
Flue outlet diameter and position	150 mm (B/T)
Hearth opening size (WxH)	240 x 185 mm
Hearth dimensions (WxHxD)	270 x 287 x 455 mm
Oven Dim. (WxHxD)	436 x 418 x 430 mm
Oven capacity	78 ℓ



FEATURES

Top cooking plate and rings in polished cast-iron	Doors, front and frame in enamelled cast iron
Extractable ash drawer	Double glass fire door
Post-combustion system for low emissions	Feet for easy cleaning
Ceramic glass	Adjustable primary and secondary air with a single register for better combustion management

ROSA.16 CERAMICA

8,8 kW-N 252 m³



WOOD-BURNING COOKER

Majolica cladding



Liberty Bordeaux
3003400
€ 2.225,00

Liberty Panna
3003402
€ 2.225,00

STANDARD EQUIPMENT

Enamelled oven tray 298 x 375 mm

OPTIONAL	Code	Price
Enamelled oven tray 298 x 375 mm	1014024	€ 23,30
Chrome-plated oven rack 298 x 375 mm	1014100	€ 17,60
Stainless steel tray	1014950	€ 53,00
Movable grate kit Rosa/Rosetta	1035402	€ 133,00
Additional ventilation ring Ø 120 mm	1130100	€ 16,70

TECHNICAL DATA

Nominal power	8,8 kW-N
Efficiency	86 %
Seasonal efficiency	76 %
Hourly consumption	2,3 kg/h
Dimensions (WxHxD)	1030 x 895 x 650 mm
Net weight	183 kg
Flue outlet diameter and position	150 mm (B/T)
Hearth opening size (WxH)	210 x 265 mm
Hearth dimensions (WxHxD)	270 x 302 x 370 mm
Oven Dim. (WxHxD)	330 x 300 x 410 mm
Oven capacity	41 ℓ



FEATURES

Cast iron hearth	Adjustable primary and secondary air for better combustion management
Extractable ash drawer	Ceramic glass
Post-combustion system for low emissions	Enamelled cast iron doors and frame
Wood drawer	Front in enamelled steel

ROSA.16 PETRA

8,8 kW-N 252 m³



WOOD-BURNING COOKER

Natural stone cladding



Natural Stone
3003410
€ 2.305,00

STANDARD EQUIPMENT

Enamelled oven tray 298 x 375 mm

OPTIONAL	Code	Price
Enamelled oven tray 298 x 375 mm	1014024	€ 23,30
Chrome-plated oven rack 298 x 375 mm	1014100	€ 17,60
Stainless steel tray	1014950	€ 53,00
Movable grate kit Rosa/Rosetta	1035402	€ 133,00
Additional ventilation ring Ø 120 mm	1130100	€ 16,70

TECHNICAL DATA

Nominal power	8,8 kW-N
Efficiency	86 %
Seasonal efficiency	76 %
Hourly consumption	2,3 kg/h
Dimensions (WxHxD)	1030 x 895 x 650 mm
Net weight	200 kg
Flue outlet diameter and position	150 mm (B/T)
Hearth opening size (WxH)	210 x 265 mm
Hearth dimensions (WxHxD)	270 x 302 x 370 mm
Oven Dim. (WxHxD)	330 x 300 x 410 mm
Oven capacity	41 ℓ



Outdoor air intake



Cast iron ring set

FEATURES

Cast iron hearth	Adjustable primary and secondary air for better combustion management
Extractable ash drawer	Ceramic glass
Post-combustion system for low emissions	Enamelled cast iron doors and frame
Wood drawer	Front in enamelled steel

ROSA.16 MAIOLICA

8,8 kW-N 252 m³



WOOD-BURNING COOKER

Majolica cladding



Bordeaux
3003420
€ 2.550,00

White Infinity
3003421
€ 2.550,00

Taupe
3003422
€ 2.550,00

STANDARD EQUIPMENT

Enamelled oven tray 298 x 375 mm

OPTIONAL	Code	Price
Enamelled oven tray 298 x 375 mm	1014024	€ 23,30
Chrome-plated oven rack 298 x 375 mm	1014100	€ 17,60
Stainless steel tray	1014950	€ 53,00
Movable grate kit Rosa/Rosetta	1035402	€ 133,00
Additional ventilation ring Ø 120 mm	1130100	€ 16,70

TECHNICAL DATA

Nominal power	8,8 kW-N
Efficiency	86 %
Seasonal efficiency	76 %
Hourly consumption	2,3 kg/h
Dimensions (WxHxD)	1030 x 895 x 650 mm
Net weight	204 kg
Flue outlet diameter and position	150 mm (B/T)
Hearth opening size (WxH)	210 x 265 mm
Hearth dimensions (WxHxD)	270 x 302 x 370 mm
Oven Dim. (WxHxD)	330 x 300 x 410 mm
Oven capacity	41 ℓ



Outdoor air intake



Cast iron ring set

FEATURES

Cast iron hearth	Adjustable primary and secondary air for better combustion management
Extractable ash drawer	Ceramic glass
Post-combustion system for low emissions	Enamelled cast iron doors and frame
Wood drawer	Front in enamelled steel

ROSA.16 STEEL

8,8 kW-N 252 m³



WOOD-BURNING COOKER

Enamelled steel exterior cladding



Anthracite Black

3003430

€ 2.090,00

Dotted White

3003431

€ 2.090,00

STANDARD EQUIPMENT

Enamelled oven tray 298 x 375 mm

OPTIONAL	Code	Price
Enamelled oven tray 298 x 375 mm	1014024	€ 23,30
Chrome-plated oven rack 298 x 375 mm	1014100	€ 17,60
Stainless steel tray	1014950	€ 53,00
Movable grate kit Rosa/Rosetta	1035402	€ 133,00
Additional ventilation ring Ø 120 mm	1130100	€ 16,70

TECHNICAL DATA

Nominal power	8,8 kW-N
Efficiency	86 %
Seasonal efficiency	76 %
Hourly consumption	2,3 kg/h
Dimensions (WxHxD)	1030 x 895 x 650 mm
Net weight	170 kg
Flue outlet diameter and position	150 mm (B/T)
Hearth opening size (WxH)	210 x 265 mm
Hearth dimensions (WxHxD)	270 x 302 x 370 mm
Oven Dim. (WxHxD)	330 x 300 x 410 mm
Oven capacity	41 ℓ



FEATURES

Cast iron hearth	Adjustable primary and secondary air for better combustion management
Extractable ash drawer	Ceramic glass
Post-combustion system for low emissions	Enamelled cast iron doors and frame
Wood drawer	Front in enamelled steel

SUPREMA.16

9,0 kW-N 258 m³



WOOD-BURNING COOKER

Enamelled cast iron structure



Glazed Black

3004330

€ 2.970,00

STANDARD EQUIPMENT

Chrome-plated oven rack 427 x 410 mm

Enamelled oven tray 386 x 426 mm

OPTIONAL	Code	Price
Chrome-plated oven rack 427 x 410 mm	1017109	€ 15,80
Enamelled oven tray 386 x 426 mm	1017229	€ 36,30
Anthracite central plate kit with lids	7015784	€ 425,00
Additional ventilation ring Ø 120 mm	1130100	€ 16,70

TECHNICAL DATA

Nominal power	9,0 kW-N
Efficiency	86 %
Seasonal efficiency	76 %
Hourly consumption	2,4 kg/h
Dimensions (WxHxD)	974 x 860 x 660 mm
Net weight	220 kg
Flue outlet diameter and position	150 mm (B/T)
Hearth opening size (WxH)	235 x 225 mm
Hearth dimensions (WxHxD)	277 x 304 x 460 mm
Oven Dim. (WxHxD)	436 x 418 x 430 mm
Oven capacity	78 ℓ



FEATURES

Cast iron hearth	Adjustable primary and secondary air for better combustion management
Top cooking plate and rings in polished cast-iron	Ceramic glass
Extractable ash drawer	Doors, front and frame in enamelled cast iron
Post-combustion system for low emissions	Double glass fire door
Wood drawer	

GARDENIA.16 PETRA

9,5 kW-N 272 m³

PRESTIGE
Line



WOOD-BURNING COOKER

Natural stone cladding



Natural Stone
3000910
€ 2.630,00

STANDARD EQUIPMENT

Enamelled oven tray 298 x 375 mm

Chrome-plated oven rack 298 x 375 mm

Additional ventilation ring Ø 120 mm

OPTIONAL	Code	Price
Enamelled oven tray 298 x 375 mm	1014024	€ 23,30
Chrome-plated oven rack 298 x 375 mm	1014100	€ 17,60

TECHNICAL DATA

Nominal power	9,5 kW-N
Efficiency	86 %
Seasonal efficiency	76 %
Hourly consumption	2,5 kg/h
Dimensions (WxHxD)	950 x 906 x 669 mm
Net weight	212 kg
Flue outlet diameter and position	150 mm (B/T)
Hearth opening size (WxH)	225 x 210 mm
Hearth dimensions (WxHxD)	296 x 306 x 460 mm
Oven Dim. (WxHxD)	307 x 418 x 430 mm
Oven capacity	55 ℓ



Outdoor air intake



Cast iron ring sets

FEATURES

Top cooking plate and rings in polished cast-iron	Ash-collection tank and enamelled cast-iron feet
Double glass fire door	Front, frame and doors in enamelled cast iron
Ventilated sides in enamelled steel or natural stone	Porcelain enamelled steel oven
Hearth with refractory sides and cast iron bottom	

GARDENIA.16 STEEL

9,5 kW-N 272 m³

PRESTIGE
Line



WOOD-BURNING COOKER

Steel cladding



Anthracite Black
3000930
€ 2.425,00

STANDARD EQUIPMENT

Enamelled oven tray 298 x 375 mm

Chrome-plated oven rack 298 x 375 mm

Additional ventilation ring Ø 120 mm

OPTIONAL	Code	Price
Enamelled oven tray 298 x 375 mm	1014024	€ 23,30
Chrome-plated oven rack 298 x 375 mm	1014100	€ 17,60

TECHNICAL DATA

Nominal power	9,5 kW-N
Efficiency	86 %
Seasonal efficiency	76 %
Hourly consumption	2,5 kg/h
Dimensions (WxHxD)	950 x 906 x 669 mm
Net weight	197 kg
Flue outlet diameter and position	150 mm (B/T)
Hearth opening size (WxH)	225 x 210 mm
Hearth dimensions (WxHxD)	296 x 306 x 460 mm
Oven Dim. (WxHxD)	307 x 418 x 430 mm
Oven capacity	55 ℓ



Outdoor air intake



Cast iron ring sets

FEATURES

Top cooking plate and rings in polished cast-iron	Ash-collection tank and enamelled cast-iron feet
Double glass fire door	Front, frame and doors in enamelled cast iron
Ventilated sides in enamelled steel or natural stone	Porcelain enamelled steel oven
Hearth with refractory sides and cast iron bottom	

ROSA L.16 STEEL

9,5 kW-N 272 m³



WOOD-BURNING COOKER

Enamelled steel exterior cladding



Anthracite Black
3003530
€ 2.425,00

STANDARD EQUIPMENT

- Enamelled oven tray 298 x 375 mm
- Chrome-plated oven rack 298 x 375 mm
- 2 Tile Kit
- Additional ventilation ring Ø 120 mm

OPTIONAL	Code	Price
Enamelled oven tray 298 x 375 mm	1014024	€ 23,30
Chrome-plated oven rack 298 x 375 mm	1014100	€ 17,60
Glass-ceramic top kit for Verona XXL - Rosa L 5.0	7016255	€ 332,00

TECHNICAL DATA

Nominal power	9,5 kW-N
Efficiency	86 %
Seasonal efficiency	76 %
Hourly consumption	2,5 kg/h
Dimensions (WxHxD)	975 x 902 x 670 mm
Net weight	192 kg
Flue outlet diameter and position	150 mm (B/T)
Hearth opening size (WxH)	225 x 210 mm
Hearth dimensions (WxHxD)	296 x 306 x 460 mm
Oven Dim. (WxHxD)	307 x 418 x 430 mm
Oven capacity	55 ℓ



FEATURES

Top cooking plate and rings in polished cast-iron	Ceramic glass
Extractable ash drawer	Doors, front and frame in enamelled cast iron
Post-combustion system for low emissions	Double glass fire door
Wood drawer	Porcelain enamelled steel oven
Adjustable primary and secondary air for better combustion management	Cast iron refractory hearth

ROSA XXL.16 PETRA

10,5 kW-N 301 m³



WOOD-BURNING COOKER

Natural stone cladding



Natural Stone
3003710
€ 3.010,00

STANDARD EQUIPMENT

- Chrome-plated oven rack 427 x 410 mm
- Enamelled oven tray 386 x 426 mm
- Additional ventilation ring Ø 120 mm

OPTIONAL	Code	Price
Chrome-plated oven rack 427 x 410 mm	1017109	€ 15,80
Enamelled oven tray 386 x 426 mm	1017229	€ 36,30

TECHNICAL DATA

Nominal power	10,5 kW-N
Efficiency	86 %
Seasonal efficiency	76 %
Hourly consumption	2,8 kg/h
Dimensions (WxHxD)	1074 x 903 x 669 mm
Net weight	275 kg
Flue outlet diameter and position	150 mm (B/T)
Hearth opening size (WxH)	225 x 210 mm
Hearth dimensions (WxHxD)	296 x 306 x 460 mm
Oven Dim. (WxHxD)	436 x 418 x 430 mm
Oven capacity	78 ℓ



FEATURES

Top cooking plate and rings in polished cast-iron	Ceramic glass
Extractable ash drawer	Doors, front and frame in enamelled cast iron
Post-combustion system for low emissions	Double glass fire door
Wood drawer	Cast iron refractory hearth
Adjustable primary and secondary air for better combustion management	

ROSA XXL.16 MAIOLICA

10,5 kW-N 301 m³



WOOD-BURNING COOKER

Majolica cladding



Bordeaux
3003720
€ 2.950,00

White Infinity
3003721
€ 2.950,00

STANDARD EQUIPMENT

Chrome-plated oven rack 427 x 410 mm

Enamelled oven tray 386 x 426 mm

Additional ventilation ring Ø 120 mm

OPTIONAL	Code	Price
Chrome-plated oven rack 427 x 410 mm	1017109	€ 15,80
Enamelled oven tray 386 x 426 mm	1017229	€ 36,30

TECHNICAL DATA

Nominal power	10,5 kW-N
Efficiency	86 %
Seasonal efficiency	76 %
Hourly consumption	2,8 kg/h
Dimensions (WxHxD)	1074 x 903 x 669 mm
Net weight	235 kg
Flue outlet diameter and position	150 mm (B/T)
Hearth opening size (WxH)	225 x 210 mm
Hearth dimensions (WxHxD)	296 x 306 x 460 mm
Oven Dim. (WxHxD)	436 x 418 x 430 mm
Oven capacity	78 ℓ



Outdoor air intake



Cast iron ring sets

FEATURES

Top cooking plate and rings in polished cast-iron	Ceramic glass
Extractable ash drawer	Doors, front and frame in enamelled cast iron
Post-combustion system for low emissions	Double glass fire door
Wood drawer	Cast iron refractory hearth
Adjustable primary and secondary air for better combustion management	

ROSA XXL.16 STEEL

10,5 kW-N 301 m³



WOOD-BURNING COOKER

Enamelled steel exterior cladding



Anthracite Black
3003730
€ 2.505,00

STANDARD EQUIPMENT

Chrome-plated oven rack 427 x 410 mm

Enamelled oven tray 386 x 426 mm

3 Tile Kit

Additional ventilation ring Ø 120 mm

OPTIONAL	Code	Price
Chrome-plated oven rack 427 x 410 mm	1017109	€ 15,80
Enamelled oven tray 386 x 426 mm	1017229	€ 36,30

TECHNICAL DATA

Nominal power	10,5 kW-N
Efficiency	86 %
Seasonal efficiency	76 %
Hourly consumption	2,8 kg/h
Dimensions (WxHxD)	1074 x 903 x 669 mm
Net weight	202 kg
Flue outlet diameter and position	150 mm (B/T)
Hearth opening size (WxH)	225 x 210 mm
Hearth dimensions (WxHxD)	296 x 306 x 460 mm
Oven Dim. (WxHxD)	436 x 418 x 430 mm
Oven capacity	78 ℓ



Outdoor air intake



Cast iron ring sets

FEATURES

Top cooking plate and rings in polished cast-iron	Ceramic glass
Extractable ash drawer	Doors, front and frame in enamelled cast iron
Post-combustion system for low emissions	Double glass fire door
Wood drawer	Cast iron refractory hearth
Adjustable primary and secondary air for better combustion management	

GARDENIA XXL PETRA

10,5 kW-N 301 m³

PRESTIGE
Line



WOOD-BURNING STOVE WITH CAST IRON OVEN

Natural stone cladding



Natural Stone
3007210
€ 3.215,00

STANDARD EQUIPMENT

Chrome-plated oven rack 427 x 410 mm

Enamelled oven tray 386 x 426 mm

Oven peel

Additional ventilation ring Ø 120 mm

OPTIONAL	Code	Price
Chrome-plated oven rack 427 x 410 mm	1017109	€ 15,80
Enamelled oven tray 386 x 426 mm	1017229	€ 36,30
Enamelled oven tray 385 x 294 mm	1119000	€ 36,30
Oven peel handle extension	7015690	€ 14,00

TECHNICAL DATA

Nominal power	10,5 kW-N
Efficiency	86 %
Seasonal efficiency	76 %
Hourly consumption	2,8 kg/h
Dimensions (WxHxD)	1050 x 906 x 669 mm
Net weight	272 kg
Flue outlet diameter and position	150 mm (B/T)
Hearth opening size (WxH)	225 x 210 mm
Hearth dimensions (WxHxD)	296 x 306 x 460 mm
Oven Dim. (WxHxD)	432 x 408 x 447 mm
Oven capacity	79 ℓ



Outdoor air intake



Cast iron oven



Cast iron ring sets

FEATURES

Extractable ash drawer	Ash-collection tank and enamelled cast-iron feet
Post-combustion system for low emissions	Handrail in three parts
Adjustable primary and secondary air for better combustion management	Cast iron oven with steam release valve and pull-out rails
Ceramic glass	Cast iron refractory hearth
Double glass fire door	

GARDENIA XXL STEEL

10,5 kW-N 301 m³

PRESTIGE
Line



WOOD-BURNING STOVE WITH CAST IRON OVEN

Steel cladding



Anthracite Black
3007230
€ 2.890,00

STANDARD EQUIPMENT

Chrome-plated oven rack 427 x 410 mm

Enamelled oven tray 386 x 426 mm

Oven peel

Additional ventilation ring Ø 120 mm

OPTIONAL	Code	Price
Enamelled oven tray 385 x 294 mm	1119000	€ 36,30
Enamelled oven tray 386 x 426 mm	1017229	€ 36,30
Chrome-plated oven rack 427 x 410 mm	1017109	€ 15,80
Oven peel handle extension	7015690	€ 14,00

TECHNICAL DATA

Nominal power	10,5 kW-N
Efficiency	86 %
Seasonal efficiency	76 %
Hourly consumption	2,8 kg/h
Dimensions (WxHxD)	1050 x 906 x 669 mm
Net weight	247 kg
Flue outlet diameter and position	150 mm (B/T)
Hearth opening size (WxH)	225 x 210 mm
Hearth dimensions (WxHxD)	296 x 306 x 460 mm
Oven Dim. (WxHxD)	432 x 408 x 447 mm
Oven capacity	79 ℓ



Outdoor air intake



Cast iron oven



Cast iron ring sets

FEATURES

Extractable ash drawer	Double glass fire door
Post-combustion system for low emissions	Ash-collection tank and enamelled cast-iron feet
Adjustable primary and secondary air for better combustion management	Handrail in three parts
Ceramic glass	Cast iron oven with steam release valve and pull-out rails
Doors, front and frame in enamelled cast iron	Cast iron refractory hearth

GARDENIA XXL CERAMICA

10,5 kW-N 301 m³

PRESTIGE
Line

Foodwarmer (optional)



WOOD-BURNING STOVE WITH CAST IRON OVEN

Ceramic exterior cladding



Bordeaux
3007200
€ 3.140,00

White Infinity
3007201
€ 3.140,00

STANDARD EQUIPMENT

Chrome-plated oven rack 427 x 410 mm

Enamelled oven tray 385 x 294 mm

Oven peel

Additional ventilation ring Ø 120 mm

OPTIONAL	Code	Price
Enamelled oven tray 385 x 294 mm	1119000	€ 36,30
Enamelled oven tray 386 x 426 mm	1017229	€ 36,30
Chrome-plated oven rack 427 x 410 mm	1017109	€ 15,80
Oven peel handle extension	7015690	€ 14,00
Food warmer burgundy	7018010	€ 717,00
Food warmer white infinity	7018013	€ 717,00

TECHNICAL DATA

Nominal power	10,5 kW-N
Efficiency	86 %
Seasonal efficiency	76 %
Hourly consumption	2,8 kg/h
Dimensions (WxHxD)	1050 x 906 x 669 mm
Net weight	257 kg
Flue outlet diameter and position	150 mm (B/T)
Hearth opening size (WxH)	225 x 210 mm
Hearth dimensions (WxHxD)	296 x 306 x 460 mm
Oven Dim. (WxHxD)	432 x 408 x 447 mm
Oven capacity	79 ℓ



Outdoor air intake



Cast iron oven



Cast iron ring sets

FEATURES

Extractable ash drawer	Refractory Hearth
Post-combustion system for low emissions	Post-combustion system
Adjustable primary and secondary air for better combustion management	Ash-collection tank and enamelled cast-iron feet
Ceramic glass	Handrail in three parts
Doors, front and frame in enamelled cast iron	Cast iron oven with steam release valve and pull-out rails
Double glass fire door	

ALASKA.16

12,0 kW-N 344 m³

PRESTIGE
Line



WOOD-BURNING COOKER

Cast iron and enamelled steel cladding



Glazed Black
3000030
€ 4.810,00

STANDARD EQUIPMENT

Chrome-plated oven rack 427 x 410 mm

Enamelled oven tray 386 x 426 mm

Stainless steel rack

Additional ventilation ring Ø 100 mm

OPTIONAL	Code	Price
Enamelled oven tray 386 x 426 mm	1017229	€ 36,30
Stainless steel rack	7016150	€ 103,00
Enamelled oven tray 385 x 294 mm	1119000	€ 36,30
Chrome-plated oven rack 427 x 410 mm	1017109	€ 15,80
Chrome handrail kit Alaska	7016057	€ 258,00

TECHNICAL DATA

Nominal power	12,0 kW-N
Efficiency	86 %
Seasonal efficiency	76 %
Hourly consumption	3,3 kg/h
Dimensions (WxHxD)	1307 x 898 x 705 mm
Net weight	350 kg
Flue outlet diameter and position	150 mm (B/T)
Hearth opening size (WxH)	405 x 278 mm
Hearth dimensions (WxHxD)	400 x 340 x 460 mm
Oven Dim. (WxHxD)	434 x 418 x 430 mm
Oven capacity	78 ℓ



Direct outdoor air intake



Nordiker hearth



Cast iron ring sets

FEATURES

Extractable ash drawer	adjustable primary and secondary air, pre-calibrated tertiary air
Doors, front and frame in enamelled cast iron	Large (78 l) enamelled oven with anti-steam valve and removable rails
Large cooking plate (^100 cm) for simultaneous cooking of several foods	Extractable drawer for wood (or objects)
Height-adjustable cast iron fire grate	

TERMOROSA DSA LEAN LIBERTY

12,4 kW-N 6,9 kW-H₂O 356 m³



WOOD-BURNING THERMO COOKER

Majolica cladding



Liberty Bordeaux
3011500
€ 3.510,00

STANDARD EQUIPMENT

Enamelled oven tray 298 x 375 mm

OPTIONAL	Code	Price
Enamelled oven tray 298 x 375 mm	1014024	€ 23,30
Chrome-plated oven rack 298 x 375 mm	1014100	€ 17,60
Stainless steel tray	1014950	€ 53,00
System separator kit 2.0	6012027	€ 892,00
Digital regulator for thermo-products	6012100	€ 176,00
Anti-condensation mixing valve 55°C	7118402	€ 208,00
Automatic thermal discharge valve DSA	7118410	€ 226,00

TECHNICAL DATA

Nominal power	12,4 kW-N
Power given back to water	6,9 kW-H ₂ O
Efficiency	80 %
Seasonal efficiency	70 %
Hourly consumption	3,5 kg/h
Dimensions (WxHxD)	1030 x 855 x 664 mm
Net weight	217 kg
Flue outlet diameter and position	150 mm (B/T)
Hearth opening size (WxH)	220 x 200 mm
Hearth dimensions (WxHxD)	256 x 270 x 400 mm
Oven Dim. (WxHxD)	330 x 300 x 410 mm
Oven capacity	41 ℓ



Cast iron ring set

FEATURES

Top cooking plate and rings in polished cast-iron	Adjustable primary and secondary air for better combustion management
Extractable ash drawer	Ceramic glass
Post-combustion system for low emissions	Predisposition for DSA safety device (DSA valve optional)
Wood drawer	Doors, front and frame in enamelled cast iron
Firebox in steel and cast iron	

Wood-burning Thermo Cookers

Wood-burning thermo cookers combine the authentic warmth of the flame with the practicality of a solution designed for cooking and heating the home. Made with robust materials and carefully crafted finishes, they offer high performance, efficiency and long-lasting reliability.

Thanks to their ability to distribute heat in a natural and consistent way, they represent a functional and evocative choice for those who wish to rediscover the pleasure of traditional cooking, without giving up comfort and build quality.

TERMOROSA DSA LEAN PETRA

12,4 kW-N 6,9 kW-H₂O 356 m³



WOOD-BURNING THERMO COOKER

Natural stone cladding



Natural Stone
3011510
€ 3.510,00

STANDARD EQUIPMENT

Enamelled oven tray 298 x 375 mm

OPTIONAL	Code	Price
Enamelled oven tray 298 x 375 mm	1014024	€ 23,30
Chrome-plated oven rack 298 x 375 mm	1014100	€ 17,60
Stainless steel tray	1014950	€ 53,00
System separator kit 2.0	6012027	€ 892,00
Digital regulator for thermo-products	6012100	€ 176,00
Anti-condensation mixing valve 55°C	7118402	€ 208,00
Automatic thermal discharge valve DSA	7118410	€ 226,00

TECHNICAL DATA

Nominal power	12,4 kW-N
Power given back to water	6,9 kW-H ₂ O
Efficiency	80 %
Seasonal efficiency	70 %
Hourly consumption	3,5 kg/h
Dimensions (WxHxD)	1030 x 855 x 664 mm
Net weight	233 kg
Flue outlet diameter and position	150 mm (B/T)
Hearth opening size (WxH)	220 x 200 mm
Hearth dimensions (WxHxD)	256 x 270 x 400 mm
Oven Dim. (WxHxD)	330 x 300 x 410 mm
Oven capacity	41 ℓ



Cast iron ring set

FEATURES

Top cooking plate and rings in polished cast-iron	Adjustable primary and secondary air for better combustion management
Extractable ash drawer	Ceramic glass
Post-combustion system for low emissions	Predisposition for DSA safety device (DSA valve optional)
Wood drawer	Doors, front and frame in enamelled cast iron
Firebox in steel and cast iron	

TERMOROSA XXL DSA LEAN

18,4 kW-N 9,5 kW-H₂O 528 m³



WOOD-BURNING THERMO COOKER

Enamelled steel exterior cladding



Anthracite Black
3012030
€ 4.179,00

STANDARD EQUIPMENT

Enamelled oven tray 298 x 375 mm

Chrome-plated oven rack 298 x 375 mm

2 Tile Kit

Ring Ø 100 mm air fitting

OPTIONAL	Code	Price
Enamelled oven tray 298 x 375 mm	1014024	€ 23,30
Chrome-plated oven rack 298 x 375 mm	1014100	€ 17,60
Movable grate lifter kit	7017590	€ 198,00
Automatic thermal discharge valve DSA	7118410	€ 226,00

TECHNICAL DATA

Nominal power	18,4 kW-N
Power given back to water	9,5 kW-H ₂ O
Efficiency	80 %
Seasonal efficiency	70 %
Hourly consumption	5,3 kg/h
Dimensions (WxHxD)	1075 x 923 x 748 mm
Net weight	286 kg
Flue outlet diameter and position	150 mm (B/T)
Hearth opening size (WxH)	232 x 139 mm
Hearth dimensions (WxHxD)	250 x 419 x 400 mm
Oven Dim. (WxHxD)	307 x 418 x 430 mm
Oven capacity	55 ℓ



Direct outdoor air intake



Cast iron ring sets

FEATURES


Top cooking plate and rings in polished cast-iron	Adjustable primary and secondary air for better combustion management
Extractable ash drawer	Ceramic glass
Post-combustion system for low emissions	Predisposition for DSA safety device (DSA valve optional)
Wood drawer	Doors, front and frame in enamelled cast iron
Firebox in steel and cast iron	

INSERTO 60.16

6,5 kW-N 186 m³



WOOD-BURNING VENTILATED INSERT



3001440
€ 1.300,00

Technical Drawing

STANDARD EQUIPMENT

Fan speed controller

OPTIONAL	Code	Price
Additional ventilation ring Ø 120 mm	1130100	€ 16,70
Ventilation kit for inserts / fireboxes	1318000	€ 401,00
Insert frame kit	6016690	€ 62,20
Pedestal kit for insert	6016792	€ 194,00

TECHNICAL DATA

Nominal power	6,5 kW-N
Efficiency	80 %
Seasonal efficiency	70 %
Hourly consumption	1,9 kg/h
Dimensions (WxHxD)	595 x 500 x 440 mm
Net weight	124 kg
Flue outlet diameter and position	160 mm (T)
Hearth opening size (WxH)	465 x 250 mm
Hearth dimensions (WxHxD)	370 x 260 x 300 mm

FEATURES

Extractable ash drawer	Cast-iron door
Post-combustion system for low emissions	Cast-iron structure
Adjustable primary and secondary air for better combustion management	Two standard tangential fans
Ceramic glass	Possibility of ducting the product with specific ventilation kit Inserts/Furniture (optional) + 2 air connection rings (optional)
Firebox in cast iron and vermiculite	Ventilation speed regulator as standard

Wood-burning Inserts


La Nordica-Extraflame wood-burning inserts are the solution for transforming an existing open fireplace into an efficient, safe and visually refined heat source. Designed to replace old open hearths with superior performance, they significantly reduce emissions and increase thermal output while enhancing the room’s aesthetic. They are equally suited to new installations: variable dimensions and considered design make them a natural fit for a wide range of living environments, from traditional architecture to contemporary interiors. The fire, in all its intensity, with the control expected from a quality product.

INSERTO 70 H49.16

6,7 kW-N 192 m³



WOOD-BURNING VENTILATED INSERT



3001640
€ 1.435,00

Technical Drawing

STANDARD EQUIPMENT

Fan speed controller

OPTIONAL	Code	Price
Additional ventilation ring Ø 120 mm	1130100	€ 16,70
Ventilation kit for inserts / fireboxes	1318000	€ 401,00
Pedestal kit for insert	6016792	€ 194,00
Insert frame kit	6016799	€ 62,20

TECHNICAL DATA

Nominal power	6,7 kW-N
Efficiency	82 %
Seasonal efficiency	72 %
Hourly consumption	1,9 kg/h
Dimensions (WxHxD)	695 x 495 x 450 mm
Net weight	149 kg
Flue outlet diameter and position	160 mm (T)
Hearth opening size (WxH)	465 x 187 mm
Hearth dimensions (WxHxD)	440 x 270 x 285 mm



FEATURES


Extractable ash drawer	Cast-iron structure
Post-combustion system for low emissions	Two standard tangential fans
Adjustable primary and secondary air for better combustion management	Possibility of ducting the product with specific ventilation kit Inserts/Furniture (optional) + 2 air connection rings (optional)
Ceramic glass	Ventilation speed regulator as standard
Cast-iron door	

INSERTO 80 CRYSTAL EVO.16 *

7,4 kW-N 212 m³



WOOD-BURNING VENTILATED INSERT



3001840 *
€ 2.092,00

Technical Drawing

* While stocks last

STANDARD EQUIPMENT

Fan speed controller

OPTIONAL	Code	Price
Ventilation kit for inserts / fireboxes	1318000	€ 401,00
Pedestal kit for insert	6016792	€ 194,00
Steel frame	6016899	€ 235,00
Wood holder module	6016590	€ 470,00
External air kit	6016041	€ 13,20
Additional ventilation ring Ø 120 mm	1130100	€ 16,70

TECHNICAL DATA

Nominal power	7,4 kW-N
Efficiency	80 %
Seasonal efficiency	70 %
Hourly consumption	2,2 kg/h
Dimensions (WxHxD)	800 x 555 x 500 mm
Net weight	130 kg
Flue outlet diameter and position	160 mm (T)
Hearth opening size (WxH)	635 x 245 mm
Hearth dimensions (WxHxD)	600 x 310 x 360 mm



FEATURES


Extractable ash drawer	Cast-iron door
Post-combustion system for low emissions	Two standard tangential fans
Adjustable primary and secondary air for better combustion management	Ventilation speed regulator as standard
Ceramic glass	Steel structure
Reversible door	Possibility of ducting the product with specific ventilation kit Inserts/Furniture (optional)

INSERTO 70.165

7,8 kW-N 224 m³



WOOD-BURNING VENTILATED INSERT



3009540
€ 1.460,00

Technical Drawing

STANDARD EQUIPMENT

Fan speed controller		
OPTIONAL	Code	Price
Ventilation kit for inserts / fireboxes	1318000	€ 401,00
Insert frame kit	6016790	€ 62,20
Steel frame	6016791	€ 206,00
Pedestal kit for insert	6016792	€ 194,00
Additional ventilation ring Ø 120 mm	1130100	€ 16,70

TECHNICAL DATA

Nominal power	7,8 kW-N
Efficiency	77 %
Seasonal efficiency	67 %
Hourly consumption	2,4 kg/h
Dimensions (WxHxD)	695 x 550 x 450 mm
Net weight	142 kg
Flue outlet diameter and position	160 mm (T)
Hearth opening size (WxH)	565 x 245 mm
Hearth dimensions (WxHxD)	415 x 310 x 300 mm



Nordiker hearth

FEATURES


Extractable ash drawer	Cast-iron structure
Post-combustion system for low emissions	Two standard tangential fans
Adjustable primary and secondary air for better combustion management	Possibility of ducting the product with specific ventilation kit Inserts/Furniture (optional) + 2 air connection rings (optional)
Ceramic glass	Ventilation speed regulator as standard
Cast-iron door	

INSERTO 70 LEAN.165

8,0 kW-N 229 m³



WOOD-BURNING VENTILATED INSERT



3011840
€ 1.815,00

Technical Drawing

STANDARD EQUIPMENT

Fan speed controller		
Additional ventilation ring Ø 100 mm		
OPTIONAL	Code	Price
Kit Wind Air	6016030	€ 483,00
Pedestal kit for insert	6016792	€ 194,00
Wide insert frame kit	6016961	€ 58,50
Stainless steel frame	6016960	€ 195,00
Diffuser shade	6016005	€ 30,50
Diffuser wave	6016025	€ 49,20

TECHNICAL DATA

Nominal power	8,0 kW-N
Efficiency	80 %
Seasonal efficiency	70 %
Hourly consumption	2,3 kg/h
Dimensions (WxHxD)	704 x 559 x 505 mm
Net weight	121 kg
Flue outlet diameter and position	150 mm (T)
Hearth opening size (WxH)	526 x 255 mm
Hearth dimensions (WxHxD)	546 x 304 x 278 mm



Direct outdoor air intake



Nordiker hearth

FEATURES


Post-combustion system for low emissions	Painted steel structure
Adjustable primary and secondary air for better combustion management	1 tangential fan standard at the back
Ceramic glass	Manual smoke by-pass valve (for wood load ignition)
Firebox in cast iron and vermiculite	Retractable opening handle
Cast-iron door	

NEW 2026 | INSERTO 80 LEAN

9,5 kW-N 272 m³



WOOD-BURNING VENTILATED INSERT



3010840
€ 2.010,00

Technical Drawing

STANDARD EQUIPMENT

- Fan speed controller
- Additional ventilation ring Ø 100 mm

OPTIONAL	Code	Price
Diffuser shade	6016005	€ 30,50
Diffuser wave	6016025	€ 49,20
Kit Wind Air	6016030	€ 483,00
“Wind Air” regulator kit (additional)	6016031	€ 116,00
Pedestal kit for insert	6016792	€ 194,00
Stainless steel frame kit	6016860	€ 195,00
Anthracite black frame kit	6016861	€ 58,50

TECHNICAL DATA

Nominal power	9,5 kW-N
Efficiency	80 %
Seasonal efficiency	70 %
Hourly consumption	2,7 kg/h
Dimensions (WxHxD)	794 x 559 x 505 mm
Net weight	131 kg
Flue outlet diameter and position	150 mm (T)
Hearth opening size (WxH)	626 x 254 mm
Hearth dimensions (WxHxD)	629 x 298 x 257 mm



Direct outdoor air intake



Nordiker hearth

FEATURES


Lifting handles	Extractable ash drawer
Retractable opening handle	Tangential fan at the back of the fireplace with front access for maintenance
Aesthetic glass door with reversible cast iron frame	Cast iron flue deflector and manual exhaust valve with inspection for easy cleaning
Cast iron and Nordiker firebox with thick cast iron firebed	

NEW 2026 | INSERTO 80 H49 LEAN

9,5 kW-N 272 m³



WOOD-BURNING VENTILATED INSERT



3011240
€ 2.010,00

Technical Drawing

STANDARD EQUIPMENT

- Fan speed controller
- Additional ventilation ring Ø 100 mm

OPTIONAL	Code	Price
Diffuser shade	6016005	€ 30,50
Diffuser wave	6016025	€ 49,20
Kit Wind Air	6016030	€ 483,00
“Wind Air” regulator kit (additional)	6016031	€ 116,00
Pedestal kit for insert	6016792	€ 194,00
Anthracite black frame kit	7730000	€ 58,50
Stainless steel frame kit	7730001	€ 195,00

TECHNICAL DATA

Nominal power	9,5 kW-N
Efficiency	80 %
Seasonal efficiency	70 %
Hourly consumption	2,7 kg/h
Dimensions (WxHxD)	794 x 495 x 490 mm
Net weight	125 kg
Flue outlet diameter and position	150 mm (T)
Hearth opening size (WxH)	626 x 205 mm
Hearth dimensions (WxHxD)	629 x 257 x 244 mm



Direct outdoor air intake



Nordiker hearth

FEATURES


Lifting handles	Extractable ash drawer
Retractable opening handle	Tangential fan at the back of the fireplace with front access for maintenance
Aesthetic glass door with reversible cast iron frame	Cast iron flue deflector and manual exhaust valve with inspection for easy cleaning
Cast iron and Nordiker firebox with thick cast iron firebed	

NEW 2026 | INSERTO 100 LEAN

10,5 kW-N 301 m³



WOOD-BURNING VENTILATED INSERT



3011940
€ 2.300,00

Technical Drawing

STANDARD EQUIPMENT

- Fan speed controller
- Additional ventilation ring Ø 100 mm

OPTIONAL	Code	Price
Diffuser shade	6016005	€ 30,50
Diffuser wave	6016025	€ 49,20
Kit Wind Air	6016030	€ 483,00
“Wind Air” regulator kit (additional)	6016031	€ 116,00
Pedestal kit for insert	6016792	€ 194,00
Stainless steel frame kit	6016180	€ 195,00
Anthracite black frame kit	6016181	€ 58,50

TECHNICAL DATA

Nominal power	10,5 kW-N
Efficiency	80 %
Seasonal efficiency	70 %
Hourly consumption	3,0 kg/h
Dimensions (WxHxD)	994 x 559 x 505 mm
Net weight	162 kg
Flue outlet diameter and position	180 mm (T)
Hearth opening size (WxH)	826 x 254 mm
Hearth dimensions (WxHxD)	810 x 273 x 249 mm



Direct outdoor air intake



Nordiker hearth

FEATURES


Lifting handles	Extractable ash drawer
Retractable opening handle	Tangential fan at the back of the fireplace with front access for maintenance
Aesthetic glass door with reversible cast iron frame	Cast iron flue deflector and manual exhaust valve with inspection for easy cleaning
Vermiculite firebox and thick cast iron firebed	

INSERTO 80 WIDE.16 *

12,4 kW-N 356 m³



WOOD INSERT WITH PANORAMIC VIEW OF THE FIRE



3001940 *
€ 2.080,00

Technical Drawing

* While stocks last

STANDARD EQUIPMENT

Additional ventilation ring Ø 100 mm

OPTIONAL	Code	Price
Anthracite black frame kit	6016861	€ 58,50
Pedestal kit for insert	6016792	€ 194,00
Kit Wind Air	6016030	€ 483,00
Diffuser shade	6016005	€ 30,50
Diffuser wave	6016025	€ 49,20
Stainless steel frame kit	6016860	€ 195,00

TECHNICAL DATA

The height figure includes the tube, see data sheet.

Nominal power	12,4 kW-N
Efficiency	86 %
Seasonal efficiency	76 %
Hourly consumption	3,3 kg/h
Dimensions (WxHxD)	800 x 1478 x 509 mm
Net weight	160 kg
Flue outlet diameter and position	160 mm (T)
Hearth opening size (WxH)	624 x 248 mm
Hearth dimensions (WxHxD)	615 x 268 x 358 mm



Direct outdoor air intake



Nordiker hearth


FEATURES

Extractable ash drawer	Lowered fire top for better flame view
Post-combustion system for low emissions	Door and grille in cast iron
Adjustable primary and secondary air for better combustion management	Reversible door
Ceramic glass	Without ventilation motors

12,0 kW-N 344 m³



WOOD-BURNING MONOBLOCK



TECHNICAL DATA

Nominal power	12,0 kW-N
Efficiency	80 %
Seasonal efficiency	70 %
Hourly consumption	3,5 kg/h
Dimensions (WxHxD)	1034 x 1678 x 655 mm
Net weight	320 kg
Flue outlet diameter and position	200 mm (T)
Hearth opening size (WxH)	800 x 350 mm
Hearth dimensions (WxHxD)	690 x 480 x 320 mm



Direct outdoor air intake



Nordiker hearth

FEATURES

Thick building materials	Door movement with new smooth & soft system (moves while lifting)
Stands with wheels and adjustable feet	Standard guard
Tippable cast iron grid with extractable ash drawer	Ceramic glass divided into 3 parts, the short sides can be opened

Wood-burning Monoblocks

La Nordica-Extraflame monoblocks are complete fireplace systems, engineered to simplify installation while delivering high performance and a well-considered architectural presence. The self-supporting structure with concealed sliding opening and positioning wheels facilitates on-site setup, while adjustable height allows adaptation to different construction requirements.

Designed for new builds and renovation projects, monoblocks require a dedicated external cladding structure that integrates harmoniously with the interior design. The warmth of a wood fire, with the technical reliability of an integrated, ready-to-install system.


MONOBLOCCO 90PA.165

13,2 kW-N 379 m³

PRESTIGE
Line



WOOD-BURNING MONOBLOCK



3011740
€ 4.815,00

STANDARD EQUIPMENT

Ring Ø 100 mm air fitting

OPTIONAL	Code	Price
Diffuser shade	6016005	€ 30,50
Diffuser wave	6016025	€ 49,20
Kit Wind Air	6016030	€ 483,00
“Wind Air” regulator kit (additional)	6016031	€ 116,00
Stainless steel frame	6118290	€ 213,00
Steel frame	6118291	€ 155,00

TECHNICAL DATA

Nominal power	13,2 kW-N
Efficiency	86 %
Seasonal efficiency	76 %
Hourly consumption	3,6 kg/h
Dimensions (WxHxD)	1105 x 1590 x 650 mm
Net weight	320 kg
Flue outlet diameter and position	180 mm (T)
Hearth opening size (WxH)	830 x 350 mm
Hearth dimensions (WxHxD)	815 x 480 x 325 mm



Direct outdoor air intake



Nordiker hearth

FEATURES


Thick building materials	Tippable cast iron grid with extractable ash drawer
PRS system	Door movement with new smooth & soft system (moves while lifting)
Flue handling system for positioning	
Stands with wheels and adjustable feet	Standard guard

TERMOCAMINO WF PLUS.16

20,5 kW-N 11,3 kW-H₂O 588 m³



WOOD-BURNING THERMO FIREPLACE



3005940
€ 4.735,00

STANDARD EQUIPMENT

Ring Ø 100 mm air fitting

OPTIONAL	Code	Price
System separator kit 2.0	6012027	€ 892,00
Digital regulator for thermo-products	6012100	€ 176,00
Anti-condensation mixing valve 55°C	7118402	€ 208,00
Automatic thermal discharge valve DSA	7118410	€ 226,00

TECHNICAL DATA

Nominal power	20,5 kW-N
Power given back to water	11,3 kW-H ₂ O
Efficiency	86 %
Seasonal efficiency	76 %
Hourly consumption	5,4 kg/h
Dimensions (WxHxD)	866 x 1585 x 667 mm
Net weight	334 kg
Flue outlet diameter and position	200 mm (T)
Hearth opening size (WxH)	558 x 275 mm
Hearth dimensions (WxHxD)	590 x 365 x 400 mm



Direct outdoor air intake



Nordiker hearth

FEATURES

Extractable ash drawer	Predisposition for DSA safety device (DSA valve optional)
Post-combustion system for low emissions	Cast iron + Nordiker hearth
Adjustable primary and secondary air for better combustion management	High-gauge steel construction
Ceramic glass	Disappearing glass

Wood accessories

THE IDEAL SOLUTION TO COMPLETE YOUR WOOD-BURNING HEATING EXPERIENCE

We have selected a range of accessories designed to simplify installation, optimise performance and extend the life of your La Nordica products. From flue pipes to finishing elements, every accessory is engineered to integrate perfectly with our appliances, ensuring safety, efficiency and attention to detail.

Check compatibility on the website

Accessories – Frames

	STEEL FRAMES	cod.	Price
	Steel frame Anthracite painted steel frame 100	6016099	€ 257,00
	Steel frame Anthracite painted steel frame 3 lati.	6016791	€ 206,00
	Steel frame Anthracite painted steel frame 70	6016798	€ 235,00
	Steel frame Anthracite painted steel frame 80	6016899	€ 235,00
	STAINLESS STEEL FRAME KIT	cod.	Price
	Stainless steel frame kit Satin stainless steel frame 100 Wide	6016180	€ 195,00
	Stainless steel frame kit Satin stainless steel frame 80 Wide	6016860	€ 195,00
	Stainless steel frame Satin stainless steel frame 70 Wide	6016960	€ 195,00
	Stainless steel frame kit Satin stainless steel frame Monoblocco 1000 Evo	6118180	€ 205,00
Stainless steel frame Satin stainless steel frame 90PA		6118290	€ 213,00
Stainless steel frame kit		7730001	€ 195,00

Accessories – Frames

	INSERT FRAME KIT	cod.	Price
	Insert frame kit insert 60 4.0	6016690	€ 62,20
	Insert frame kit insert 70 4.0, 70 L 4.0	6016790	€ 62,20
	Insert frame kit insert 70 H49 4.0	6016799	€ 62,20
	ANTHRACITE BLACK FRAME KIT	cod.	Price
	Anthracite black frame kit Kit cornice insert 100 Wide	6016181	€ 58,50
	Anthracite black frame kit	6016861	€ 58,50
	Wide insert frame kit Kit cornice insert 70 Wide	6016961	€ 58,50
	Anthracite black frame kit	7730000	€ 58,50

Accessories – Stoves

	FLOOR PLATE	cod.	Price
	Floor plate 1000 x 900 x 2,5 mm Painted steel floor plate 1000 x 900 x 2,5 mm	1018262	€ 126,00
	Floor plate 900 x 800 x 2,5 mm Painted steel floor plate 900 x 800 x 2,5 mm	1018263	€ 112,00
	Floor plate 700 x 600 x 2,5 mm Painted steel floor plate 700 x 600 x 2,5 mm	1018264	€ 97,00
	Floor plate Ø 1000 x 8 mm	cod.	Price
	Floor plate Ø 1000 x 8 mm Black Crystal floor plate Ø 1000 x 8 mm	7118154	€ 146,00
	Floor plate 990 x 900 x 8 mm Black Crystal floor plate 990 x 900 x 8 mm	7118162	€ 114,00
	Floor plate 900 x 800 x 8 mm Black Crystal floor plate 900 x 800 x 8 mm	7118163	€ 104,00
	Floor plate 700 x 600 x 8 mm	cod.	Price
	Floor plate 700 x 600 x 8 mm Black Crystal floor plate 700 x 600 x 8 mm	7118164	€ 97,00
	BENCH FOR DANTE	cod.	Price
	Bench for Dante 1490 x 470 x 550 mm Matt black bench for Dante stove, dimensions 1490 x 470 x 550 mm	7115010	€ 855,00
	REAR HEAT SHIELD	cod.	Price
	Rear heat shield Heat protection shield to be mounted on the back of the Marlena stove: allows the generator to be placed up to 10 cm from combustible walls	7119353	€ 96,20
	LARISSA WIRELESS PROBE	cod.	Price
	Wireless probe. Available for: Larissa	7046321	€ 153,00

Accessories – Ventilation

VENTILATION GRILLE		cod.	Price
	Ventilation grille Ø 120 mm 150 x 150 mm Adjustable white ventilation grille Ø 120 mm 150 x 50 mm	6016000	€ 65,90
	Ventilation grille Ø 150 mm 175 x 175 mm Adjustable white ventilation grille Ø 150 mm 175 x 175 mm	6017000	€ 74,30
	Ventilation grille Ø 150 mm 175 x 350 mm Stainless steel ventilation grille Ø 150 mm 175 x 350 mm	6017001	€ 96,20
	Ventilation grille 120 x 230 mm White ventilation grille 120 x 230 mm	6017002	€ 62,20
ADDITIONAL VENTILATION RING		cod.	Price
	Additional ventilation ring Ø 120 mm Ring Ø 120 mm air fitting	1130100	€ 16,70
	Additional ventilation ring Ø 150 mm Ring Ø 150 mm air fitting	1130310	€ 16,70
	Ring Ø 100 mm air fitting Ring Ø 100 mm air fitting	6035510	€ 7,50
HOSE CLAMP		cod.	Price
	Hose clamp Stainless steel hose clamp Ø 60-175 mm	6016010	€ 4,20
ALUMINIUM PIPE		cod.	Price
	Crimped aluminium pipe Crimped aluminium pipe L1500 mm Ø 100 mm	6017103	€ 9,30
	Crimped aluminium pipe Crimped aluminium pipe L1500 mm Ø 120 mm	6017104	€ 12,40
	Crimped aluminium pipe Crimped aluminium pipe L1500 mm Ø 150 mm	6017105	€ 14,90

Accessories – Ventilation Kits

WIND AIR KIT		cod.	Price
	Kit Wind Air “Wind Air” kit for two air points, complete with accessories and excluding diffusers. Available for inserts, fireboxes and monoblocks	6016030	€ 483,00
WIND AIR REGULATOR KIT		cod.	Price
	“Wind Air” regulator kit (additional) Additional Wind Air regulator kit with external box, regulator, plate and probe 2,5 m	6016031	€ 116,00
SHADE DIFFUSER		cod.	Price
	Diffuser shade Diffuser Shade Wind Air glossy white with fixed adjustment (1 pz)	6016005	€ 30,50
WAVE DIFFUSER		cod.	Price
	Diffuser wave Diffuser Wave Wind Air embossed white with fixed adjustment (1 pz)	6016025	€ 49,20
VENTILATION KIT		cod.	Price
	Ventilation kit for inserts / fireboxes Ventilation kit 400 m³/h. * Additional purchase of 2 Ø 120 mm rings required (see item code 1130100)	1318000	€ 401,00
	Kit ventilazione monoblocco Kit ventilazione 650 m³/h for Monoblocco 800 Angolo	6018090	€ 376,00

Accessories – Inserts & Fireboxes

EXTERNAL AIR KIT		cod.	Price
	External air kit Available for: insert 80 Crystal Evo 2.0, 80 Prs Crystal	6016041	€ 13,20

Accessories – Inserts & Fireboxes

	OPTIONAL COVER	cod.	Price
	Optional cover Available for: Focolare 60 flat Evo	6017780	€ 166,00
	Optional cover Available for: Focolare 70 flat	6017790	€ 215,00
	Optional cover Available for: Monoblocco 1000 Evo	6118190	€ 147,00
	WOOD HOLDER MODULE	cod.	Price
	Wood holder module Wood holder module 80 litres	6016590	€ 470,00
	PEDESTAL KIT FOR INSERT	cod.	Price
	Pedestal kit for insert Pedestal kit for inserts	6016792	€ 194,00

Accessories – Cooking

	STAINLESS STEEL RACK	cod.	Price
	Stainless steel rack Stainless steel rack, 2 washable modules, compatible with Alaska	7016150	€ 103,00
	ROTISSERIE	cod.	Price
	Girarrosto Rotisserie 60 cm with electric motor	6012010	€ 147,00
	TRAY KIT	cod.	Price
	Stainless steel tray Stainless steel tray 3,5	1013950	€ 53,00
	Stainless steel tray Stainless steel tray 4,5	1014950	€ 53,00

Accessories – Cooking

	CHROME-PLATED OVEN RACK	cod.	Price
	Chrome-plated oven rack 298 x 375 mm	1014100	€ 17,60
	Chrome-plated oven rack 234 x 380 mm	1014110	€ 16,70
	Chrome-plated oven rack 427 x 410 mm	1017109	€ 15,80
	Chrome-plated oven rack 340 x 400 mm	7016158	€ 16,20
	Chrome-plated oven rack 520 x 413 mm	7016566	€ 35,20
	Chrome-plated oven rack 318 x 405 mm	7016710	€ 32,90
	Chrome-plated oven rack 420 x 298 mm	7119151	€ 15,80
	Chrome plated oven grill 260x318 mm	7730003	€ 16,70

Accessories – Cooking

	ENAMELLED OVEN TRAY	cod.	Price
	Enamelled oven tray 255 x 348 mm	1013024	€ 23,30
	Enamelled oven tray 298 x 375 mm	1014024	€ 23,30
	Enamelled oven tray 386 x 426 mm	1017229	€ 36,30
	Enamelled oven tray 210 x 301 mm	1111105	€ 23,30
	Enamelled oven tray 385 x 294 mm	1119000	€ 36,30
	Enamelled oven tray 490 x 318 mm	1119113	€ 36,30
	Enamelled oven tray 232 x 390 mm	1210610	€ 23,30
	Enamelled backing tray 220x320 mm	7730002	€ 23,30

Accessories – Cookers

	MOVABLE GRATE KIT ROSA/ROSETTA	cod.	Price
	Movable grate kit Rosa/Rosetta Movable grate kit: • Rosetta 5.0 • Rosetta Sinistra 5.0 • Rosetta Sinistra 5.0 Steel	1033402	€ 126,00
	Movable grate kit Rosa/Rosetta Movable grate kit • Rosa 5.0	1035402	€ 133,00
	Movable grate lifter kit • TermoRosa XXL DSA 4.0	7017590	€ 198,00

Accessories – Cookers

	FAMILY 3,5 LID KIT	cod.	Price
	Lid kit Family 3,5	7013010	€ 60,50
	LID KIT - FAMILY 4,5 - SOVRANA EASY	cod.	Price
	Lid kit - Family 4,5 - Sovrana Easy	7014515	€ 60,50
	ANTHRACITE CENTRAL PLATE KIT WITH LIDS	cod.	Price
	Anthracite central plate kit with lids Polished central plate kit complete with 2 anthracite vitrified enamelled cast iron lids. Available for: Suprema	7015784	€ 425,00
	ALASKA CHROME HANDRAIL KIT	cod.	Price
	Chrome handrail kit Alaska	7016057	€ 258,00
	VICENZA CERAMIC GLASS KIT	cod.	Price
	Ceramic glass kit Vicenza	7016130	€ 259,00
	GLASS-CERAMIC TOP KIT FOR VERONA XXL - ROSA L 5.0	cod.	Price
	Glass-ceramic top kit for Verona XXL - Rosa L 5.0	7016255	€ 332,00
	GLASS-CERAMIC TOP KIT FOR VENEZIA	cod.	Price
	Glass-ceramic top kit for Venezia	7016430	€ 364,00

Accessories – Cookers

	FOOD WARMER	cod.	Price
	Food warmer burgundy Food warmer burgundy dimensions 987 x 710 x 370. Available for Gardenia XXL and Milly. Pipe not included.	7018010	€ 717,00
	Food warmer white infinity	cod.	Price
	Food warmer white dimensions 987 x 710 x 370. Available for Gardenia XXL and Milly. Pipe not included.	7018013	€ 717,00
	VICENZA EVO STAINLESS STEEL - SIDE PANEL WITH RIGHT HOLE	cod.	Price
	Vicenza Evo stainless steel - side panel with right hole	7026111	€ 92,00
	VICENZA EVO - 4 CM STAINLESS STEEL TOP	cod.	Price
	Vicenza Evo - stainless steel top thickness 4 cm	7046102	€ 219,00
	VICENZA EVO STAINLESS STEEL - SIDE PANEL WITH LEFT HOLE	cod.	Price
	Vicenza Evo stainless steel - side panel with left hole	7026112	€ 92,00
	VERONA XXL ANTHRACITE - SIDE PANEL WITH RIGHT HOLE	cod.	Price
	Verona XXL anthracite - side panel with right hole	7026196	€ 90,00
	VERONA XXL ANTHRACITE - SIDE PANEL WITH LEFT HOLE	cod.	Price
	Verona XXL anthracite - side panel with left hole	7026197	€ 90,00
	VICENZA EVO ANTHRACITE - SIDE PANEL WITH RIGHT HOLE	cod.	Price
	Vicenza Evo anthracite - side panel with right hole	7026198	€ 90,00

Accessories – Cookers

	VICENZA EVO ANTHRACITE - SIDE PANEL WITH LEFT HOLE	cod.	Price
	Vicenza Evo anthracite - side panel with left hole	7026199	€ 90,00
	VERONA XXL STAINLESS STEEL - SIDE PANEL WITH RIGHT HOLE	cod.	Price
	Verona XXL stainless steel - side panel with right hole	7026250	€ 92,00
	VERONA XXL STAINLESS STEEL - SIDE PANEL WITH RIGHT HOLE	cod.	Price
	Verona XXL stainless steel - side panel with right hole	7026262	€ 92,00
	VENEZIA STAINLESS STEEL - SIDE PANEL WITH RIGHT HOLE	cod.	Price
	Venezia stainless steel - side panel with right hole	7026314	€ 92,00
	VENEZIA ANTHRACITE - SIDE PANEL WITH RIGHT HOLE	cod.	Price
	Venezia anthracite - side panel with right hole	7026381	€ 90,00
	VERONA XXL - 4 CM STAINLESS STEEL TOP	cod.	Price
	Verona XXL - stainless steel top thickness 4 cm	7046201	€ 290,00
	VENEZIA - 4 CM STAINLESS STEEL TOP	cod.	Price
	Venezia - stainless steel top thickness 4 cm	7046302	€ 312,00

Accessories – Cookers

	OVEN PEEL	cod.	Price
	Oven peel	7015689	€ 52,00
	OVEN PEEL HANDLE EXTENSION	cod.	Price
	Oven peel handle extension	7015690	€ 14,00

Accessories

	ANTHRACITE SPRAY CAN	cod.	Price
	Anthracite spray can Anthracite spray can 600°C Senotherm 400 ml	1028032	€ 34,40
	CHIMNEY SWEEP LOG	cod.	Price
	Chimney sweep log Chimney sweep log accessorio for stufe, camini and barbecue	5011110	€ 64,00
	CHIMNEY SWEEP LOG 12 PCS	cod.	Price
	Chimney sweep log Display box with 12 Chimney Sweep Log pieces	5011112	€ 651,00
	WINDFIRE	cod.	Price
	Windfire Battery-powered electric fire starter and air blower	7110001	€ 21,40
	DRY WIPER SPONGE	cod.	Price
	Dry Wiper sponge Pack 14 spugnette Dry Wiper	7110003	€ 264,00

Accessories – Flue Systems

	ANTI-CONDENSATION FITTING	cod.	Price
	Anti-condensation fitting Ø 120 mm F / Ø 108 mm M	1018512	€ 19,50
	Anti-condensation fitting Ø 130 mm F / Ø 118 mm M	1018513	€ 19,50
	Anti-condensation fitting Ø 150 mm F / Ø 138 mm M	1018515	€ 23,30
	Anti-condensation fitting Ø 160 mm F / Ø 148 mm M	1018516	€ 23,30
	Anti-condensation fitting Ø 200 mm F / Ø 188 mm M	1018520	€ 23,30
	Anti-condensation fitting Ø 250 mm F / Ø 238 mm M	1018525	€ 23,30
	PIPE	cod.	Price
	Pipe L. 500 mm Pipe Ø 160 mm L. 500 mm thickness 1,2 mm	1018605	€ 49,50
	Pipe L. 1000 mm Pipe Ø 160 mm L. 1000 mm thickness 1,2 mm	1018610	€ 69,30
	Pipe L. 250 mm Pipe Ø 160 mm L. 250 mm thickness 1,2 mm	1018625	€ 29,70
	Elbow 90° Elbow 90° Ø 160 mm thickness 1,2 mm	1018630	€ 69,20
	Telescopic pipe Telescopic pipe Ø 160 mm thickness 1,2 mm	1018640	€ 51,00

Accessories – Flue Systems

	ROSETTE	cod.	Price
	Rosette Ø 160 mm	1018650	€ 42,90
	RING	cod.	Price
	Ring Ø 160 mm	1018660	€ 22,30
	DAMPER KIT	cod.	Price
	Damper kit Ø 250 mm Damper kit for fireplace Ø 250 mm	1018680	€ 121,00
	ENAMELLED FITTING	cod.	Price
	Enamelled fitting Ø130 m / Ø150 F	1018730	€ 39,00
	Enamelled fitting Ø160 m / Ø180 F	1018760	€ 39,00

Thermo Product Accessories

	THERMOCONTROL POCKET	cod.	Price
	Thermocontrol pocket 1/2"	6012004	€ 8,40
	A/C THERMO-HYDRAULIC SYSTEM SEPARATOR KIT	cod.	Price
	System separator kit 2.0 Hydraulic system separator kit A/C 2.0	6012027	€ 892,00
	DIGITAL REGULATOR FOR THERMO-PRODUCTS	cod.	Price
	Digital regulator for thermo-products	6012100	€ 176,00

Thermo Product Accessories

	WALL BOX	cod.	Price
	Wall box White wall box. Suitable for: insert regulator, digital thermo-product regulator	6012101	€ 11,10
	VALVE	cod.	Price
	Automatic side-discharge air vent valve	6013001	€ 15,70
	Safety valve 1,5 bar Safety valve 1,5 bar membrane Epm	6013002	€ 16,70
	Safety valve 3,0 bar Safety valve 3,0 bar membrane Epm	6013003	€ 16,70
	3-way valve 3-way valve motorized connection 3/4"	6013006	€ 148,00
	Anti-condensation mixing valve 55°C Anti-condensation mixing valve for recirculation circuit 55°C, 1" connection	7118402	€ 208,00
	Anti-condensation mixing valve 60°C Anti-condensation mixing valve for recirculation circuit 60°C, 1" connection	7118404	€ 208,00
	Automatic thermal discharge valve DSA Automatic thermal discharge valve DSA for solid-fuel thermo-products. 3/4" F connection	7118410	€ 226,00
	HEAT EXCHANGERS	cod.	Price
	30-plate heat exchanger 30-plate stainless steel heat exchanger	6013005	€ 228,00
	FLOW SWITCH	cod.	Price
	Flow switch	6013007	€ 84,50



Le Cucinotte

THE PERFECT KITCHEN PARTNER

La Nordica Cucinotte are more than simple cookware: they are guardians of stories and traditions, a precious symbol of sharing and authenticity. With a design that evokes the charm of the past and cooking performance that meets today's needs, every cocotte reflects our commitment to quality and attention to detail. The glass-based enamel finish adds not only beauty but also unmatched versatility, ideal for preparing and preserving food.




UNIQUE FEATURES


- Comfortable and durable: suitable for all heat sources
- Outstanding taste and flavour
- Enamel-coated interiors

PERFECT COOKING EVERYWHERE


Designed to adapt to any hob - including induction - and ideal for every cooking method, Cucinotte ensure even and controlled cooking at any temperature. Functional yet elegant: their refined design also makes them perfect as serving dishes to keep food warm or cold during serving, offering maximum versatility in any situation.




Oven




Grill



Electric hob



Ceramic hob



Gas hob



Induction hob



Radiant hob

THE RANGE

Our range offers different shapes and sizes to meet every kitchen need.



ROUND
ø 24 / 4 L
7019000
€ 99,00



ROUND
ø 28 / 6 L
7019005
€ 149,00



OVAL
ø 29 / 4 L
7019010
€ 119,00



OVAL
ø 33 / 6 L
7019015
€ 169,00

Pellet

Wood pellet is today one of the most efficient and sustainable heating solutions on the market. Extraflame, a recognised leader in this sector, has developed over time a product range that represents the best of Italian technology: refined design, intelligent combustion management and maximum ease of use.

From stoves to thermo-products, each appliance is engineered to meet different needs with the same commitment to build quality and energy efficiency. Ecological, cost-effective heating, entirely made in Italy.

EXTRAFLAME Pellet products



10,0 kW-N 287 m³



AIRTIGHT HYBRID PELLET/WOOD-BURNING STOVE

Painted steel and stoneware cladding



Gres Corten
001289200
€ 6.220,00

Gres Ostuni
001289201
€ 6.220,00


STANDARD EQUIPMENT

IR Touch remote control

Display Black Mask

OPTIONAL	Code	Price
Ducting kit	009278664	€ 175,00
Floor plate	009278666	€ 126,00

TECHNICAL DATA	Pellet	Wood
Nominal power	3,0 - 10,0 kW-N	6,0 - 10,1 kW-N
Efficiency	82 - 90 %	88,0 - 89,0 %
Seasonal efficiency	80 %	
Hourly consumption	0,8 - 2,3 kg/h	1,6 - 2,6 kg/h
Electrical absorption	21 - 62 W	24 - 36 W
Tank total capacity	30 kg	
Dimensions (WxHxD)	890 x 1157 x 626 mm	
Net weight	270 kg	
Flue outlet diameter and position	120 mm (B/T)	
Ventilation outlet	Frontal	
Duct diameter and position	80 mm (B/T/LH side)	
Number of duct outlets	1 (optional) up to 8 m	



FEATURES

Extractable ash drawer	Ash compartment for wood
Brushless pellet loading motor	Primary/secondary air management via motor-controlled valve with automatic return (in the event of power failure)
Combustion chamber probe	
Weekly chronothermostat	Micro control on port
Cast iron fire door with screen-printed ceramic glass	Control pressure switches
Hearth with cast iron base and Nordiker sides (large view of fire)	AIR ZONE CONTROL with excludable ducting (if optionally purchased)

FUNCTIONS

Easy Setup	FPC +	Pro Air Setup
Easy Control	Air Zone Control	App Total Control 3.0

Hybrid Stoves

The combined wood/pellet stove is one of the most flexible heating solutions available today: a single appliance capable of burning both fuels, adapting to what is available and to the user's preferences.

Sealed combustion chamber, fast ignition system, quiet switchable ventilation and remote connectivity via app: every detail is designed to ensure safety, comfort and total control. The combined stove is the technologically advanced answer for those who refuse to choose between practicality and tradition.

MARGARET PETRA

10,0 kW-N 287 m³



AIRTIGHT HYBRID PELLET/WOOD-BURNING STOVE

Painted steel and natural stone cladding



Natural Stone
001289202
€ 6.220,00

STANDARD EQUIPMENT

IR Touch remote control
Display Black Mask

OPTIONAL	Code	Price
Ducting kit	009278664	€ 175,00
Floor plate	009278666	€ 126,00

TECHNICAL DATA	Pellet	Wood
Nominal power	3,0 - 10,0 kW-N	6,0 - 10,1 kW-N
Efficiency	82 - 90 %	88,0 - 89,0 %
Seasonal efficiency	80 %	
Hourly consumption	0,8 - 2,3 kg/h	1,6 - 2,6 kg/h
Electrical absorption	21 - 62 W	24 - 36 W
Tank total capacity	30 kg	
Dimensions (WxHxD)	890 x 1157 x 626 mm	
Net weight	280 kg	
Flue outlet diameter and position	120 mm (B/T)	
Ventilation outlet	Frontal	
Duct diameter and position	80 mm (B/T/LH side)	
Number of duct outlets	1 (optional) up to 8 m	

 Airtight stove	 Standard WiFi	 Self-cleaning brazier
 Switchable ventilation	 Ceramic glow plug	 Pellet level sensor

FEATURES	
Extractable ash drawer	Ash compartment for wood
Brushless pellet loading motor	Primary/secondary air management via motor-controlled valve with automatic return (in the event of power failure)
Combustion chamber probe	Micro control on port
Weekly chronothermostat	Control pressure switches
Cast iron fire door with screen-printed ceramic glass	AIR ZONE CONTROL with excludable ducting (if optionally purchased)
Hearth with cast iron base and Nordiker sides (large view of fire)	

FUNCTIONS		
Easy Setup	FPC +	Pro Air Setup
Easy Control	Air Zone Control	App Total Control 3.0



PELLET STOVES

Pellet Stoves

Extraflame pellet stoves combine energy efficiency, ease of management and quality design in a range built for modern domestic heating. Convection models heat the room quickly, while ducted solutions distribute warmth across multiple rooms from a single appliance.

Management is intuitive: temperature, ignition and time schedules are simple to set, including remotely. Every stove is the result of a development process that is as attentive to aesthetics as to performance, a product that integrates naturally into any living environment.

EXTRAFLAME

LUISELLA 5.0

5,1 kW-N 146 m³



VENTILATED PELLET STOVE, SLIM

Painted steel cladding



Bordeaux
001292600
€ 1.430,00

Grigio Grafite
001292601
€ 1.430,00

Black
001292602
€ 1.430,00

STANDARD EQUIPMENT

5-button remote control

Display LED

OPTIONAL	Code	Price
Remote WiFi module (white label)	009278442	€ 256,00

TECHNICAL DATA

Nominal power	2,5 - 5,1 kW-N
Efficiency	92 - 92 %
Seasonal efficiency	81 %
Hourly consumption	0,5 - 1,1 kg/h
Dimensions (WxHxD)	572 x 892 x 307 mm
Net weight	64 kg
Flue outlet diameter and position	80 mm (B/T)
Ventilation outlet	Top
Tank total capacity	10 kg
Electrical absorption	28 - 48 W



Switchable
ventilation

FEATURES

Cast iron door, hearth and brazier	Ash compartment
Airtight tank	Reduced depth
Shell and tube heat exchanger	

FUNCTIONS

Easy Setup	Easy Control
------------	--------------

LUISELLA 5.0 MAXI

7,0 kW-N 201 m³



AIRTIGHT, VENTILATED, SLIM PELLET STOVE

Painted steel cladding



Grigio Grafite
001294901
€ 1.660,00
 Black
001294902
€ 1.660,00

STANDARD EQUIPMENT

IR Touch remote control
Display LED WiFi (Total Control 3.0 app)

TECHNICAL DATA

Nominal power	2,5 - 7,0 kW-N
Efficiency	94 - 92 %
Seasonal efficiency	81 %
Hourly consumption	0,6 - 1,6 kg/h
Dimensions (WxHxD)	639 x 892 x 290 mm
Net weight	99 kg
Flue outlet diameter and position	80 mm (B/T/RH Side)
Ventilation outlet	Top
Tank total capacity	10 kg
Electrical absorption	38 - 66 W

Airtight stove

Switchable ventilation

Standard WiFi

FEATURES

Cast iron door, hearth and brazier	Ash compartment
Shell and tube heat exchanger	Reduced depth

FUNCTIONS

Easy Setup	App Total Control 3.0
Easy Control	FPC +

PEGGY

5,1 kW-N 146 m³



AIRTIGHT, VENTILATED PELLET STOVE

Painted steel and enamelled cast iron cladding



Black
001293400
€ 2.050,00
 Peggy "Classic"
Dimensions
545x720x570 mm
 Peggy "Style"
Dimensions
514x720x570 mm

STANDARD EQUIPMENT

IR Touch remote control
Display black LCD

OPTIONAL	Code	Price
Remote WiFi module (grey label)	009278512	€ 218,00
Pedestal kit Peggy Classic	009278660	€ 150,00
Pedestal kit Peggy Style	009278661	€ 195,00
Top flue outlet kit	009278662	€ 75,00
Top flue outlet cover kit	009278663	€ 90,00

TECHNICAL DATA

Nominal power	2,5 - 5,1 kW-N
Efficiency	93 - 91 %
Seasonal efficiency	80 %
Hourly consumption	0,5 - 1,2 kg/h
Dimensions (WxHxD)	500 x 620 x 570 mm
Net weight	91 kg
Flue outlet diameter and position	80 mm (B)
Ventilation outlet	Frontal
Tank total capacity	10 kg
Electrical absorption	21 - 49 W

Airtight stove

Switchable ventilation

Ceramic glow plug

FEATURES

Solid cast iron hearth	Shaft dimensions for product insertion: 450x900 mm (refers to Peggy without pedestal)
Enamelled cast iron top and fire door	
Weekly chronothermostat	

FUNCTIONS

Easy Setup	FPC +
Easy Control	Pro Air Setup

KETTY 5.0

6,5 kW-N 186 m³



VENTILATED PELLET STOVE

Painted steel cladding

			
White 001292200 € 1.615,00	Bordeaux 001292201 € 1.615,00	Black 001292202 € 1.615,00	Ivory 001292203 € 1.615,00

STANDARD EQUIPMENT

Display black LCD

OPTIONAL	Code	Price
IR Touch remote control	009278471	€ 41,10
Remote WiFi module (grey label)	009278512	€ 218,00

TECHNICAL DATA

Nominal power	2,5 - 6,5 kW-N
Efficiency	91 - 92 %
Seasonal efficiency	80 %
Hourly consumption	0,6 - 1,4 kg/h
Dimensions (WxHxD)	456 x 884 x 479 mm
Net weight	77 kg
Flue outlet diameter and position	80 mm (B)
Ventilation outlet	Frontal
Tank total capacity	15 kg
Electrical absorption	35 - 75 W

FEATURES

Cast iron door, hearth and brazier	Removable ash compartment
Radiant surface heat exchanger	

FUNCTIONS

Easy Setup	Pro Air Setup	FPC +
------------	---------------	-------

NEW 2026 | ANGELICA JUNIOR

7,0 kW-N 201 m³



AIRTIGHT, VENTILATED PELLET STOVE

Painted steel cladding

		
Black 001296600 € 2.010,00	Ivory 001296601 € 2.065,00	Matt Taupe 001296602 € 2.100,00

STANDARD EQUIPMENT

Display LCD WiFi

OPTIONAL	Code	Price
IR Touch remote control	009278471	€ 41,10

TECHNICAL DATA

Nominal power	3,0 - 7,0 kW-N
Efficiency	94 - 92 %
Seasonal efficiency	81 %
Hourly consumption	0,7 - 1,6 kg/h
Dimensions (WxHxD)	495 x 926 x 555 mm
Net weight	94 kg
Flue outlet diameter and position	80 mm (B/T)
Ventilation outlet	Frontal
Tank total capacity	10 kg
Electrical absorption	31 - 55 W

 Airtight stove	 Standard WiFi
 Switchable ventilation	 Ceramic glow plug

FEATURES

Cast iron front and door	Weekly chronothermostat
Cast iron and steel firebox	Removable brazier for easy cleaning
Removable ash compartment	«Regular cleaning» function
Radiant surface heat exchanger	

FUNCTIONS

Easy Setup	FPC +	App Total Control 3.0
Easy Control	Pro Air Setup	

ANGELICA EVO

PRESTIGE
Line

8,0 kW-N 229 m³



AIRTIGHT, VENTILATED PELLET STOVE

Painted steel cladding



Ivory 001297000 € 2.240,00	Bordeaux 001297001 € 2.205,00	Black 001297002 € 2.205,00
----------------------------------	-------------------------------------	----------------------------------

STANDARD EQUIPMENT

Display LCD WiFi

OPTIONAL	Code	Price
IR Touch remote control	009278471	€ 41,10

TECHNICAL DATA

Nominal power	3,0 - 8,0 kW-N
Efficiency	94 - 91 %
Seasonal efficiency	80 %
Hourly consumption	0,7 - 1,8 kg/h
Dimensions (WxHxD)	495 x 1016 x 555 mm
Net weight	99 kg
Flue outlet diameter and position	80 mm (B/T)
Ventilation outlet	Frontal
Tank total capacity	15 kg
Electrical absorption	31 - 64 W



Airtight stove



Standard WiFi



Switchable ventilation



Ceramic glow plug

FEATURES

Cast iron door, hearth and brazier	Removable ash compartment
Radiant surface heat exchanger	

FUNCTIONS

Easy Setup	Pro Air Setup	Easy Control
FPC +	App Total Control 3.0	

ANGELICA PLUS EVO

PRESTIGE
Line

8,0 kW-N 229 m³



AIRTIGHT DUCTED PELLET STOVE

Painted steel cladding



Ivory 001297050 € 2.445,00	Bordeaux 001297051 € 2.400,00	Black 001297052 € 2.400,00
----------------------------------	-------------------------------------	----------------------------------

STANDARD EQUIPMENT

Display LCD WiFi

OPTIONAL	Code	Price
IR Touch remote control	009278471	€ 41,10

TECHNICAL DATA

Nominal power	3,0 - 8,0 kW-N
Efficiency	94 - 91 %
Seasonal efficiency	80 %
Hourly consumption	0,7 - 1,8 kg/h
Dimensions (WxHxD)	495 x 1016 x 555 mm
Net weight	103 kg
Flue outlet diameter and position	80 mm (B/T)
Ventilation outlet	Frontal
Duct diameter and position	80 mm (B)
Number of duct outlets	1 up to 8 m
Tank total capacity	15 kg
Electrical absorption	31 - 64 W



Airtight stove



Standard WiFi



Switchable ventilation



Ceramic glow plug

FEATURES

Cast iron door, hearth and brazier	Removable ash compartment
Radiant surface heat exchanger	Ducting thermostatically controlled and removable

FUNCTIONS

Easy Setup	Air Zone Control	App Total Control 3.0
FPC +	Pro Air Setup	Easy Control

ANGY TOP

7,0 kW-N 201 m³

PRESTIGE
Line



AIRTIGHT, VENTILATED PELLET STOVE

Two-tone painted steel cladding



White	Bronze	Black
001290200	001290201	001290202
€ 2.285,00	€ 2.285,00	€ 2.285,00

STANDARD EQUIPMENT

Radio Remote Control

Console with integrated WiFi

OPTIONAL	Code	Price
Wireless probe	009278502	€ 161,00

TECHNICAL DATA

Nominal power	2,5 - 7,0 kW-N
Efficiency	94 - 91 %
Seasonal efficiency	80 %
Hourly consumption	0,6 - 1,5 kg/h
Dimensions (WxHxD)	506 x 897 x 525 mm
Net weight	91 kg
Flue outlet diameter and position	80 mm (T)
Ventilation outlet	Frontal
Tank total capacity	11 kg
Electrical absorption	26 - 62 W



FEATURES

Cast iron door, hearth and brazier	Removable ash compartment
Radiant surface heat exchanger	Removable brazier for easy cleaning

FUNCTIONS

Easy Setup	Automatic	App Total Control 3.0
Easy Control	Pro Air Setup	

LINA TOP *

7,0 kW-N 201 m³

PRESTIGE
Line



AIRTIGHT, VENTILATED PELLET STOVE

Painted steel cladding



Black *
001292400
€ 1.965,00

* While stocks last

STANDARD EQUIPMENT

IR Touch remote control

Display black LCD

OPTIONAL	Code	Price
Remote WiFi module (grey label)	009278512	€ 218,00

TECHNICAL DATA

Nominal power	2,5 - 7,0 kW-N
Efficiency	94 - 91 %
Seasonal efficiency	80 %
Hourly consumption	0,6 - 1,5 kg/h
Dimensions (WxHxD)	478 x 914 x 522 mm
Net weight	90 kg
Flue outlet diameter and position	80 mm (T)
Ventilation outlet	Top
Tank total capacity	11 kg
Electrical absorption	26 - 62 W



FEATURES

Cast iron door, hearth and brazier	Removable ash compartment
Airtight tank	Removable brazier for easy cleaning
Radiant surface heat exchanger	

FUNCTIONS

Easy Setup	Easy Control	Pro Air Setup
------------	--------------	---------------

MARIELLA AD

7,0 kW-N 201 m³



VENTILATED PELLET STOVE

Painted steel cladding



Ivory

001295900

€ 1.985,00

Bordeaux

001295901

€ 1.955,00

Black

001295902

€ 1.955,00

STANDARD EQUIPMENT

Display LCD WiFi

OPTIONAL	Code	Price
IR Touch remote control	009278471	€ 41,10

TECHNICAL DATA

Nominal power	3,0 - 7,0 kW-N
Efficiency	90 - 92 %
Seasonal efficiency	81 %
Hourly consumption	0,7 - 1,6 kg/h
Dimensions (WxHxD)	495 x 1019 x 508 mm
Net weight	98 kg
Flue outlet diameter and position	80 mm (B/T)
Ventilation outlet	Frontal
Tank total capacity	15 kg
Electrical absorption	34 - 67 W



Switchable ventilation



Standard WiFi

FEATURES

Cast iron door, hearth and brazier	Removable ash compartment
Radiant surface heat exchanger	

FUNCTIONS

Easy Setup	FPC +	App Total Control 3.0
Easy Control	Pro Air Setup	

MARIELLA PLUS AD

7,5 kW-N 215 m³



DUCTED PELLET STOVE

Painted steel cladding



Ivory

001295950

€ 2.205,00

Bordeaux

001295951

€ 2.160,00

Black

001295952

€ 2.160,00

STANDARD EQUIPMENT

Display LCD WiFi

OPTIONAL	Code	Price
IR Touch remote control	009278471	€ 41,10

TECHNICAL DATA

Nominal power	3,0 - 7,5 kW-N
Efficiency	90 - 92 %
Seasonal efficiency	80 %
Hourly consumption	0,7 - 1,7 kg/h
Dimensions (WxHxD)	495 x 1019 x 508 mm
Net weight	102 kg
Flue outlet diameter and position	80 mm (B/T)
Ventilation outlet	Frontal
Duct diameter and position	80 mm (B)
Number of duct outlets	1 up to 8 m
Tank total capacity	15 kg
Electrical absorption	50 - 95 W



Switchable ventilation



Standard WiFi

FEATURES

Cast iron door, hearth and brazier	Possibility to couple the deactivation of both ventilation and ducting
Radiant surface heat exchanger	
Removable ash compartment	Ducting thermostatically controlled and removable (up to P3)

FUNCTIONS

Easy Setup	FPC +	Pro Air Setup
Easy Control	Air Zone Control	App Total Control 3.0

MOIRA EVO *

7,0 kW-N 201 m³

PRESTIGE
Line



AIRTIGHT, VENTILATED PELLET STOVE

Painted steel cladding and tiled top



White *	Black *
001293100	001293101
€ 2.115,00	€ 2.115,00

* While stocks last

STANDARD EQUIPMENT

Radio Remote Control

OPTIONAL	Code	Price
Remote WiFi module (grey label)	009278512	€ 218,00

TECHNICAL DATA

Nominal power	2,5 - 7,0 kW-N
Efficiency	94 - 91 %
Seasonal efficiency	80 %
Hourly consumption	0,6 - 1,5 kg/h
Dimensions (WxHxD)	463 x 893 x 528 mm
Net weight	84 kg
Flue outlet diameter and position	80 mm (B)
Ventilation outlet	Top
Tank total capacity	11 kg
Electrical absorption	26 - 62 W



Airtight stove



Switchable ventilation



Standard radio remote control

FEATURES

Cast iron door, hearth and brazier	Removable brazier for easy cleaning
Radiant surface heat exchanger	Emergency module
Removable ash compartment	

FUNCTIONS

Easy Setup	Easy Control	Automatic
------------	--------------	-----------

SABRY AD

7,0 kW-N 201 m³

PRESTIGE
Line



VENTILATED PELLET STOVE

Painted steel cladding



Ivory	Bronze	Black	Grigio Grafite
001295800	001295801	001295802	001295803
€ 1.860,00	€ 1.880,00	€ 1.860,00	€ 1.880,00

STANDARD EQUIPMENT

Display LCD WiFi

OPTIONAL	Code	Price
IR Touch remote control	009278471	€ 41,10

TECHNICAL DATA

Nominal power	2,8 - 7,0 kW-N
Efficiency	94 - 91 %
Seasonal efficiency	80 %
Hourly consumption	0,6 - 1,5 kg/h
Dimensions (WxHxD)	456 x 924 x 555 mm
Net weight	87 kg
Flue outlet diameter and position	80 mm (B)
Ventilation outlet	Frontal
Tank total capacity	15 kg
Electrical absorption	19 - 42 W



Standard WiFi



Ceramic glow plug

FEATURES

Cast iron door, hearth and brazier	Removable ash compartment
Airtight tank	Removable brazier for easy cleaning
Radiant surface heat exchanger	

FUNCTIONS

Easy Setup	FPC +	App Total Control 3.0
Easy Control	Pro Air Setup	

AMIKA AD

8,0 kW-N 229 m³



AIRTIGHT, VENTILATED PELLET STOVE

Steel cladding and tiled top



White

001297200

€ 2.970,00

Black

001297201

€ 2.890,00

STANDARD EQUIPMENT

Display LCD WiFi

OPTIONAL	Code	Price
Kit vetro NightView	009278468	€ 106,00
IR Touch remote control	009278471	€ 41,10

TECHNICAL DATA

Nominal power	3,0 - 8,0 kW-N
Efficiency	93 - 92 %
Seasonal efficiency	81 %
Hourly consumption	0,7 - 1,8 kg/h
Dimensions (WxHxD)	460 x 1200 x 465 mm
Net weight	114 kg
Flue outlet diameter and position	80 mm (B)
Ventilation outlet	Frontal
Tank total capacity	15 kg
Electrical absorption	38 - 73 W



Airtight stove



Standard WiFi



Ceramic glow plug

FEATURES

Extractable ash drawer	Double door: Outer door with curved tempered glass
Cast iron door, hearth and brazier	
Shell and tube heat exchanger	Room ventilation with comfort function

FUNCTIONS

Easy Setup	FPC +	App Total Control 3.0
Easy Control	Pro Air Setup	

AMIKA PETRA AD

8,0 kW-N 229 m³



AIRTIGHT, VENTILATED PELLET STOVE

Steel cladding and natural stone top



Natural Stone

001297202

€ 3.010,00

STANDARD EQUIPMENT

Display LCD WiFi

OPTIONAL	Code	Price
Kit vetro NightView	009278468	€ 106,00
IR Touch remote control	009278471	€ 41,10

TECHNICAL DATA

Nominal power	3,0 - 8,0 kW-N
Efficiency	93 - 92 %
Seasonal efficiency	81 %
Hourly consumption	0,7 - 1,8 kg/h
Dimensions (WxHxD)	460 x 1200 x 465 mm
Net weight	117 kg
Flue outlet diameter and position	80 mm (B)
Ventilation outlet	Frontal
Tank total capacity	15 kg
Electrical absorption	38 - 73 W



Airtight stove



Standard WiFi



Ceramic glow plug

FEATURES

Extractable ash drawer	Double door: Outer door with curved tempered glass
Cast iron door, hearth and brazier	
Shell and tube heat exchanger	Room ventilation with comfort function

FUNCTIONS

Easy Setup	FPC +	App Total Control 3.0
Easy Control	Pro Air Setup	

NEW 2026 | DANIELA

8,0 kW-N 229 m³

PRESTIGE
Line



AIRTIGHT, VENTILATED PELLET STOVE

Painted steel cladding



Ivory
001297300
€ 2.590,00



Black
001297302
€ 2.510,00



Matt Taupe
001297303
€ 2.620,00



Grigio Grafite
001297304
€ 2.555,00

STANDARD EQUIPMENT

Display LCD WiFi

OPTIONAL

IR Touch remote control

Code

009278471

Price

€ 41,10

TECHNICAL DATA

Provisional data in phase of homologation

Nominal power	3,0 - 8,0 kW-N
Efficiency	94 - 91 %
Seasonal efficiency	80 %
Hourly consumption	0,7 - 1,8 kg/h
Dimensions (WxHxD)	500 x 1006 x 586 mm
Net weight	113 kg
Flue outlet diameter and position	80 mm (B/T)
Ventilation outlet	Top
Tank total capacity	14 kg
Electrical absorption	31 - 64 W



Airtight stove



Standard WiFi



Switchable ventilation



Ceramic glow plug

FEATURES

Solid cast iron hearth	Weekly chronothermostat
Cast-iron door	Removable brazier for easy cleaning
Removable ash compartment	«Regular cleaning» function
Radiant surface heat exchanger	Curved ceramic glass

FUNCTIONS

FPC +	Easy Control	App Total Control 3.0
Easy Setup	Pro Air Setup	

NEW 2026 | DANIELA PLUS

8,0 kW-N 229 m³

PRESTIGE
Line



AIRTIGHT PELLET STOVE WITH DUCTING SYSTEM

Painted steel cladding



Ivory
001297350
€ 2.785,00



Black
001297352
€ 2.700,00



Matt Taupe
001297353
€ 2.815,00



Grigio Grafite
001297354
€ 2.740,00

STANDARD EQUIPMENT

Display LCD WiFi

OPTIONAL

IR Touch remote control

Code

009278471

Price

€ 41,10

TECHNICAL DATA

Provisional data in phase of homologation

Nominal power	3,0 - 8,0 kW-N
Efficiency	94 - 91 %
Seasonal efficiency	80 %
Hourly consumption	0,7 - 1,8 kg/h
Dimensions (WxHxD)	500 x 1006 x 586 mm
Net weight	117 kg
Flue outlet diameter and position	80 mm (B/T)
Ventilation outlet	Top
Duct diameter and position	80 mm (B)
Number of duct outlets	1 up to 8 m
Tank total capacity	14 kg
Electrical absorption	31 - 64 W



Airtight stove



Standard WiFi



Switchable ventilation



Ceramic glow plug

FEATURES

Solid cast iron hearth	Removable brazier for easy cleaning
Cast-iron door	«Regular cleaning» function
Removable ash compartment	Curved ceramic glass
Radiant surface heat exchanger	Ducting thermostatically controlled and removable
Weekly chronothermostat	

FUNCTIONS

FPC +	Easy Setup	Air Zone Control
Easy Control	Pro Air Setup	App Total Control 3.0

KLAUDIA 5.0 EVO

8,0 kW-N 229 m³



VENTILATED PELLET STOVE

Painted steel cladding and tiled top

		
Bordeaux 001292304 € 2.230,00	Black 001292305 € 2.230,00	White 001292306 € 2.230,00

STANDARD EQUIPMENT

IR Touch remote control
Display black LCD

OPTIONAL	Code	Price
Remote WiFi module (grey label)	009278512	€ 218,00

TECHNICAL DATA

Nominal power	3,0 - 8,0 kW-N
Efficiency	92 - 92 %
Seasonal efficiency	81 %
Hourly consumption	0,7 - 1,8 kg/h
Dimensions (WxHxD)	498 x 1017 x 575 mm
Net weight	101 kg
Flue outlet diameter and position	80 mm (B/T)
Ventilation outlet	Frontal
Tank total capacity	15 kg
Electrical absorption	28 - 57 W



FEATURES

Cast iron door, hearth and brazier	Radiant surface heat exchanger
Airtight tank	Removable ash compartment

FUNCTIONS

FPC +	Easy Setup
Pro Air Setup	Easy Control

KLAUDIA PLUS 5.0 EVO

8,0 kW-N 229 m³



DUCTED PELLET STOVE

Painted steel cladding and tiled top

		
Bordeaux 001292354 € 2.430,00	Black 001292355 € 2.430,00	White 001292356 € 2.430,00

STANDARD EQUIPMENT

IR Touch remote control
Display black LCD

OPTIONAL	Code	Price
Remote WiFi module (grey label)	009278512	€ 218,00

TECHNICAL DATA

Nominal power	3,0 - 8,0 kW-N
Efficiency	93 - 92 %
Seasonal efficiency	80 %
Hourly consumption	0,7 - 1,8 kg/h
Dimensions (WxHxD)	498 x 1017 x 575 mm
Net weight	105 kg
Flue outlet diameter and position	80 mm (B/T)
Ventilation outlet	Frontal
Duct diameter and position	80 mm (B)
Number of duct outlets	1 up to 8 m
Tank total capacity	15 kg
Electrical absorption	37 - 83 W



FEATURES

Cast iron door, hearth and brazier	Removable ash compartment
Airtight tank	Ducting thermostatically controlled and removable
Radiant surface heat exchanger	

FUNCTIONS

FPC +	Pro Air Setup	Easy Control
Air Zone Control	Easy Setup	

MARILENA PLUS 5.0.16

8,0 kW-N 229 m³



DUCTED PELLET STOVE, SLIM

Painted steel cladding



White

001292700

€ 2.810,00

Black

001292701

€ 2.810,00

STANDARD EQUIPMENT

IR Touch remote control
Display LCD

OPTIONAL	Code	Price
Remote WiFi module (grey label)	009278512	€ 218,00

TECHNICAL DATA

Nominal power	3,2 - 8,0 kW-N
Efficiency	93 - 91 %
Seasonal efficiency	80 %
Hourly consumption	0,7 - 1,8 kg/h
Dimensions (WxHxD)	750 x 1077 x 347 mm
Net weight	118 kg
Flue outlet diameter and position	80 mm (B/T/LH side)
Ventilation outlet	Top
Duct diameter and position	mm (l)
Number of duct outlets	1 up to m
Tank total capacity	15 kg
Electrical absorption	45 - 90 W

FEATURES

Cast iron door, hearth and brazier	Reduced depth
Airtight tank	Detachable handle with dedicated housing
Removable ash compartment	
Shell and tube heat exchanger	Ducting thermostatically controlled and removable

FUNCTIONS

FPC +	Pro Air Setup	Easy Control
Air Zone Control	Easy Setup	

MARILENA PLUS PETRA 5.0.16

8,0 kW-N 229 m³



DUCTED PELLET STOVE, SLIM

Natural stone cladding



Natural Stone

001292702

€ 3.120,00

STANDARD EQUIPMENT

IR Touch remote control
Display LCD

OPTIONAL	Code	Price
Remote WiFi module (grey label)	009278512	€ 218,00

TECHNICAL DATA

Nominal power	3,2 - 8,0 kW-N
Efficiency	93 - 91 %
Seasonal efficiency	80 %
Hourly consumption	0,7 - 1,8 kg/h
Dimensions (WxHxD)	750 x 1077 x 347 mm
Net weight	154 kg
Flue outlet diameter and position	80 mm (B/T/LH side)
Ventilation outlet	Top
Duct diameter and position	mm (l)
Number of duct outlets	1 up to m
Tank total capacity	15 kg
Electrical absorption	45 - 90 W

FEATURES

Cast iron door, hearth and brazier	Reduced depth
Airtight tank	Detachable handle with dedicated housing
Removable ash compartment	
Shell and tube heat exchanger	Ducting thermostatically controlled and removable

FUNCTIONS

FPC +	Pro Air Setup	Easy Control
Air Zone Control	Easy Setup	

MARILENA PLUS CRYSTAL 5.0.16

8,0 kW-N 229 m³



DUCTED PELLET STOVE, SLIM

Glass cladding



White

001292703

€ 3.120,00

Fume'

001292704

€ 3.120,00

STANDARD EQUIPMENT

IR Touch remote control

Display LCD

OPTIONAL	Code	Price
Remote WiFi module (grey label)	009278512	€ 218,00

TECHNICAL DATA

Nominal power	3,2 - 8,0 kW-N
Efficiency	93 - 91 %
Seasonal efficiency	80 %
Hourly consumption	0,7 - 1,8 kg/h
Dimensions (WxHxD)	750 x 1077 x 347 mm
Net weight	135 kg
Flue outlet diameter and position	80 mm (B/T/LH side)
Ventilation outlet	Top
Duct diameter and position	mm (l)
Number of duct outlets	1 up to m
Tank total capacity	15 kg
Electrical absorption	45 - 90 W

FEATURES

Cast iron door, hearth and brazier	Reduced depth
Airtight tank	Detachable handle with dedicated housing
Removable ash compartment	
Shell and tube heat exchanger	Ducting thermostatically controlled and removable

FUNCTIONS

FPC +	Pro Air Setup	Easy Control
Air Zone Control	Easy Setup	

PAMELA STEEL *

8,0 kW-N 229 m³



AIRTIGHT, VENTILATED PELLET STOVE

Coating in painted steel and tempered glass



Bronze *

001293301

€ 3.108,00

White *

001293308

€ 3.108,00

* While stocks last

STANDARD EQUIPMENT

Radio Remote Control

OPTIONAL	Code	Price
Kit vetro NightView	009278468	€ 106,00
Remote WiFi module (grey label)	009278512	€ 218,00

TECHNICAL DATA

Nominal power	2,5 - 8,0 kW-N
Efficiency	93 - 91 %
Seasonal efficiency	80 %
Hourly consumption	0,6 - 1,8 kg/h
Dimensions (WxHxD)	470 x 1197 x 470 mm
Net weight	130 kg
Flue outlet diameter and position	80 mm (B)
Ventilation outlet	Frontal
Tank total capacity	15 kg
Electrical absorption	28 - 67 W



Airtight stove



Ceramic glow plug



Standard radio remote control

FEATURES

Cast iron door, hearth and brazier	Removable brazier for easy cleaning
Removable ash compartment	Double door: flat ceramic inner glass; curved tempered outer glass
Shell and tube heat exchanger	Emergency module

FUNCTIONS

Easy Setup	Easy Control
------------	--------------

PAMELA CRYSTAL *

8,0 kW-N 229 m³

PRESTIGE
Line



AIRTIGHT, VENTILATED PELLET STOVE

Tempered glass cladding



Crystal Blsc *
001293303
€ 3.375,00

* While stocks last

STANDARD EQUIPMENT

Radio Remote Control

OPTIONAL	Code	Price
Remote WiFi module (grey label)	009278512	€ 218,00

TECHNICAL DATA

Nominal power	2,5 - 8,0 kW-N
Efficiency	93 - 91 %
Seasonal efficiency	80 %
Hourly consumption	0,6 - 1,8 kg/h
Dimensions (WxHxD)	470 x 1197 x 470 mm
Net weight	140 kg
Flue outlet diameter and position	80 mm (B)
Ventilation outlet	Frontal
Tank total capacity	15 kg
Electrical absorption	28 - 67 W



Airtight stove



Ceramic glow plug



Standard radio remote control

FEATURES

Cast iron door, hearth and brazier	Removable brazier for easy cleaning
Removable ash compartment	Double door: flat ceramic inner glass; curved tempered outer glass
Shell and tube heat exchanger	Emergency module

FUNCTIONS

Easy Setup	Easy Control
------------	--------------

TEODORA EVO

8,0 kW-N 229 m³



VENTILATED PELLET STOVE

Enamelled cast iron structure



Black
001294000
€ 3.003,00

STANDARD EQUIPMENT

IR Touch remote control

Display black LCD

OPTIONAL	Code	Price
Remote WiFi module (grey label)	009278512	€ 218,00

TECHNICAL DATA

Nominal power	2,5 - 8,0 kW-N
Efficiency	94 - 91 %
Seasonal efficiency	79 %
Hourly consumption	0,6 - 1,8 kg/h
Dimensions (WxHxD)	610 x 739 x 632 mm
Net weight	139 kg
Flue outlet diameter and position	80 mm (B)
Ventilation outlet	Frontal
Tank total capacity	14 kg
Electrical absorption	35 - 70 W

FEATURES

Cast iron door, hearth and brazier	Enamelled cast iron construction for long service life
Side shell and tube heat exchanger (manual cleaning)	Room ventilation with comfort function
Airtight tank	

FUNCTIONS

Easy Setup	Easy Control
------------	--------------

ANNABELLA AD EVO

9,0 kW-N 258 m³



DUCTED PELLET STOVE, SLIM

Painted steel cladding



White 001290300 € 3.045,00	Black 001290301 € 3.045,00	Matt Taupe 001290302 € 3.045,00
----------------------------------	----------------------------------	---------------------------------------

STANDARD EQUIPMENT

IR Touch remote control

Display black LCD

OPTIONAL	Code	Price
Remote WiFi module (grey label)	009278512	€ 218,00

TECHNICAL DATA

Nominal power	3,4 - 9,0 kW-N
Efficiency	94 - 92 %
Seasonal efficiency	81 %
Hourly consumption	0,8 - 2,0 kg/h
Dimensions (WxHxD)	703 x 1078 x 343 mm
Net weight	132 kg
Flue outlet diameter and position	80 mm (B/T/RH Side)
Ventilation outlet	Frontal
Duct diameter and position	80 mm (B/T/RH Side)
Number of duct outlets	1 up to 6 m
Tank total capacity	14 kg
Electrical absorption	35 - 55 W

FEATURES

Cast iron door, hearth and brazier	Reduced depth
Side shell and tube heat exchanger (manual cleaning)	Front room ventilation / ducting up to 6 metres, which can be diverted manually

FUNCTIONS

Easy Setup	Easy Control
------------	--------------

DEBBY EVO

9,0 kW-N 258 m³



AIRTIGHT, VENTILATED PELLET STOVE

Painted steel cladding and tiled top



White 001291402 € 3.540,00	Black 001291403 € 3.450,00
----------------------------------	----------------------------------

STANDARD EQUIPMENT

Radio Remote Control

OPTIONAL	Code	Price
Kit vetro NightView	009278468	€ 106,00
Wireless probe	009278502	€ 161,00
Remote WiFi module (grey label)	009278512	€ 218,00

TECHNICAL DATA

Nominal power	3,0 - 9,0 kW-N
Efficiency	94 - 93 %
Seasonal efficiency	82 %
Hourly consumption	0,7 - 2,0 kg/h
Dimensions (WxHxD)	550 x 1199 x 573 mm
Net weight	134 kg
Flue outlet diameter and position	80 mm (B/T)
Ventilation outlet	Frontal
Tank total capacity	18 kg
Electrical absorption	35 - 70 W



FEATURES

Extractable ash drawer	Double door: flat ceramic inner glass; curved tempered outer glass
Cast iron door, hearth and brazier	T-pipe integrated in the product, inspectable from the rear side
Shell and tube heat exchanger	Emergency module
Removable brazier for easy cleaning	Room ventilation with comfort function

FUNCTIONS

Easy Setup	FPC +	Automatic
Easy Control	Pro Air Setup	

DEBBY PETRA EVO

9,0 kW-N 258 m³

PRESTIGE
Line



AIRTIGHT, VENTILATED PELLET STOVE

Natural stone cladding



Natural Stone
001291404
€ 4.100,00

STANDARD EQUIPMENT

Radio Remote Control

OPTIONAL	Code	Price
Kit vetro NightView	009278468	€ 106,00
Wireless probe	009278502	€ 161,00
Remote WiFi module (grey label)	009278512	€ 218,00

TECHNICAL DATA

Nominal power	3,0 - 9,0 kW-N
Efficiency	94 - 93 %
Seasonal efficiency	82 %
Hourly consumption	0,7 - 2,0 kg/h
Dimensions (WxHxD)	550 x 1199 x 573 mm
Net weight	160 kg
Flue outlet diameter and position	80 mm (B/T)
Ventilation outlet	Frontal
Tank total capacity	18 kg
Electrical absorption	35 - 70 W



Airtight stove



Ceramic glow plug



Standard radio remote control

FEATURES

Extractable ash drawer	T-pipe integrated in the product, inspectable from the rear side
Cast iron door, hearth and brazier	Emergency module
Shell and tube heat exchanger	Room ventilation with comfort function
Removable brazier for easy cleaning	Ducting thermostatically controlled and removable
Double door: flat ceramic inner glass; curved tempered outer glass	

FUNCTIONS

Easy Setup	FPC +	Automatic
Easy Control	Pro Air Setup	

KATIA 9 5.0 EVO

9,0 kW-N 258 m³

Evolution
Life



AIRTIGHT, VENTILATED PELLET STOVE

Painted steel cladding



White
001295400
€ 3.540,00



Bronze
001295401
€ 3.540,00



Matt Taupe
001295402
€ 3.540,00

STANDARD EQUIPMENT

Radio Remote Control

Console with integrated WiFi

OPTIONAL	Code	Price
Wireless probe	009278502	€ 161,00

TECHNICAL DATA

Nominal power	3,6 - 9,0 kW-N
Efficiency	95 - 92 %
Seasonal efficiency	81 %
Hourly consumption	0,8 - 2,0 kg/h
Dimensions (WxHxD)	515 x 1082 x 572 mm
Net weight	160 kg
Flue outlet diameter and position	80 mm (B)
Ventilation outlet	Frontal
Tank total capacity	20 kg
Electrical absorption	18 - 36 W



Airtight stove



Standard WiFi



Self-cleaning brazier



Switchable ventilation



Ceramic glow plug



Standard radio remote control

FEATURES

Curved ceramic glass	Shell and tube heat exchanger
Brushless pellet loading motor	Cast iron door, hearth and brazier
Combustion chamber probe	Double glass door

FUNCTIONS

Easy Setup	FPC +	Pro Air Setup
Easy Control	Automatic	App Total Control 3.0

KATIA 11

11,0 kW-N 315 m³



AIRTIGHT, VENTILATED PELLET STOVE

Painted steel cladding



White
001292003
€ 3.775,00



Bronze
001292004
€ 3.775,00



Matt Taupe
001292007
€ 3.775,00

STANDARD EQUIPMENT

Radio Remote Control

Console with integrated WiFi

OPTIONAL

Wireless probe

Code

009278502

Price

€ 161,00

TECHNICAL DATA

Nominal power	3,4 - 11,0 kW-N
Efficiency	94 - 91 %
Seasonal efficiency	81 %
Hourly consumption	0,8 - 2,5 kg/h
Dimensions (WxHxD)	515 x 1082 x 572 mm
Net weight	155 kg
Flue outlet diameter and position	80 mm (B)
Ventilation outlet	Frontal
Tank total capacity	20 kg
Electrical absorption	26 - 45 W



Airtight stove



Standard WiFi



Self-cleaning
brazier



Switchable
ventilation



Ceramic glow plug



Standard radio
remote control

FEATURES

Curved ceramic glass	Shell and tube heat exchanger
Brushless pellet loading motor	Cast iron door, hearth and brazier
Combustion chamber probe	Double glass door

FUNCTIONS

Easy Setup	Automatic	App Total Control 3.0
Easy Control	Pro Air Setup	

MIETTA EVO *

9,0 kW-N 258 m³



AIRTIGHT, VENTILATED PELLET STOVE

Painted steel cladding and tiled top



Bordeaux *
001292900
€ 3.055,00



White *
001292901
€ 3.055,00

* While stocks last

STANDARD EQUIPMENT

Radio Remote Control

OPTIONAL

Remote WiFi module (grey label)

Code

009278512

Price

€ 218,00

TECHNICAL DATA

Nominal power	3,4 - 9,0 kW-N
Efficiency	94 - 93 %
Seasonal efficiency	82 %
Hourly consumption	0,8 - 2,0 kg/h
Dimensions (WxHxD)	496 x 1073 x 579 mm
Net weight	157 kg
Flue outlet diameter and position	80 mm (B)
Ventilation outlet	Top
Tank total capacity	20 kg
Electrical absorption	26 - 43 W



Airtight stove



Ceramic glow plug



Standard radio
remote control



Switchable
ventilation



Self-cleaning
brazier

FEATURES

Extractable ash drawer	Shell and tube heat exchanger
Brushless pellet loading motor	Power can also be selected within individual chrono bands
Combustion chamber probe	Emergency module
Cast iron door, hearth and brazier	

FUNCTIONS

Easy Setup	Easy Control
------------	--------------

DAHIANA AD

10,0 kW-N 287 m³



VENTILATED PELLET STOVE

Painted steel cladding and cast iron top



Bordeaux
001295600
€ 2.630,00



Ivory
001295601
€ 2.630,00



Black
001295602
€ 2.630,00



Bronze
001295603
€ 2.630,00

STANDARD EQUIPMENT

Display LCD WiFi

OPTIONAL	Code	Price
IR Touch remote control	009278471	€ 41,10

TECHNICAL DATA

Nominal power	3,5 - 10,0 kW-N
Efficiency	92 - 92 %
Seasonal efficiency	81 %
Hourly consumption	0,8 - 2,3 kg/h
Dimensions (WxHxD)	525 x 1080 x 602 mm
Net weight	153 kg
Flue outlet diameter and position	80 mm (B)
Ventilation outlet	Front / Top
Tank total capacity	27 kg
Electrical absorption	38 - 90 W

Standard WiFi

Ceramic glow plug

FEATURES

Cast iron door, hearth and brazier	Shell and tube heat exchanger
Airtight tank	Front air outlet option (default) or higher during installation
Removable ash compartment	

FUNCTIONS

Easy Setup	FPC +	App Total Control 3.0
Easy Control	Pro Air Setup	

DAHIANA PLUS AD

10,0 kW-N 287 m³



DUCTED PELLET STOVE

Painted steel cladding and cast iron top



Bordeaux
001295650
€ 2.850,00



Ivory
001295651
€ 2.850,00



Black
001295652
€ 2.850,00



Bronze
001295653
€ 2.850,00

STANDARD EQUIPMENT

Display LCD WiFi

OPTIONAL	Code	Price
IR Touch remote control	009278471	€ 41,10

TECHNICAL DATA

Nominal power	3,6 - 10,0 kW-N
Efficiency	92 - 93 %
Seasonal efficiency	81 %
Hourly consumption	0,8 - 2,2 kg/h
Dimensions (WxHxD)	525 x 1080 x 602 mm
Net weight	158 kg
Flue outlet diameter and position	80 mm (B)
Ventilation outlet	Front / Top
Duct diameter and position	80 mm (B)
Number of duct outlets	1 up to 8 m
Tank total capacity	27 kg
Electrical absorption	55 - 123 W

Standard WiFi

Ceramic glow plug

FEATURES

Cast iron door, hearth and brazier	Front air outlet option (default) or higher during installation
Airtight tank	
Removable ash compartment	Ducting thermostatically controlled and removable
Shell and tube heat exchanger	

FUNCTIONS

Easy Setup	FPC +	Pro Air Setup
Easy Control	Air Zone Control	App Total Control 3.0

SHARON PLUS PETRA

10,0 kW-N 287 m³

PRESTIGE
Line



AIRTIGHT, SLIM, PELLET STOVE WITH DUCTING SYSTEM

Natural stone cladding



Natural Stone
001293700
€ 3.724,00

STANDARD EQUIPMENT


Radio Remote Control

Console with integrated WiFi

OPTIONAL	Code	Price
Wireless probe	009278502	€ 161,00
Right side ducting kit	009278537	€ 57,20

TECHNICAL DATA

Nominal power	3,5 - 10,0 kW-N
Efficiency	92 - 91 %
Seasonal efficiency	80 %
Hourly consumption	0,8 - 2,3 kg/h
Dimensions (WxHxD)	900 x 1150 x 290 mm
Net weight	167 kg
Flue outlet diameter and position	80 mm (B/T)
Ventilation outlet	Top
Duct diameter and position	80 mm (B)
Number of duct outlets	1 up to 8 m
Tank total capacity	21 kg
Electrical absorption	30 - 50 W



FEATURES

Cast iron door and brazier	Emergency module
Radiant surface heat exchanger	Ducting thermostatically controlled and removable
Removable ash compartment	White refractory hearth (Extra-ker)
Removable brazier for easy cleaning	Double door: outer door with ceramic glass
Reduced depth	

FUNCTIONS

Easy Setup	Air Zone Control	Easy Control
Automatic	App Total Control 3.0	

SHARON PLUS CRYSTAL

10,0 kW-N 287 m³

PRESTIGE
Line



AIRTIGHT, SLIM, PELLET STOVE WITH DUCTING SYSTEM

Glass cladding



Crystal
001293701
€ 3.605,00

STANDARD EQUIPMENT


Radio Remote Control

Console with integrated WiFi

OPTIONAL	Code	Price
Wireless probe	009278502	€ 161,00
Right side ducting kit	009278537	€ 57,20

TECHNICAL DATA

Nominal power	3,5 - 10,0 kW-N
Efficiency	92 - 91 %
Seasonal efficiency	80 %
Hourly consumption	0,8 - 2,3 kg/h
Dimensions (WxHxD)	900 x 1150 x 290 mm
Net weight	155 kg
Flue outlet diameter and position	80 mm (B/T)
Ventilation outlet	Top
Duct diameter and position	80 mm (B)
Number of duct outlets	1 up to 8 m
Tank total capacity	21 kg
Electrical absorption	30 - 50 W



FEATURES

Cast iron door and brazier	Emergency module
Radiant surface heat exchanger	Ducting thermostatically controlled and removable
Removable ash compartment	White refractory hearth (Extra-ker)
Removable brazier for easy cleaning	Double door: outer door with ceramic glass
Reduced depth	

FUNCTIONS

Easy Setup	Air Zone Control	Easy Control
Automatic	App Total Control 3.0	

SHARON PLUS

STEEL

PRESTIGE
Line

10,0 kW-N 287 m³



AIRTIGHT, SLIM, PELLET STOVE WITH DUCTING SYSTEM

Painted steel cladding



Black
001293702
€ 3.385,00

STANDARD EQUIPMENT

Radio Remote Control

Console with integrated WiFi

OPTIONAL	Code	Price
Wireless probe	009278502	€ 161,00
Right side ducting kit	009278537	€ 57,20

TECHNICAL DATA

Nominal power	3,5 - 10,0 kW-N
Efficiency	92 - 91 %
Seasonal efficiency	80 %
Hourly consumption	0,8 - 2,3 kg/h
Dimensions (WxHxD)	900 x 1150 x 295 mm
Net weight	155 kg
Flue outlet diameter and position	80 mm (B/T)
Ventilation outlet	Top
Duct diameter and position	80 mm (B)
Number of duct outlets	1 up to 8 m
Tank total capacity	21 kg
Electrical absorption	30 - 50 W

 Airtight stove	 Standard WiFi	 Standard radio remote control
 Switchable ventilation	 Ceramic glow plug	

FEATURES

Radiant surface heat exchanger	Ducting thermostatically controlled and removable
Removable ash compartment	White refractory hearth (Extra-ker)
Removable brazier for easy cleaning	Double door
Reduced depth	Cast iron 'handheld' firebox and brazier with thermostat function
Emergency module	

FUNCTIONS

Easy Setup	Easy Control	Automatic
App Total Control 3.0	Air Zone Control	

SOUVENIR PLUS

LUX 5.0

10,0 kW-N 287 m³



DUCTED PELLET STOVE, SLIM

Painted steel and majolica cladding



White
001293900
€ 3.520,00

Taupe
001293902
€ 3.520,00

STANDARD EQUIPMENT

IR Touch remote control

Display black LCD

OPTIONAL	Code	Price
Remote WiFi module (grey label)	009278512	€ 218,00

TECHNICAL DATA

Nominal power	3,3 - 10,0 kW-N
Efficiency	94 - 93 %
Seasonal efficiency	81 %
Hourly consumption	0,7 - 2,2 kg/h
Dimensions (WxHxD)	822 x 1162 x 343 mm
Net weight	149 kg
Flue outlet diameter and position	80 mm (B/T/RH Side)
Ventilation outlet	Frontal
Duct diameter and position	80 mm (B/T/RH Side)
Number of duct outlets	1 up to 6 m
Tank total capacity	19 kg
Electrical absorption	37 - 65 W

FEATURES

Cast iron door, hearth and brazier	Ducting manually adjustable
Side shell and tube heat exchanger (manual cleaning)	

FUNCTIONS

Easy Setup	Pro Air Setup	Easy Control
------------	---------------	--------------

SOUVENIR PLUS PETRA 5.0

10,0 kW-N 287 m³



DUCTED PELLET STOVE, SLIM

Natural stone cladding



Natural Stone
001293920
€ 3.660,00

STANDARD EQUIPMENT

IR Touch remote control

Display black LCD

OPTIONAL	Code	Price
Remote WiFi module (grey label)	009278512	€ 218,00

TECHNICAL DATA

Nominal power	3,3 - 10,0 kW-N
Efficiency	94 - 93 %
Seasonal efficiency	81 %
Hourly consumption	0,7 - 2,2 kg/h
Dimensions (WxHxD)	821 x 1124 x 343 mm
Net weight	156 kg
Flue outlet diameter and position	80 mm (B/T/RH Side)
Ventilation outlet	Frontal
Duct diameter and position	80 mm (B/T/RH Side)
Number of duct outlets	1 up to 6 m
Tank total capacity	19 kg
Electrical absorption	37 - 65 W

FEATURES

Cast iron door, hearth and brazier	Ducting manually adjustable
Side shell and tube heat exchanger (manual cleaning)	

FUNCTIONS

Easy Setup	Pro Air Setup	Easy Control
------------	---------------	--------------

SOUVENIR PLUS STEEL 5.0

10,0 kW-N 287 m³



DUCTED PELLET STOVE, SLIM

Painted steel cladding



White
001293950
€ 3.270,00

Bordeaux
001293951
€ 3.270,00

Black
001293952
€ 3.270,00

STANDARD EQUIPMENT

IR Touch remote control

Display black LCD

OPTIONAL	Code	Price
Remote WiFi module (grey label)	009278512	€ 218,00

TECHNICAL DATA

Nominal power	3,3 - 10,0 kW-N
Efficiency	94 - 93 %
Seasonal efficiency	81 %
Hourly consumption	0,7 - 2,2 kg/h
Dimensions (WxHxD)	821 x 1122 x 343 mm
Net weight	141 kg
Flue outlet diameter and position	80 mm (B/T/RH Side)
Ventilation outlet	Frontal
Duct diameter and position	80 mm (B/T/RH Side)
Number of duct outlets	1 up to 6 m
Tank total capacity	19 kg
Electrical absorption	37 - 65 W

FEATURES

Cast iron door, hearth and brazier	Ducting manually adjustable
Side shell and tube heat exchanger (manual cleaning)	

FUNCTIONS

Easy Setup	Pro Air Setup	Easy Control
------------	---------------	--------------

TEOREMA

10,0 kW-N 287 m³



VENTILATED PELLET STOVE

Painted steel cladding and tiled top



Bordeaux
001294100
€ 2.850,00



Ivory
001294101
€ 2.850,00



Black
001294102
€ 2.850,00

OPTIONAL	Code	Price
Remote WiFi module (grey label)	009278512	€ 218,00

TECHNICAL DATA

Nominal power	3,0 - 10,0 kW-N
Efficiency	90 - 91 %
Seasonal efficiency	80 %
Hourly consumption	0,7 - 2,3 kg/h
Dimensions (WxHxD)	525 x 1080 x 652 mm
Net weight	165 kg
Flue outlet diameter and position	80 mm (B/T)
Ventilation outlet	Frontal
Tank total capacity	30 kg
Electrical absorption	20 - 105 W

FEATURES

Cast iron door, hearth and brazier	Removable ash compartment
Airtight tank	Shell and tube heat exchanger

FUNCTIONS

Pro Air Setup	Easy Setup	Easy Control
---------------	------------	--------------

TEOREMA PLUS ^{AD}

12,0 kW-N 344 m³



DUCTED PELLET STOVE

Painted steel cladding and tiled top



Bordeaux
001295750
€ 3.245,00



Ivory
001295751
€ 3.245,00



Black
001295752
€ 3.245,00

STANDARD EQUIPMENT

Display LCD WiFi

OPTIONAL	Code	Price
IR Touch remote control	009278471	€ 41,10

TECHNICAL DATA

Nominal power	3,8 - 12,0 kW-N
Efficiency	94 - 93 %
Seasonal efficiency	81 %
Hourly consumption	0,9 - 2,7 kg/h
Dimensions (WxHxD)	525 x 1080 x 652 mm
Net weight	172 kg
Flue outlet diameter and position	80 mm (B/T)
Ventilation outlet	Frontal
Duct diameter and position	80 mm (B)
Number of duct outlets	2 up to 8 m
Tank total capacity	27 kg
Electrical absorption	65 - 158 W

Standard WiFi

Ceramic glow plug

FEATURES

Cast iron door, hearth and brazier	Shell and tube heat exchanger
Airtight tank	Double ducting, thermostatically controlled and removable
Removable ash compartment	

FUNCTIONS

Easy Setup	Air Zone Control	App Total Control 3.0
FPC +	Pro Air Setup	Easy Control

SINFONY *

11,0 kW-N 315 m³



AIRTIGHT, VENTILATED PELLET STOVE

Painted steel cladding, majolica top and base



White *

001293800

€ 3.523,00

Bright Taupe *

001293801

€ 3.523,00

* While stocks last

STANDARD EQUIPMENT

Radio Remote Control

OPTIONAL	Code	Price
Remote WiFi module (grey label)	009278512	€ 218,00

TECHNICAL DATA

Nominal power	3,4 - 11,0 kW-N
Efficiency	94 - 91 %
Seasonal efficiency	81 %
Hourly consumption	0,8 - 2,5 kg/h
Dimensions (WxHxD)	480 x 1139 x 560 mm
Net weight	173 kg
Flue outlet diameter and position	80 mm (B)
Ventilation outlet	Top
Tank total capacity	22 kg
Electrical absorption	26 - 45 W



Airtight stove



Ceramic glow plug



Standard radio remote control



Switchable ventilation



Self-cleaning brazier

FEATURES

Extractable ash drawer	Emergency module
Brushless pellet loading motor	Single door with double glazing (both ceramic)
Combustion chamber probe	Detachable handle with dedicated housing
Cast iron door, hearth and brazier	
Shell and tube heat exchanger	

FUNCTIONS

Easy Setup	Easy Control
------------	--------------

ANNALISA PLUS CRYSTAL EVO

12,0 kW-N 344 m³



AIRTIGHT, DOUBLE DUCTED PELLET STOVE

Painted steel cladding and Crystal front panel



Black

001296500

€ 4.255,00

STANDARD EQUIPMENT

Radio Remote Control

Console with integrated WiFi

OPTIONAL	Code	Price
Wireless probe	009278502	€ 161,00

TECHNICAL DATA

Nominal power	3,6 - 12,0 kW-N
Efficiency	95 - 92 %
Seasonal efficiency	81 %
Hourly consumption	0,8 - 2,6 kg/h
Dimensions (WxHxD)	902 x 1150 x 436 mm
Net weight	185 kg
Flue outlet diameter and position	80 mm (B/T/RH Side)
Ventilation outlet	Frontal
Duct diameter and position	80 mm (B/T/RH Side)
Number of duct outlets	2 up to 8 m
Tank total capacity	24 kg
Electrical absorption	25 - 50 W



Airtight stove



Standard WiFi



Self-cleaning brazier



Switchable ventilation



Ceramic glow plug



Standard radio remote control

FEATURES

Extractable ash drawer	Internal cast iron + external painted sheet metal fire door
Combustion chamber probe	Hearth with cast iron bottom and Extraker walls
Removable ash compartment	Ratchet handle
Weekly chronothermostat	2 Dedicated motors for ducting, removable
Top panel and top in painted sheet metal	

FUNCTIONS

Easy Setup	Automatic	App Total Control 3.0
Easy Control	Air Zone Control	
FPC +	Pro Air Setup	

ANNALISA PLUS

GRES EVO

Evolution
Life

12,0 kW-N 344 m³



AIRTIGHT, DOUBLE DUCTED PELLET STOVE

Painted steel cladding and Gres front panel

NEW COLOUR



Gres Ostuni

001296501

€ 4.255,00

Gres Corten

001296502

€ 4.255,00

STANDARD EQUIPMENT

Radio Remote Control

Console with integrated WiFi

OPTIONAL	Code	Price
Wireless probe	009278502	€ 161,00

TECHNICAL DATA

Nominal power	3,6 - 12,0 kW-N
Efficiency	95 - 92 %
Seasonal efficiency	81 %
Hourly consumption	0,8 - 2,6 kg/h
Dimensions (WxHxD)	902 x 1150 x 436 mm
Net weight	187 kg
Flue outlet diameter and position	80 mm (B/T/RH Side)
Ventilation outlet	Frontal
Duct diameter and position	80 mm (B/T/RH Side)
Number of duct outlets	2 up to 8 m
Tank total capacity	24 kg
Electrical absorption	25 - 50 W



Airtight stove



Standard WiFi



Self-cleaning
brazier



Switchable
ventilation



Ceramic glow plug



Standard radio
remote control

FEATURES

Extractable ash drawer	Internal cast iron + external painted sheet metal fire door
Combustion chamber probe	Hearth with cast iron bottom and Extraker walls
Removable ash compartment	Ratchet handle
Weekly chronothermostat	2 Dedicated motors for ducting, removable
Top panel and top in painted sheet metal	

FUNCTIONS

Easy Setup	Automatic	App Total Control 3.0
Easy Control	Air Zone Control	
FPC +	Pro Air Setup	

LUCIA PLUS.16

12,0 kW-N 344 m³



DUCTED PELLET STOVE

Majolica cladding



Bordeaux

001292550

€ 3.775,00



White

001292551

€ 3.775,00



Taupe

001292552

€ 3.775,00

STANDARD EQUIPMENT

IR Touch remote control

Display Black Mask

TECHNICAL DATA

Nominal power	3,6 - 12,0 kW-N
Efficiency	92 - 92 %
Seasonal efficiency	80 %
Hourly consumption	0,8 - 2,7 kg/h
Dimensions (WxHxD)	556 x 1097 x 597 mm
Net weight	186 kg
Flue outlet diameter and position	80 mm (B)
Ventilation outlet	Frontal
Duct diameter and position	80 mm (B)
Number of duct outlets	2 up to 8 m
Tank total capacity	27 kg
Electrical absorption	50 - 142 W



Standard WiFi

FEATURES

Cast iron door, hearth and brazier	Shell and tube heat exchanger
Airtight tank	Double ducting, thermostatically controlled and removable
Removable ash compartment	

FUNCTIONS

Easy Setup	App Total Control 3.0
------------	-----------------------

LUCIA.16

12,1 kW-N 347 m³



VENTILATED PELLET STOVE

Majolica cladding



Bordeaux

001292500

€ 3.450,00

White

001292501

€ 3.450,00

Taupe

001292502

€ 3.450,00

STANDARD EQUIPMENT

IR Touch remote control
Display Black Mask

TECHNICAL DATA

Nominal power	3,6 - 12,1 kW-N
Efficiency	93 - 93 %
Seasonal efficiency	82 %
Hourly consumption	0,8 - 2,7 kg/h
Dimensions (WxHxD)	556 x 1097 x 597 mm
Net weight	181 kg
Flue outlet diameter and position	80 mm (B)
Ventilation outlet	Frontal
Tank total capacity	27 kg
Electrical absorption	23 - 87 W



FEATURES

Cast iron door, hearth and brazier	Removable ash compartment
Airtight tank	Shell and tube heat exchanger

FUNCTIONS

Easy Setup	App Total Control 3.0
------------	-----------------------

NORIS

12,0 kW-N 344 m³



AIRTIGHT, VENTILATED PELLET STOVE

Painted steel cladding



White

001293200

€ 3.955,00

Bronze

001293201

€ 3.955,00

Matt Taupe

001293202

€ 3.955,00

STANDARD EQUIPMENT


IR Touch remote control
Display black LCD

OPTIONAL

Remote WiFi module (grey label)	Code	Price
	009278512	€ 218,00

TECHNICAL DATA

Nominal power	3,6 - 12,0 kW-N
Efficiency	93 - 91 %
Seasonal efficiency	80 %
Hourly consumption	0,8 - 2,7 kg/h
Dimensions (WxHxD)	576 x 1174 x 642 mm
Net weight	188 kg
Flue outlet diameter and position	80 mm (B)
Ventilation outlet	Frontal
Tank total capacity	29 kg
Electrical absorption	45 - 58 W



FEATURES

Extractable ash drawer	Combustion chamber probe
Brushless pellet loading motor	Cast iron door, hearth and brazier

FUNCTIONS

Easy Setup	FPC
Easy Control	Pro Air Setup

NORIS LUX

12,0 kW-N 344 m³



AIRTIGHT, VENTILATED PELLET STOVE

Painted steel and majolica cladding



White 001293220 € 4.190,00	Taupe 001293221 € 4.190,00
----------------------------------	----------------------------------

STANDARD EQUIPMENT

IR Touch remote control

Display black LCD

OPTIONAL

Remote WiFi module (grey label)	Code 009278512	Price € 218,00
---------------------------------	-------------------	-------------------

TECHNICAL DATA

Nominal power	3,6 - 12,0 kW-N
Efficiency	93 - 91 %
Seasonal efficiency	80 %
Hourly consumption	0,8 - 2,7 kg/h
Dimensions (WxHxD)	576 x 1174 x 642 mm
Net weight	201 kg
Flue outlet diameter and position	80 mm (B)
Ventilation outlet	Frontal
Tank total capacity	29 kg
Electrical absorption	45 - 58 W



Airtight stove



Ceramic glow plug



Switchable ventilation



Self-cleaning brazier

FEATURES

Extractable ash drawer	Combustion chamber probe
Brushless pellet loading motor	Cast iron door, hearth and brazier

FUNCTIONS

Easy Setup	FPC
Easy Control	Pro Air Setup

NORIS PLUS

12,0 kW-N 344 m³



AIRTIGHT, DOUBLE DUCTED PELLET STOVE

Painted steel cladding



White 001293250 € 4.250,00	Bronze 001293251 € 4.250,00	Matt Taupe 001293252 € 4.250,00
----------------------------------	-----------------------------------	---------------------------------------

STANDARD EQUIPMENT

IR Touch remote control

Display black LCD

OPTIONAL

Remote WiFi module (grey label)	Code 009278512	Price € 218,00
---------------------------------	-------------------	-------------------

TECHNICAL DATA

Nominal power	3,6 - 12,0 kW-N
Efficiency	93 - 92 %
Seasonal efficiency	80 %
Hourly consumption	0,8 - 2,7 kg/h
Dimensions (WxHxD)	576 x 1174 x 642 mm
Net weight	195 kg
Flue outlet diameter and position	80 mm (B)
Ventilation outlet	Frontal
Duct diameter and position	80 mm (B)
Number of duct outlets	2 up to 8 m
Tank total capacity	29 kg
Electrical absorption	60 - 105 W



Airtight stove



Ceramic glow plug



Switchable ventilation



Self-cleaning brazier

FEATURES

Extractable ash drawer	Cast iron door, hearth and brazier
Brushless pellet loading motor	Double ducting, thermostatically controlled and removable
Combustion chamber probe	

FUNCTIONS

Easy Setup	FPC	Pro Air Setup
Easy Control	Air Zone Control	

NORIS PLUS LUX

12,0 kW-N 344 m³



AIRTIGHT, DOUBLE DUCTED PELLET STOVE

Painted steel and majolica cladding



White 001293270 € 4.485,00	Taupe 001293271 € 4.485,00
----------------------------------	----------------------------------

STANDARD EQUIPMENT

IR Touch remote control
Display black LCD

OPTIONAL	Code	Price
Remote WiFi module (grey label)	009278512	€ 218,00

TECHNICAL DATA

Nominal power	3,6 - 12,0 kW-N
Efficiency	93 - 92 %
Seasonal efficiency	80 %
Hourly consumption	0,8 - 2,7 kg/h
Dimensions (WxHxD)	576 x 1174 x 642 mm
Net weight	208 kg
Flue outlet diameter and position	80 mm (B)
Ventilation outlet	Frontal
Duct diameter and position	80 mm (B)
Number of duct outlets	2 up to 8 m
Tank total capacity	29 kg
Electrical absorption	60 - 105 W



Airtight stove



Ceramic glow plug



Switchable ventilation



Self-cleaning brazier

FEATURES

Extractable ash drawer	Cast iron door, hearth and brazier
Brushless pellet loading motor	Double ducting, thermostatically controlled and removable
Combustion chamber probe	

FUNCTIONS

Easy Setup	FPC	Pro Air Setup
Easy Control	Air Zone Control	

TERRY PLUS

12,1 kW-N 347 m³



AIRTIGHT, DOUBLE DUCTED PELLET STOVE

Majolica cladding



Bordeaux 001294300 € 4.128,00	White 001294301 € 4.128,00	Bright Taupe 001294302 € 4.128,00
-------------------------------------	----------------------------------	---

STANDARD EQUIPMENT

Radio Remote Control

OPTIONAL	Code	Price
Remote WiFi module (grey label)	009278512	€ 218,00

TECHNICAL DATA

Nominal power	3,5 - 12,1 kW-N
Efficiency	92 - 94 %
Seasonal efficiency	83 %
Hourly consumption	0,8 - 2,7 kg/h
Dimensions (WxHxD)	569 x 1151 x 598 mm
Net weight	206 kg
Flue outlet diameter and position	80 mm (B)
Ventilation outlet	Frontal
Duct diameter and position	80 mm (B)
Number of duct outlets	2 up to 8 m
Tank total capacity	29 kg
Electrical absorption	50 - 96 W



Airtight stove



Self-cleaning brazier



Ceramic glow plug



Standard radio remote control

FEATURES

Extractable ash drawer	Side shell and tube heat exchanger (manual cleaning)
Brushless pellet loading motor	Emergency module
Combustion chamber probe	Double ducting, thermostatically controlled and removable
Cast iron door, hearth and brazier	

FUNCTIONS

Easy Setup

ROSANNA IDRO 5.0

14,3 kW-N 11,0 kW-H₂O 410 m³

PRESTIGE
Line



AIRTIGHT, VENTILATED PELLET THERMO-STOVE

Painted steel cladding and tiled top

			
Bordeaux 001293500 € 3.870,00	Ivory 001293501 € 3.870,00	Bronze 001293502 € 3.870,00	Black 001293503 € 3.870,00

STANDARD EQUIPMENT

IR Touch remote control
Display black LCD

OPTIONAL	Code	Price
Anti-condensation mixing valve	009208237	€ 230,00
System expansion board kit	009278286	€ 186,00
Remote WiFi module (grey label)	009278512	€ 218,00

TECHNICAL DATA

Nominal power	4,3 - 14,3 kW-N
Power given back to water	2,9 - 11,0 kW-H ₂ O
Efficiency	92 - 92 %
Seasonal efficiency	81 %
Hourly consumption	1,0 - 3,2 kg/h
Dimensions (WxHxD)	511 x 1150 x 632 mm
Net weight	163 kg
Flue outlet diameter and position	100 mm (B)
Ventilation outlet	Frontal
Tank total capacity	27 kg
Electrical absorption	28 - 68 W

 Airtight stove	 Switchable ventilation	 Ceramic glow plug
--	--	---

FEATURES

Extractable ash drawer	Safety valve 3 bar
Thick steel combustion chamber	Expansion tank
Cast iron door and brazier	Air relief valve
PWM-controlled circulator	Side shell and tube heat exchanger (manual cleaning)
Thermal and water pressure relief valves	Pressure transducer with display

FUNCTIONS

Easy Setup	Easy Control	FPC +
------------	--------------	-------

Pellet Thermo Stoves

Extraflame pellet thermo-stoves are designed for those seeking a complete heating system: connected to the home’s hydraulic circuit, they feed radiators efficiently and sustainably, replacing or supplementing a traditional boiler.

In a single appliance, the power of a heat generator coexists with the aesthetic value of a pellet stove: radiant heat warms the room in which it is installed, while the fire adds beauty and character to the interior. An integrated, efficient solution suited to both new and existing systems, always best evaluated with the support of a qualified technician to ensure correct system configuration.

VIRNA IDRO.16 *

14,5 kW-N 12,3 kW-H₂O 416 m³



AIRTIGHT VENTILATED AND SLIM PELLET THERMO-STOVE

Painted steel cladding



Bordeaux *

001294400

€ 3.948,00

White

001294401

€ 3.948,00

Matt Taupe

001294402

€ 3.948,00

* While stocks last

STANDARD EQUIPMENT

Display black LCD

9-button remote control

OPTIONAL	Code	Price
System expansion board kit	009278286	€ 186,00
Remote WiFi module (grey label)	009278512	€ 218,00
Anti-condensation mixing valve	009208237	€ 230,00

TECHNICAL DATA

Nominal power	4,3 - 14,5 kW-N
Power given back to water	3,7 - 12,3 kW-H ₂ O
Efficiency	95 - 93 %
Seasonal efficiency	83 %
Hourly consumption	0,9 - 3,2 kg/h
Dimensions (WxHxD)	793 x 1105 x 384 mm
Net weight	151 kg
Flue outlet diameter and position	100 mm (B/T/RH Side)
Tank total capacity	22 kg
Electrical absorption	20 - 35 W



Airtight stove



Ceramic glow plug

FEATURES

Thick steel combustion chamber	Side shell and tube heat exchanger (manual cleaning)
Cast iron door and brazier	Removable ash compartment
PWM-controlled circulator	Reduced depth
Combustion chamber probe	Single door with double glazing (both ceramic)
Thermal and water pressure relief valves	Without ventilation
Safety valve 3 bar	Pressure transducer with display
Expansion tank	
Air relief valve	

FUNCTIONS

Easy Setup

MARINA IDRO H11

14,8 kW-N 11,0 kW-H₂O 424 m³



VENTILATED PELLET THERMO-STOVE

Painted steel cladding and cast iron top



Ivory

001292800

€ 4.015,00

Bordeaux

001292801

€ 4.015,00

Bronze

001292802

€ 4.015,00

STANDARD EQUIPMENT

IR Touch remote control

Display black LCD

OPTIONAL	Code	Price
Anti-condensation mixing valve	009208237	€ 230,00
System expansion board kit	009278286	€ 186,00
Remote WiFi module (grey label)	009278512	€ 218,00

TECHNICAL DATA

Nominal power	4,2 - 14,8 kW-N
Power given back to water	3,0 - 11,0 kW-H ₂ O
Efficiency	94 - 93 %
Seasonal efficiency	82 %
Hourly consumption	0,9 - 3,3 kg/h
Dimensions (WxHxD)	550 x 1039 x 601 mm
Net weight	180 kg
Flue outlet diameter and position	80 mm (B)
Ventilation outlet	Frontal
Tank total capacity	20 kg
Electrical absorption	32 - 65 W



Switchable ventilation



Ceramic glow plug

FEATURES

Extractable ash drawer	PWM-controlled circulator
Thick steel combustion chamber	Airtight tank
Cast iron door and brazier	Anti-condensation control

FUNCTIONS

Easy Setup	Easy Control	FPC +
------------	--------------	-------

MARINA IDRO H13

17,5 kW-N 13,0 kW-H₂O 502 m³



VENTILATED PELLET THERMO-STOVE

Painted steel cladding and cast iron top

		
Ivory 001292803 € 4.245,00	Bordeaux 001292804 € 4.245,00	Bronze 001292805 € 4.245,00

STANDARD EQUIPMENT

Display black LCD
IR Touch remote control

OPTIONAL	Code	Price
Anti-condensation mixing valve	009208237	€ 230,00
System expansion board kit	009278286	€ 186,00
Remote WiFi module (grey label)	009278512	€ 218,00

TECHNICAL DATA

Nominal power	5,1 - 17,5 kW-N
Power given back to water	3,7 - 13,0 kW-H ₂ O
Efficiency	94 - 92 %
Seasonal efficiency	82 %
Hourly consumption	1,1 - 3,8 kg/h
Dimensions (WxHxD)	550 x 1149 x 601 mm
Net weight	190 kg
Flue outlet diameter and position	80 mm (B)
Ventilation outlet	Frontal
Tank total capacity	24 kg
Electrical absorption	25 - 70 W

Switchable ventilation

Ceramic glow plug

FEATURES

Extractable ash drawer	PWM-controlled circulator
Thick steel combustion chamber	Airtight tank
Cast iron door and brazier	Anti-condensation control

FUNCTIONS

Easy Setup	Easy Control	FPC +
------------	--------------	-------

COSTANZA IDRO 5.0

16,0 kW-N 12,0 kW-H₂O 459 m³



AIRTIGHT, VENTILATED PELLET THERMO-STOVE

Painted steel cladding and tiled top

	
White 001291100 € 3.974,00	Bordeaux 001291101 € 3.974,00

STANDARD EQUIPMENT

IR Touch remote control
Display Black Mask

OPTIONAL	Code	Price
Anti-condensation mixing valve	009208237	€ 230,00
System expansion board kit	009278286	€ 186,00

TECHNICAL DATA

Nominal power	4,8 - 16,0 kW-N
Power given back to water	3,3 - 12,0 kW-H ₂ O
Efficiency	91 - 90 %
Seasonal efficiency	80 %
Hourly consumption	1,1 - 3,6 kg/h
Dimensions (WxHxD)	495 x 1152 x 628 mm
Net weight	165 kg
Flue outlet diameter and position	100 mm (B)
Ventilation outlet	Frontal
Tank total capacity	27 kg
Electrical absorption	25 - 60 W

Airtight stove

Standard WiFi

Switchable ventilation

Ceramic glow plug

FEATURES

Extractable ash drawer	Expansion tank
Thick steel combustion chamber	Air relief valve
Cast iron door and brazier	Side shell and tube heat exchanger (manual cleaning)
PWM-controlled circulator	Airtight tank
Thermal and water pressure relief valves	Pressure transducer with display
Safety valve 3 bar	

FUNCTIONS

Easy Setup	Easy Control
FPC +	App Total Control 3.0

GUENDA IDRO 5.0

16,7 kW-N 14,0 kW-H₂O 479 m³



VENTILATED PELLET THERMO-STOVE

Painted steel cladding



Ivory 001291700 € 4.775,00	Bronze 001291701 € 4.775,00	Matt Taupe 001291702 € 4.775,00
----------------------------------	-----------------------------------	---------------------------------------

STANDARD EQUIPMENT

IR Touch remote control
Display black LCD

OPTIONAL	Code	Price
Anti-condensation mixing valve	009208237	€ 230,00
System expansion board kit	009278286	€ 186,00
Remote WiFi module (grey label)	009278512	€ 218,00

TECHNICAL DATA

Nominal power	5,0 - 16,7 kW-N
Power given back to water	3,8 - 14,0 kW-H ₂ O
Efficiency	93 - 92 %
Seasonal efficiency	82 %
Hourly consumption	1,1 - 3,7 kg/h
Dimensions (WxHxD)	576 x 1157 x 621 mm
Net weight	210 kg
Flue outlet diameter and position	100 mm (B)
Ventilation outlet	Frontal
Tank total capacity	30 kg
Electrical absorption	20 - 22 W



Switchable ventilation



Ceramic glow plug



Self-cleaning brazier

FEATURES

Extractable ash drawer	Safety valve 3 bar
Thick steel combustion chamber	Expansion tank
Cast iron door and brazier	Air relief valve
PWM-controlled circulator	Side shell and tube heat exchanger (manual cleaning)
Brushless pellet loading motor	Airtight tank
Combustion chamber probe	Pressure transducer with display
Thermal and water pressure relief valves	

FUNCTIONS

Easy Setup	FPC +	Easy Control
------------	-------	--------------

ISIDORA IDRO H16 5.0 EVO

18,4 kW-N 16,0 kW-H₂O 528 m³



VENTILATED PELLET THERMO-STOVE

Majolica and painted sheet metal cladding



White 001296100 € 5.360,00	Bordeaux 001296101 € 5.360,00	Bright Taupe 001296102 € 5.360,00
----------------------------------	-------------------------------------	---

STANDARD EQUIPMENT

Display TFT Color

OPTIONAL	Code	Price
System expansion board kit	009278286	€ 186,00
IR Touch remote control	009278471	€ 41,10
Anti-condensation mixing valve	009208237	€ 230,00

TECHNICAL DATA

Nominal power	5,6 - 18,4 kW-N
Power given back to water	4,6 - 16,0 kW-H ₂ O
Efficiency	96 - 95 %
Seasonal efficiency	85 %
Hourly consumption	1,2 - 4,0 kg/h
Dimensions (WxHxD)	596 x 1165 x 708 mm
Net weight	227 kg
Flue outlet diameter and position	100 mm (B)
Ventilation outlet	Top
Tank total capacity	33 kg
Electrical absorption	15 - 30 W



Switchable ventilation



Ceramic glow plug



Standard WiFi



Self-cleaning brazier

FEATURES

Extractable ash drawer	Safety valve 3 bar
Thick steel combustion chamber	Expansion tank
Cast iron door and brazier	Air relief valve
PWM-controlled circulator	Side shell and tube heat exchanger (manual cleaning)
Brushless pellet loading motor	Airtight tank
Combustion chamber probe	Pressure transducer with display
Thermal and water pressure relief valves	

FUNCTIONS

Easy Setup	FPC +
App Total Control 3.0	Easy Control

ISIDORA IDRO H20 5.0 EVO

22,4 kW-N 20,0 kW-H₂O 642 m³



VENTILATED PELLET THERMO-STOVE

Majolica and painted sheet metal cladding




Ivory	White	Bordeaux
001296103	001296104	001296105
€ 5.635,00	€ 5.635,00	€ 5.635,00

STANDARD EQUIPMENT

Display TFT Color		
OPTIONAL	Code	Price
System expansion board kit	009278286	€ 186,00
IR Touch remote control	009278471	€ 41,10
Anti-condensation mixing valve	009208237	€ 230,00

TECHNICAL DATA

Nominal power	5,6 - 22,4 kW-N
Power given back to water	4,6 - 20,0 kW-H ₂ O
Efficiency	96 - 93 %
Seasonal efficiency	83 %
Hourly consumption	1,2 - 5,0 kg/h
Dimensions (WxHxD)	596 x 1243 x 708 mm
Net weight	235 kg
Flue outlet diameter and position	100 mm (B)
Ventilation outlet	Top
Tank total capacity	38 kg
Electrical absorption	15 - 35 W



FEATURES

Extractable ash drawer	Safety valve 3 bar
Thick steel combustion chamber	Expansion tank
Cast iron door and brazier	Air relief valve
PWM-controlled circulator	Side shell and tube heat exchanger (manual cleaning)
Brushless pellet loading motor	Airtight tank
Combustion chamber probe	Pressure transducer with display
Thermal and water pressure relief valves	

FUNCTIONS

Easy Setup	FPC +
App Total Control 3.0	Easy Control

ISIDORA IDRO H23 5.0 EVO

25,8 kW-N 23,0 kW-H₂O 740 m³



VENTILATED PELLET THERMO-STOVE

Majolica and painted sheet metal cladding




Bordeaux	White	Ivory
001296106	001296107	001296108
€ 5.860,00	€ 5.860,00	€ 5.860,00

STANDARD EQUIPMENT

Display TFT Color		
OPTIONAL	Code	Price
Anti-condensation mixing valve	009208237	€ 230,00
System expansion board kit	009278286	€ 186,00
IR Touch remote control	009278471	€ 41,10

TECHNICAL DATA

Nominal power	5,6 - 25,8 kW-N
Power given back to water	4,6 - 23,0 kW-H ₂ O
Efficiency	96 - 92 %
Seasonal efficiency	82 %
Hourly consumption	1,2 - 5,8 kg/h
Dimensions (WxHxD)	596 x 1243 x 737 mm
Net weight	235 kg
Flue outlet diameter and position	100 mm (B)
Ventilation outlet	Top
Tank total capacity	38 kg
Electrical absorption	15 - 37 W



FEATURES

Extractable ash drawer	Safety valve 3 bar
Thick steel combustion chamber	Expansion tank
Cast iron door and brazier	Air relief valve
PWM-controlled circulator	Side shell and tube heat exchanger (manual cleaning)
Brushless pellet loading motor	Airtight tank
Combustion chamber probe	

FUNCTIONS

Easy Setup	App Total Control 3.0
FPC +	Easy Control

NEW
2026

MIRIANA IDRO H16

18,4 kW-N 16,0 kW-H₂O 528 m³



VENTILATED PELLET THERMO-STOVE

Painted steel cladding



Ivory
001296725
€ 5.360,00



Black
001296726
€ 5.360,00



Matt Taupe
001296727
€ 5.360,00

STANDARD EQUIPMENT

Display TFT Color

OPTIONAL	Code	Price
IR Touch remote control	009278471	€ 41,10
System expansion board kit	009278286	€ 186,00
Anti-condensation mixing valve	009208237	€ 230,00

TECHNICAL DATA

Provisional data in phase of homologation

Nominal power	5,6 - 18,4 kW-N
Power given back to water	4,6 - 16,0 kW-H ₂ O
Efficiency	96 - 95 %
Seasonal efficiency	85 %
Hourly consumption	1,2 - 4,0 kg/h
Dimensions (WxHxD)	599 x 1170 x 724 mm
Net weight	220 kg
Flue outlet diameter and position	100 mm (B)
Ventilation outlet	Frontal
Tank total capacity	33 kg
Electrical absorption	15 - 30 W



Switchable ventilation



Ceramic glow plug



Standard WiFi



Self-cleaning brazier

FEATURES

Single cast iron door with double glass	Safety valve 3 bar
Brushless pellet loading motor	Extractable ash drawer
PWM-controlled circulator	Detachable handle with dedicated housing
Cast iron door and brazier	Thick steel combustion chamber
Airtight tank	Side shell and tube heat exchanger (manual cleaning)
Combustion chamber probe	Pressure transducer with display
Thermal and water pressure relief valves	
Expansion tank and air relief valve	

FUNCTIONS

FPC +	Easy Setup
Easy Control	App Total Control 3.0

NEW
2026

MIRIANA IDRO H20

22,4 kW-N 20,0 kW-H₂O 642 m³



VENTILATED PELLET THERMO-STOVE

Painted steel cladding



Ivory
001296825
€ 5.640,00



Black
001296826
€ 5.640,00



Matt Taupe
001296827
€ 5.640,00

STANDARD EQUIPMENT

Display TFT Color

OPTIONAL	Code	Price
IR Touch remote control	009278471	€ 41,10
System expansion board kit	009278286	€ 186,00
Anti-condensation mixing valve	009208237	€ 230,00

TECHNICAL DATA

Provisional data in phase of homologation

Nominal power	5,6 - 22,4 kW-N
Power given back to water	4,6 - 20,0 kW-H ₂ O
Efficiency	96 - 93 %
Seasonal efficiency	83 %
Hourly consumption	1,2 - 5,0 kg/h
Dimensions (WxHxD)	599 x 1248 x 724 mm
Net weight	209 kg
Flue outlet diameter and position	100 mm (B)
Ventilation outlet	Frontal
Tank total capacity	38 kg
Electrical absorption	15 - 35 W



Switchable ventilation



Ceramic glow plug



Standard WiFi



Self-cleaning brazier

FEATURES

Single cast iron door with double glass	Safety valve 3 bar
Brushless pellet loading motor	Extractable ash drawer
PWM-controlled circulator	Detachable handle with dedicated housing
Cast iron door and brazier	Thick steel combustion chamber
Airtight tank	Side shell and tube heat exchanger (manual cleaning)
Combustion chamber probe	Pressure transducer with display
Thermal and water pressure relief valves	
Expansion tank and air relief valve	

FUNCTIONS

Easy Setup	FPC +
Easy Control	App Total Control 3.0

NEW
2026

MIRIANA IDRO H23

25,8 kW-N 23,0 kW-H₂O 740 m³



VENTILATED PELLET THERMO-STOVE

Painted steel cladding



Ivory
001296925
€ 5.865,00



Black
001296926
€ 5.865,00



Matt Taupe
001296927
€ 5.865,00

STANDARD EQUIPMENT

Display TFT Color

OPTIONAL	Code	Price
IR Touch remote control	009278471	€ 41,10
System expansion board kit	009278286	€ 186,00
Anti-condensation mixing valve	009208237	€ 230,00

TECHNICAL DATA

Provisional data in phase of homologation

Nominal power	5,6 - 25,8 kW-N
Power given back to water	4,6 - 23,0 kW-H ₂ O
Efficiency	96 - 92 %
Seasonal efficiency	82 %
Hourly consumption	1,2 - 5,8 kg/h
Dimensions (WxHxD)	599 x 1248 x 724 mm
Net weight	209 kg
Flue outlet diameter and position	100 mm (B)
Ventilation outlet	Frontal
Tank total capacity	38 kg
Electrical absorption	15 - 37 W



Switchable ventilation



Ceramic glow plug



Standard WiFi



Self-cleaning brazier

FEATURES

Single cast iron door with double glass	Safety valve 3 bar
Brushless pellet loading motor	Extractable ash drawer
PWM-controlled circulator	Detachable handle with dedicated housing
Cast iron door and brazier	Thick steel combustion chamber
Airtight tank	Side shell and tube heat exchanger (manual cleaning)
Combustion chamber probe	Pressure transducer with display
Thermal and water pressure relief valves	
Expansion tank and air relief valve	

FUNCTIONS

Easy Setup	FPC +
Easy Control	App Total Control 3.0

ISIDE IDRO 5.0.16 *

19,0 kW-N 14,7 kW-H₂O 545 m³



VENTILATED PELLET THERMO-STOVE

Majolica cladding



Parchment *
001295301
€ 4.930,00



White *
001295302
€ 4.930,00



Vogue Ametista *
001295303
€ 4.930,00

* While stocks last

STANDARD EQUIPMENT

IR Touch remote control

Display black LCD

OPTIONAL	Code	Price
Anti-condensation mixing valve	009208237	€ 230,00
System expansion board kit	009278286	€ 186,00
Remote WiFi module (grey label)	009278512	€ 218,00

TECHNICAL DATA

Nominal power	5,4 - 19,0 kW-N
Power given back to water	4,0 - 14,7 kW-H ₂ O
Efficiency	93 - 94 %
Seasonal efficiency	83 %
Hourly consumption	1,2 - 4,2 kg/h
Dimensions (WxHxD)	690 x 1196 x 628 mm
Net weight	247 kg
Flue outlet diameter and position	100 mm (B)
Ventilation outlet	Frontal
Tank total capacity	35 kg
Electrical absorption	78 - 119 W



Switchable ventilation



Ceramic glow plug

FEATURES

Extractable ash drawer	Expansion tank
Thick steel combustion chamber	Air relief valve
Cast iron door and brazier	Side shell and tube heat exchanger (manual cleaning)
PWM-controlled circulator	Airtight tank
Thermal and water pressure relief valves	Pressure transducer with display
Safety valve 3 bar	

FUNCTIONS

Easy Setup	FPC +	Easy Control
------------	-------	--------------

RAFFAELLA IDRO H15 5.0.16 *

19,0 kW-N 14,7 kW-H₂O 545 m³



VENTILATED PELLET THERMO-STOVE

Painted steel cladding



Bordeaux *
001294600
€ 4.550,00

White *
001294601
€ 4.550,00

Grigio Luce *
001294602
€ 4.550,00

* While stocks last

STANDARD EQUIPMENT

IR Touch remote control

Display black LCD

OPTIONAL	Code	Price
Anti-condensation mixing valve	009208237	€ 230,00
System expansion board kit	009278286	€ 186,00
Remote WiFi module (grey label)	009278512	€ 218,00

TECHNICAL DATA

Nominal power	5,4 - 19,0 kW-N
Power given back to water	4,0 - 14,7 kW-H ₂ O
Efficiency	93 - 94 %
Seasonal efficiency	83 %
Hourly consumption	1,2 - 4,2 kg/h
Dimensions (WxHxD)	633 x 1176 x 626 mm
Net weight	214 kg
Flue outlet diameter and position	100 mm (B)
Ventilation outlet	Frontal
Tank total capacity	35 kg
Electrical absorption	78 - 119 W



Switchable ventilation



Ceramic glow plug

FEATURES

Extractable ash drawer	Expansion tank
Thick steel combustion chamber	Air relief valve
Cast iron door and brazier	Side shell and tube heat exchanger (manual cleaning)
PWM-controlled circulator	Airtight tank
Thermal and water pressure relief valves	Pressure transducer with display
Safety valve 3 bar	

FUNCTIONS

Easy Setup	FPC +	Easy Control
------------	-------	--------------

RAFFAELLA IDRO H18 5.0.16

23,6 kW-N 17,7 kW-H₂O 677 m³



VENTILATED PELLET THERMO-STOVE

Painted steel cladding



Ivory
001294700
€ 4.780,00

Grigio Luce
001294701
€ 4.780,00

STANDARD EQUIPMENT

IR Touch remote control

Display black LCD

OPTIONAL	Code	Price
Remote WiFi module (grey label)	009278512	€ 218,00
System expansion board kit	009278286	€ 186,00
Anti-condensation mixing valve	009208237	€ 230,00

TECHNICAL DATA

Nominal power	5,4 - 23,6 kW-N
Power given back to water	4,0 - 17,7 kW-H ₂ O
Efficiency	93 - 92 %
Seasonal efficiency	81 %
Hourly consumption	1,2 - 5,3 kg/h
Dimensions (WxHxD)	633 x 1176 x 626 mm
Net weight	214 kg
Flue outlet diameter and position	100 mm (B)
Ventilation outlet	Frontal
Tank total capacity	35 kg
Electrical absorption	78 - 130 W



Switchable ventilation



Ceramic glow plug

FEATURES

Extractable ash drawer	Expansion tank
Thick steel combustion chamber	Air relief valve
Cast iron door and brazier	Side shell and tube heat exchanger (manual cleaning)
PWM-controlled circulator	Airtight tank
Thermal and water pressure relief valves	Pressure transducer with display
Safety valve 3 bar	

FUNCTIONS

Easy Setup	FPC +	Easy Control
------------	-------	--------------

EVELYNE IDRO EVO

19,4 kW-N 16,8 kW-H₂O 556 m³



AIRTIGHT VENTILATED AND SLIM PELLET THERMO-STOVE

Majolica cladding



White	Taupe	Grey
001296000	001296001	001296002
€ 5.425,00	€ 5.425,00	€ 5.425,00


STANDARD EQUIPMENT

Radio Remote Control
Console with integrated WiFi
Black Screen glass

OPTIONAL	Code	Price
Anti-condensation mixing valve	009208237	€ 230,00
System expansion board kit	009278286	€ 186,00

TECHNICAL DATA

Nominal power	5,7 - 19,4 kW-N
Power given back to water	4,3 - 16,8 kW-H ₂ O
Efficiency	94 - 94 %
Seasonal efficiency	84 %
Hourly consumption	1,3 - 4,3 kg/h
Dimensions (WxHxD)	878 x 1099 x 412 mm
Net weight	209 kg
Flue outlet diameter and position	100 mm (B/T/RH Side)
Ventilation outlet	Top
Tank total capacity	27 kg
Electrical absorption	19 - 67 W



FEATURES

Extractable ash drawer	Air relief valve
Thick steel combustion chamber	Side shell and tube heat exchanger (manual cleaning)
Cast iron door and brazier	Reduced depth
PWM-controlled circulator	Emergency module
Combustion chamber probe	Pressure transducer with display
Thermal and water pressure relief valves	Double door: outer door with flat tempered glass
Safety valve 3 bar	
Expansion tank	

FUNCTIONS

Easy Setup	FPC +
App Total Control 3.0	Easy Control

NEW 2026 | FLORIANA IDRO CRYSTAL

19,4 kW-N 16,8 kW-H₂O 556 m³



AIRTIGHT VENTILATED AND SLIM PELLET THERMO-STOVE

Painted steel cladding and screen-printed glass panel



Crystal
001296225
€ 5.020,00

STANDARD EQUIPMENT


Display TFT Color

OPTIONAL	Code	Price
IR Touch remote control	009278471	€ 41,10
System expansion board kit	009278286	€ 186,00
Anti-condensation mixing valve	009208237	€ 230,00

TECHNICAL DATA

Provisional data in phase of homologation

Nominal power	5,7 - 19,4 kW-N
Power given back to water	4,3 - 16,8 kW-H ₂ O
Efficiency	94 - 94 %
Seasonal efficiency	84 %
Hourly consumption	1,3 - 4,3 kg/h
Dimensions (WxHxD)	854 x 1107 x 402 mm
Net weight	198 kg
Flue outlet diameter and position	100 mm (B/T/RH Side)
Ventilation outlet	Frontal
Tank total capacity	27 kg
Electrical absorption	19 - 67 W



FEATURES

Double door: outer door with flat tempered glass	Expansion tank and air relief valve
Weekly chronothermostat	Safety valve 3 bar
PWM-controlled circulator	Extractable ash drawer
Pressure transducer with display	Thick steel combustion chamber
Cast iron door and brazier	Side shell and tube heat exchanger (manual cleaning)
Combustion chamber probe	Push-pull system for door opening
Thermal and water pressure relief valves	

FUNCTIONS

Easy Setup	FPC +
Easy Control	App Total Control 3.0

NEW
2026

| FLORIANA IDRO GRES

19,4 kW-N 16,8 kW-H₂O 556 m³



AIRTIGHT VENTILATED AND SLIM PELLET THERMO-STOVE

Painted steel cladding and gres panel



Gres Corten

001296230

€ 5.130,00

Gres Ostuni

001296231

€ 5.130,00

STANDARD EQUIPMENT

Display TFT Color		
OPTIONAL	Code	Price
IR Touch remote control	009278471	€ 41,10
System expansion board kit	009278286	€ 186,00
Anti-condensation mixing valve	009208237	€ 230,00

TECHNICAL DATA

Provisional data in phase of homologation

Nominal power	5,7 - 19,4 kW-N
Power given back to water	4,3 - 16,8 kW-H ₂ O
Efficiency	94 - 94 %
Seasonal efficiency	84 %
Hourly consumption	1,3 - 4,3 kg/h
Dimensions (WxHxD)	854 x 1107 x 402 mm
Net weight	199 kg
Flue outlet diameter and position	100 mm (B/T/RH Side)
Ventilation outlet	Frontal
Tank total capacity	27 kg
Electrical absorption	19 - 67 W

Airtight stove

Standard WiFi

Self-cleaning brazier

Switchable ventilation

Ceramic glow plug

FEATURES

Double door: outer door with flat tempered glass	Expansion tank and air relief valve
Weekly chronothermostat	Safety valve 3 bar
PWM-controlled circulator	Extractable ash drawer
Pressure transducer with display	Thick steel combustion chamber
Cast iron door and brazier	Side shell and tube heat exchanger (manual cleaning)
Combustion chamber probe	Push-pull system for door opening
Thermal and water pressure relief valves	

FUNCTIONS

Easy Setup	FPC +
Easy Control	App Total Control 3.0



PELLET THERMO
STOVES




COMFORT P70 H49 5.0

8,0 kW-N 229 m³



VENTILATED PELLET INSERT



001291000
€ 3.490,00

*Dimensions with frame
Technical Drawing

STANDARD EQUIPMENT

Radio Remote Control

OPTIONAL	Code	Price
Wireless probe	009278502	€ 161,00
Remote WiFi module (grey label)	009278512	€ 218,00
Front loading drawer for inserts	009278517	€ 300,00
Kit loading top/side for inserts	009278518	€ 425,00
Support kit for Comfort insert	009278519	€ 251,00

TECHNICAL DATA

Nominal power	3,0 - 8,0 kW-N
Efficiency	93 - 91 %
Seasonal efficiency	80 %
Hourly consumption	0,7 - 1,8 kg/h
Dimensions (WxHxD)	680 x 480 x 512 mm
Net weight	113 kg
Flue outlet diameter and position	80 mm (T)
Ventilation outlet	Frontal
Tank total capacity	11 kg
Electrical absorption	25 - 98 W



FEATURES

Cast iron door, hearth and brazier	Simplified system for insert removal
Shell and tube heat exchanger	Lifting handles for easy handling
Ash compartment	

FUNCTIONS

Easy Setup	FPC +	Pro Air Setup
Easy Control	Automatic	

Pellet Inserts

La Nordica-Extraflame pellet inserts offer the most efficient solution for upgrading an existing fireplace or creating a new built-in installation, without sacrificing the appeal of a visible flame. Designed to make the most of the available recess, they replace the old open hearth while significantly improving thermal output and emission quality.


Automatic feed, programmable management and integrated design make them well-suited even to the most refined environments. A complete technical solution that unites the aesthetic of fire with the practicality of pellet.

COMFORT P70 AIR

10,0 kW-N 287 m³



VENTILATED PELLET INSERT



001290800
€ 3.560,00

*Dimensions with frame
Technical Drawing

STANDARD EQUIPMENT

Radio Remote Control

OPTIONAL	Code	Price
Support kit for Comfort inserts	009278306	€ 279,00
Front loading drawers for inserts	009278446	€ 227,00
Kit loading top/side for inserts	009278447	€ 425,00
Remote WiFi module (grey label)	009278512	€ 218,00

TECHNICAL DATA

Nominal power	3,0 - 10,0 kW-N
Efficiency	90 - 91 %
Seasonal efficiency	80 %
Hourly consumption	0,7 - 2,2 kg/h
Dimensions (WxHxD)	740 x 582 x 561 mm
Net weight	125 kg
Flue outlet diameter and position	80 mm (T)
Ventilation outlet	Frontal
Tank total capacity	15 kg
Electrical absorption	23 - 75 W



Standard radio
remote control



Pellet level sensor

FEATURES

Wide view of the focus	Emergency module
Removable ash compartment	Cast iron door, hearth and brazier
Shell and tube heat exchanger	Simplified system for insert removal

FUNCTIONS


Easy Setup	Easy Control	Automatic
------------	--------------	-----------

COMFORT P70 AIR PLUS

10,0 kW-N 287 m³



PELLET INSERT WITH DUCTING SYSTEM



001290850
€ 3.970,00

*Dimensions with frame
Technical Drawing

STANDARD EQUIPMENT

Radio Remote Control

OPTIONAL	Code	Price
Support kit for Comfort inserts	009278306	€ 279,00
Front loading drawers for inserts	009278446	€ 227,00
Kit loading top/side for inserts	009278447	€ 425,00
Remote WiFi module (grey label)	009278512	€ 218,00

TECHNICAL DATA

Nominal power	3,0 - 10,0 kW-N
Efficiency	92 - 92 %
Seasonal efficiency	81 %
Hourly consumption	0,7 - 2,3 kg/h
Dimensions (WxHxD)	670 x 530 x 562 mm
Net weight	131 kg
Flue outlet diameter and position	80 mm (T)
Ventilation outlet	Frontal
Duct diameter and position	80 mm (B)
Number of duct outlets	1 up to 8 m
Tank total capacity	13 kg
Electrical absorption	35 - 105 W



Ceramic glow plug



Standard radio
remote control



Pellet level sensor

FEATURES

Cast iron door, hearth and brazier	Simplified system for insert removal
Shell and tube heat exchanger	Lifting handles for easy handling

FUNCTIONS


Easy Setup	Automatic
Easy Control	Air Zone Control

COMFORT P85

12,0 kW-N 344 m³



VENTILATED PELLET INSERT



001290700
€ 3.710,00

*Dimensions with frame
Technical Drawing

STANDARD EQUIPMENT

Radio Remote Control

OPTIONAL	Code	Price
Front loading drawers for inserts	009278437	€ 227,00
Kit loading top/side for inserts	009278443	€ 425,00
Support kit for Comfort inserts	009278452	€ 348,00
Remote WiFi module (grey label)	009278512	€ 218,00

TECHNICAL DATA

Nominal power	3,5 - 12,0 kW-N
Efficiency	91 - 92 %
Seasonal efficiency	81 %
Hourly consumption	0,8 - 2,6 kg/h
Dimensions (WxHxD)	880 x 602 x 615 mm
Net weight	145 kg
Flue outlet diameter and position	80 mm (T)
Ventilation outlet	Frontal
Tank total capacity	16 kg
Electrical absorption	25 - 100 W



Standard radio
remote control



Pellet level sensor

FEATURES

Cast iron door, hearth and brazier	Emergency module
Removable ash compartment	Simplified system for insert removal
Shell and tube heat exchanger	Lifting handles for easy handling

FUNCTIONS


Easy Setup	Easy Control	Automatic
------------	--------------	-----------

COMFORT P85 PLUS

12,0 kW-N 344 m³



PELLET INSERT WITH DUCTING SYSTEM



001290750
€ 4.180,00

*Dimensions with frame
Technical Drawing

STANDARD EQUIPMENT

Radio Remote Control

OPTIONAL	Code	Price
Front loading drawers for inserts	009278437	€ 227,00
Kit loading top/side for inserts	009278443	€ 425,00
Support kit for Comfort inserts	009278452	€ 348,00
Remote WiFi module (grey label)	009278512	€ 218,00

TECHNICAL DATA

Nominal power	3,5 - 12,0 kW-N
Efficiency	92 - 91 %
Seasonal efficiency	79 %
Hourly consumption	0,8 - 2,6 kg/h
Dimensions (WxHxD)	880 x 602 x 615 mm
Net weight	160 kg
Flue outlet diameter and position	80 mm (T)
Ventilation outlet	Frontal
Duct diameter and position	80 mm (B)
Number of duct outlets	2 up to 8 m
Tank total capacity	16 kg
Electrical absorption	75 - 150 W



Standard radio
remote control



Pellet level sensor

FEATURES

Cast iron door, hearth and brazier	Simplified system for insert removal
Removable ash compartment	Lifting handles for easy handling
Shell and tube heat exchanger	Double thermostatically controlled ducting
Emergency module	

FUNCTIONS


Easy Setup	Easy Control	Automatic
------------	--------------	-----------

COMFORT IDRO L80.16

19,0 kW-N 14,9 kW-H₂O 545 m³



PELLET THERMO-FIREPLACE VENTILATED



001290600
€ 5.425,00

*Dimensions with frame
Technical Drawing

STANDARD EQUIPMENT

Radio Remote Control

OPTIONAL	Code	Price
Remote WiFi module (grey label)	009278512	€ 218,00
System expansion board kit	009278286	€ 186,00
Support kit for Comfort inserts	009278405	€ 348,00
Kit loading top/side for inserts	009278428	€ 465,00
Front loading drawers for inserts	009278418	€ 340,00
Front loading drawers for inserts	009278423	€ 455,00
Anti-condensation mixing valve	009208237	€ 230,00

TECHNICAL DATA

Nominal power	5,7 - 19,0 kW-N
Power given back to water	4,3 - 14,9 kW-H ₂ O
Efficiency	92 - 90 %
Seasonal efficiency	80 %
Hourly consumption	1,3 - 4,3 kg/h
Dimensions (WxHxD)	870 x 648 x 608 mm
Net weight	220 kg
Flue outlet diameter and position	100 mm (T)
Ventilation outlet	Frontal
Tank total capacity	18 kg
Electrical absorption	16 - 36 W



Switchable ventilation



Standard radio remote control



Ceramic glow plug



Pellet level sensor

FEATURES

Thick steel combustion chamber	Expansion tank
Cast iron door and brazier	Air relief valve
•Side shell and tube heat exchanger (automatic cleaning)	Top hydraulic fittings
PWM-controlled circulator	Removable ash compartment
Thermal and water pressure relief valves	Emergency module
Safety valve 3 bar	Lifting handles for easy handling

FUNCTIONS

Easy Setup





PELLET BOILER

Painted steel cladding



Light/Dark Grey
001203200
€ 6.270,00

STANDARD EQUIPMENT

Display Black Mask

OPTIONAL	Code	Price
Anti-condensation mixing valve	009208237	€ 230,00
Pellet storage tank, capacity 300 kg	009208239	€ 2.585,00
Automatic pellet loading kit 330 L	009208240	€ 2.235,00
Automatic pellet loading kit 660 L	009208241	€ 2.980,00
Extension module 180 L	009208242	€ 218,00
Extension module 270 L	009208243	€ 240,00
System expansion board kit	009278286	€ 186,00

TECHNICAL DATA

Nominal power	4,4 - 15,0 kW-N
Power given back to water	4,4 - 15,0 kW-H ₂ O
Efficiency	93,9 - 93,6 %
Seasonal efficiency	83 %
Hourly consumption	1,0 - 3,4 kg/h
Dimensions (WxHxD)	822 x 1398 x 745 mm
Net weight	295 kg
Flue outlet diameter and position	100 mm (B/LH side)
Tank total capacity	75 kg
Electrical absorption	20 - 23 W



Standard WiFi



Self-cleaning brazier



Ceramic glow plug



Pellet level sensor

FEATURES

Extractable ash drawer	Thermal and water pressure relief valves
Thick steel combustion chamber	Safety valve 3 bar
Cast iron door and brazier	Expansion tank
•Side shell and tube heat exchanger (automatic cleaning)	Air relief valve
Tank front loading	Top hydraulic fittings
PWM-controlled circulator	Wheels for easier handling
Brushless pellet loading motor	An innovative adaptive system for regulating and maintaining air combustion constant over time
Combustion chamber probe	

FUNCTIONS

Easy Setup	FPC
Easy Control	App Total Control 2.0

Pellet Boilers

La Nordica-Extraflame pellet boilers are the result of more than fifty years of experience in the heating sector, applied to the development of high-efficiency generators designed to meet the comfort demands of the modern home. Automatic cleaning systems, advanced combustion sensors and selected materials ensure long-term reliability and straightforward management.

A pellet boiler is a structural choice for the home: correct system configuration, taking into account heating demand, distribution type, domestic hot water production and the presence of anti-condensation systems, is crucial to achieving maximum performance. Consultation with a qualified technician is always the recommended starting point.

NEW 2026 | PK20 EVO

20,0 kW-N 20,0 kW-H₂O 574 m³



PELLET BOILER

Painted steel cladding



Light/Dark Grey
001203300
€ 6.670,00


STANDARD EQUIPMENT

Display Black Mask

OPTIONAL	Code	Price
Anti-condensation mixing valve	009208237	€ 230,00
Pellet storage tank, capacity 300 kg	009208239	€ 2.585,00
Automatic pellet loading kit 330 L	009208240	€ 2.235,00
Automatic pellet loading kit 660 L	009208241	€ 2.980,00
Extension module 180 L	009208242	€ 218,00
Extension module 270 L	009208243	€ 240,00
System expansion board kit	009278286	€ 186,00

TECHNICAL DATA

Nominal power	4,4 - 20,0 kW-N
Power given back to water	4,4 - 20,0 kW-H ₂ O
Efficiency	93,9 - 93,3 %
Seasonal efficiency	83 %
Hourly consumption	1,0 - 4,5 kg/h
Dimensions (WxHxD)	822 x 1398 x 745 mm
Net weight	295 kg
Flue outlet diameter and position	100 mm (B/LH side)
Tank total capacity	75 kg
Electrical absorption	20 - 25 W



FEATURES

Extractable ash drawer	Thermal and water pressure relief valves
Thick steel combustion chamber	Safety valve 3 bar
Cast iron door and brazier	Expansion tank
•Side shell and tube heat exchanger (automatic cleaning)	Air relief valve
Tank front loading	Top hydraulic fittings
PWM-controlled circulator	Wheels for easier handling
Brushless pellet loading motor	An innovative adaptive system for regulating and maintaining air combustion constant over time
Combustion chamber probe	

FUNCTIONS

Easy Setup	FPC
Easy Control	App Total Control 2.0

NEW 2026 | PR20 EVO

20,0 kW-N 20,0 kW-H₂O 574 m³



PELLET BOILER WITH ASH EXTRACTOR

Painted steel cladding



Light/Dark Grey
001203600
€ 7.360,00

STANDARD EQUIPMENT


System expansion board kit

Display Black Mask

OPTIONAL	Code	Price
Anti-condensation mixing valve	009208237	€ 230,00
Pellet storage tank, capacity 300 kg	009208239	€ 2.585,00
Automatic pellet loading kit 330 L	009208240	€ 2.235,00
Automatic pellet loading kit 660 L	009208241	€ 2.980,00
Extension module 180 L	009208242	€ 218,00
Extension module 270 L	009208243	€ 240,00

TECHNICAL DATA

Nominal power	4,4 - 20,0 kW-N
Power given back to water	4,4 - 20,0 kW-H ₂ O
Efficiency	93,9 - 93,3 %
Seasonal efficiency	83 %
Hourly consumption	1,0 - 4,5 kg/h
Dimensions (WxHxD)	822 x 1398 x 817 mm
Net weight	310 kg
Flue outlet diameter and position	100 mm (B/LH side)
Tank total capacity	75 kg
Electrical absorption	20 - 25 W



FEATURES

Extractable ash drawer	Thermal and water pressure relief valves
Thick steel combustion chamber	Safety valve 3 bar
Cast iron door and brazier	Expansion tank
•Side shell and tube heat exchanger (automatic cleaning)	Air relief valve
Tank front loading	Top hydraulic fittings
PWM-controlled circulator	Wheels for easier handling
Brushless pellet loading motor	An innovative adaptive system for regulating and maintaining air combustion constant over time
Combustion chamber probe	

FUNCTIONS

Easy Setup	FPC
Easy Control	App Total Control 2.0

NEW
2026

|

PK25 EVO

25,0 kW-N 25,0 kW-H₂O 718 m³



PELLET BOILER

Painted steel cladding



Light/Dark Grey
001203400
€ 7.170,00


STANDARD EQUIPMENT

Display Black Mask

OPTIONAL	Code	Price
Anti-condensation mixing valve	009208237	€ 230,00
Pellet storage tank, capacity 300 kg	009208239	€ 2.585,00
Automatic pellet loading kit 330 L	009208240	€ 2.235,00
Automatic pellet loading kit 660 L	009208241	€ 2.980,00
Extension module 180 L	009208242	€ 218,00
Extension module 270 L	009208243	€ 240,00
System expansion board kit	009278286	€ 186,00

TECHNICAL DATA

Nominal power	7,4 - 25,0 kW-N
Power given back to water	7,4 - 25,0 kW-H ₂ O
Efficiency	91,5 - 94,5 %
Seasonal efficiency	81 %
Hourly consumption	1,7 - 5,5 kg/h
Dimensions (WxHxD)	892 x 1398 x 745 mm
Net weight	310 kg
Flue outlet diameter and position	120 mm (B/LH side)
Tank total capacity	75 kg
Electrical absorption	28 - 40 W



FEATURES

Extractable ash drawer	Thermal and water pressure relief valves
Thick steel combustion chamber	Safety valve 3 bar
Cast iron door and brazier	Expansion tank
•Side shell and tube heat exchanger (automatic cleaning)	Air relief valve
Tank front loading	Top hydraulic fittings
PWM-controlled circulator	Wheels for easier handling
Brushless pellet loading motor	An innovative adaptive system for regulating and maintaining air combustion constant over time
Combustion chamber probe	

FUNCTIONS

Easy Setup	FPC
Easy Control	App Total Control 2.0

NEW
2026

|

PK30 EVO

30,0 kW-N 30,0 kW-H₂O 861 m³



PELLET BOILER

Painted steel cladding



Light/Dark Grey
001203500
€ 7.660,00


STANDARD EQUIPMENT

Display Black Mask

OPTIONAL	Code	Price
Anti-condensation mixing valve	009208237	€ 230,00
Pellet storage tank, capacity 300 kg	009208239	€ 2.585,00
Automatic pellet loading kit 330 L	009208240	€ 2.235,00
Automatic pellet loading kit 660 L	009208241	€ 2.980,00
Extension module 180 L	009208242	€ 218,00
Extension module 270 L	009208243	€ 240,00
System expansion board kit	009278286	€ 186,00

TECHNICAL DATA

Nominal power	7,4 - 30,0 kW-N
Power given back to water	7,4 - 30,0 kW-H ₂ O
Efficiency	91,5 - 94 %
Seasonal efficiency	81 %
Hourly consumption	1,7 - 6,7 kg/h
Dimensions (WxHxD)	892 x 1398 x 745 mm
Net weight	310 kg
Flue outlet diameter and position	120 mm (B/LH side)
Tank total capacity	75 kg
Electrical absorption	28 - 44 W



FEATURES

Extractable ash drawer	Thermal and water pressure relief valves
Thick steel combustion chamber	Safety valve 3 bar
Cast iron door and brazier	Expansion tank
•Side shell and tube heat exchanger (automatic cleaning)	Air relief valve
Tank front loading	Top hydraulic fittings
PWM-controlled circulator	Wheels for easier handling
Brushless pellet loading motor	An innovative adaptive system for regulating and maintaining air combustion constant over time
Combustion chamber probe	

FUNCTIONS

Easy Setup	FPC
Easy Control	App Total Control 2.0

NEW 2026 | PR30 EVO

30,0 kW-N 30,0 kW-H₂O 861 m³



PELLET BOILER WITH ASH EXTRACTOR

Painted steel cladding



Light/Dark Grey
001203700
€ 8.360,00

STANDARD EQUIPMENT

System expansion board kit

Display Black Mask

OPTIONAL	Code	Price
Anti-condensation mixing valve	009208237	€ 230,00
Pellet storage tank, capacity 300 kg	009208239	€ 2.585,00
Automatic pellet loading kit 330 L	009208240	€ 2.235,00
Automatic pellet loading kit 660 L	009208241	€ 2.980,00
Extension module 180 L	009208242	€ 218,00
Extension module 270 L	009208243	€ 240,00

TECHNICAL DATA

Nominal power	7,4 - 30,0 kW-N
Power given back to water	7,4 - 30,0 kW-H ₂ O
Efficiency	91,5 - 94 %
Seasonal efficiency	81 %
Hourly consumption	1,7 - 6,7 kg/h
Dimensions (WxHxD)	892 x 1398 x 817 mm
Net weight	325 kg
Flue outlet diameter and position	120 mm (B/LH side)
Tank total capacity	75 kg
Electrical absorption	28 - 44 W

 Standard WiFi

 Self-cleaning brazier

 Ceramic glow plug

 Pellet level sensor

FEATURES

Extractable ash drawer	Thermal and water pressure relief valves
Thick steel combustion chamber	Safety valve 3 bar
Cast iron door and brazier	Expansion tank
•Side shell and tube heat exchanger (automatic cleaning)	Air relief valve
Tank front loading	Top hydraulic fittings
PWM-controlled circulator	Wheels for easier handling
Brushless pellet loading motor	An innovative adaptive system for regulating and maintaining air combustion constant over time
Combustion chamber probe	

FUNCTIONS

Easy Setup	FPC
Easy Control	App Total Control 2.0



Pellet accessories

THE IDEAL SOLUTION TO COMPLETE YOUR PELLET HEATING EXPERIENCE

We have selected a range of accessories designed to simplify installation, optimise performance and extend the life of your Extraflame products. From ducting systems to connection elements, every accessory is engineered to integrate perfectly with our appliances, ensuring efficiency, practicality and maximum long-term reliability.

Check compatibility on the website


Pellet Accessories

IR TOUCH REMOTE CONTROL		cod.	Price
	IR Touch remote control	009278471	€ 41,10
	IR Touch remote control retroilluminato		
WIRELESS PROBE		cod.	Price
	Wireless probe	009278502	€ 161,00
	Wireless probe for room temperature detection		
3 M WIFI MODULE CABLE		cod.	Price
	3m WIFI MODULE CABLE	009278622	€ 22,90
	3m WIFI MODULE CABLE		
FRONT LOADING DRAWERS FOR INSERTS		cod.	Price
	Front loading drawers for inserts	009278262	€ 227,00
	Front pellet loading drawer: Comfort Plus Crystal		
	Front drawer for Comfort Inserts	009278322	€ 286,00
	Comfort P70 H49		
	Front loading drawers for inserts	009278418	€ 340,00
	Front pellet loading drawer L. 200 mm		
	Front loading drawers for inserts	009278423	€ 455,00
	Front pellet loading drawer L. 300 mm		
	Front loading drawers for inserts	009278437	€ 227,00
	Front pellet loading drawer: Comfort P85, P85 Plus		
	Front loading drawers for inserts	009278446	€ 227,00
	Front pellet loading drawer: Comfort P70, P70 Plus, P70 Air, P70 Air Plus		
	Front loading drawer for inserts	009278517	€ 300,00
	Front pellet loading drawer: Comfort P70 H49, P70 Air H49		

Pellet Accessories

	CHIMNEY SUPPORT KIT	cod.	Price
	Support kit for Comfort inserts Support kit for Comfort inserts P70, P70 Plus, P70 Air, P70 Air Plus (LxHxP: 644 x 373-463-563 x 400 mm)	009278306	€ 279,00
	Support kit for Comfort inserts Support kit for Comfort inserts Idro L80 (LxHxP 760 x 373-463-563 x 560 mm)	009278405	€ 348,00
	Support kit for Comfort inserts Support kit for Comfort inserts P85, P85 Plus (LxHxP: 760 x 373-463-563 x 560 mm)	009278452	€ 348,00
	Support kit for Comfort insert Kit supporto small inserts Comfort L80 (LxHxP: 703 x 373-573 (passo 20) x 444 mm)	009278519	€ 251,00
	TOP/SIDE LOADING KIT FOR INSERTS	cod.	Price
	Kit loading top/side for inserts Top/side pellet loading kit: Comfort Idro L80	009278428	€ 465,00
	Kit loading top/side for inserts Top/side pellet loading kit: Comfort P85, P85 Plus	009278443	€ 425,00
	Kit loading top/side for inserts Top/side pellet loading kit: Comfort P70, P70 Plus, P70 Air, P70 Air Plus	009278447	€ 425,00
	Kit loading top/side for inserts Top/side pellet loading kit: Comfort P70 H49, P70 Air H49	009278518	€ 425,00

Pellet Accessories

	VENTILATION GRILLE	cod.	Price
	Ventilation grille Ø 80 mm 150 x 150 mm	009278282	€ 69,40
	Ventilation grille kit L. 446 mm Ventilation grille kit 120 cm² L. 446 mm	009278448	€ 53,80
	Ventilation grille kit L. 866 mm Ventilation grille kit 240 cm² L. 866 mm	009278449	€ 80,60
	Ventilation grille kit L. 446 mm Ventilation grille kit 280 cm² L. 446 mm	009278450	€ 76,90
	Ventilation grille kit L. 276 mm Ventilation grille kit 120 cm² L. 276 mm	009278532	€ 53,80
	REMOTE WIFI MODULE	cod.	Price
	Remote WiFi module (white label) Modulo WiFi white label, compatible with the Total Control app	009278442	€ 256,00
	Remote WiFi module (grey label) Modulo WiFi grey label, compatible with the Total Control app 3.0	009278512	€ 218,00
	MULTIFUNCTION REMOTE CONTROL	cod.	Price
	5-button remote control 5-button remote control with temperature and power adjustment	009278366	€ 34,20
	NIGHTVIEW GLASS KIT	cod.	Price
	Kit vetro NightView Ceramic glass Robax NightView translucent black.	009278468	€ 106,00
	HYDRAULIC CONTROL DEVICE	cod.	Price
	Anti-condensation mixing valve Anti-condensation mixing valve 55°C connection 1"	009208237	€ 230,00

Pellet Accessories

SYSTEM EXPANSION BOARD KIT		cod.	Price
	System expansion board kit	009278286	€ 186,00
RIGHT SIDE DUCTING KIT		cod.	Price
	Right side ducting kit	009278537	€ 57,20
	Available for: Sharon Plus, Sharon Plus Steel		

Accessories – Peggy

PEGGY PEDESTAL KIT		cod.	Price
	Pedestal kit Peggy Classic	009278660	€ 150,00
	Pedestal kit Peggy Classic		
	Pedestal kit Peggy Style	009278661	€ 195,00
	Pedestal kit Peggy Style		
TOP FLUE OUTLET KIT		cod.	Price
	Top flue outlet kit	009278662	€ 75,00
	Top flue outlet kit Ø80 for Peggy		
	Top flue outlet cover kit	009278663	€ 90,00
	Top flue outlet cover kit Ø80 for Peggy		

Margaret Accessories

DUCTING KIT		cod.	Price
	Ducting kit	009278664	€ 175,00
	Ducting kit for Margaret		
FLOOR PLATE		cod.	Price
	Floor plate	009278666	€ 126,00
	Painted steel floor plate 1000 x 900 x 2,5 mm		

Storage Tank

AUTOMATIC PELLET LOADING KIT 330 L		cod.	Price
	Automatic pellet loading kit 330 L	009208240	€ 2.235,00
AUTOMATIC PELLET LOADING KIT 660 L		cod.	Price
	Automatic pellet loading kit 660 L	009208241	€ 2.980,00
	Extension module 180 L	009208242	€ 218,00
	Extension module 180 L for pellet loading system		
	Extension module 270 L	009208243	€ 240,00
	Extension module 270 L for pellet loading system		
300 KG TANK KIT		cod.	Price
	Pellet storage tank, capacity 300 kg	009208239	€ 2.585,00
	Additional tank in steel for boilers PR - PK		

INDEX WOOD-BURNING PRODUCTS

Nr. Pag.		Model name	Colour	Code	Price
103		 ALASKA.16	Glazed Black	3000030	€ 4.810,00
36		 ASIA 5.0	Vulcan	3007611	€ 1.450,00
25		 BRIGITTA.16	Black	3000140	€ 832,00
34		 CANDY LEAN.165	Anthracite Black	3011440	€ 1.020,00
57		 CONCITA.16 MAIOLICA	Bordeaux	3000320	€ 2.230,00
			White Infinity	3000321	€ 2.230,00
58		 CONCITA.16 STEEL	Anthracite Black	3000330	€ 1.850,00
62		 DANTE.16 CON PORTALEGNA	Matte Black	3000441	€ 2.884,00
61		 DANTE.16	Matte Black	3000440	€ 2.564,00
35		 EMI LEAN	Anthracite Black	3010640	€ 840,00
27		 EMILIANA.165 MAIOLICA	Bordeaux	3009220	€ 1.770,00
			White Infinity	3009221	€ 1.770,00
28		 EMILIANA.165 STEEL	Anthracite Black	3009230	€ 1.435,00
45		 ESTER 5.0	Vulcan	3000611	€ 2.380,00
46		 ESTER FORNO 5.0	Vulcan	3000711	€ 3.370,00
77		 FAMILY.16 4,5	Anthracite Black	3006930	€ 1.595,00
			White	3006931	€ 1.595,00
			Caramello	3006934	€ 1.595,00
47		 FEDORA.16 MAIOLICA	Bordeaux	3000820	€ 2.190,00
			White Infinity	3000821	€ 2.190,00
48		 FEDORA.16 STEEL	Anthracite Black	3000830	€ 1.775,00
102		 GARDENIA XXL CERAMICA	Bordeaux	3007200	€ 3.140,00
			White Infinity	3007201	€ 3.140,00
100		 GARDENIA XXL PETRA	Natural Stone	3007210	€ 3.215,00
101		 GARDENIA XXL STEEL	Anthracite Black	3007230	€ 2.890,00
94		 GARDENIA.16 PETRA	Natural Stone	3000910	€ 2.630,00
95		 GARDENIA.16 STEEL	Anthracite Black	3000930	€ 2.425,00
29		 GEMMA LEAN CERAMICA	Elegance Bordeaux	3005100	€ 1.075,00
			Elegance White Infinity	3005101	€ 1.075,00
			Liberty Panna	3005102	€ 1.075,00
30		 GEMMA LEAN PETRA	Natural Stone	3005110	€ 1.105,00
31		 GEMMA FORNO.165 CERAMICA	Elegance Bordeaux	3009300	€ 1.500,00
			Elegance White Infinity	3009301	€ 1.500,00
32		 GEMMA FORNO.165 PETRA	Natural Stone	3009310	€ 1.540,00
33		 GIULIETTA.165	Anthracite Black	3009440	€ 1.255,00
116		 INSERTO 100 LEAN	Black	3011940	€ 2.300,00
109		 INSERTO 60.16	Black	3001440	€ 1.300,00
113		 INSERTO 70 LEAN.165	Black	3011840	€ 1.815,00

Traditional Line
Evolution Line
Prestige Line



INDEX WOOD-BURNING PRODUCTS

Nr. Pag.		Model name	Colour	Code	Price
110		 INSERTO 70 H49.16	Black	3001640	€ 1.435,00
112		 INSERTO 70.165	Black	3009540	€ 1.460,00
115		 INSERTO 80 H49 LEAN	Black	3011240	€ 2.010,00
114		 INSERTO 80 LEAN	Black	3010840	€ 2.010,00
111		 INSERTO 80 CRYSTAL EVO.16	Black	3001840	€ 2.092,00
117		 INSERTO 80 WIDE.16	Black	3001940	€ 2.080,00
42		 ISETTA CC LEAN	Anthracite Black	3008440	€ 1.820,00
41		 ISETTA LEAN	Anthracite Black	3008240	€ 1.745,00
43		 ISETTA FORNO	Anthracite Black	3010440	€ 2.600,00
53		 ISOTTA LEAN	Anthracite Black	3008640	€ 2.140,00
54		 ISOTTA CC LEAN	Anthracite Black	3008840	€ 2.233,00
55		 ISOTTA FORNO EOS	Anthracite Black	3009840	€ 3.165,00
44		 JENNIFER.16	Anthracite Black	3002541	€ 1.690,00
65		 LARISSA.16	Anthracite Black	3002630	€ 3.800,00
56		 LAVINIA EOS	Anthracite Black	3007440	€ 2.560,00
39		 LIÙ.16	Bordeaux	3002720	€ 2.336,00
			White Infinity	3002721	€ 2.336,00
38		 LIÙ.16 PETRA	Natural Stone	3002710	€ 2.439,00
17		 LUMEN 870		3005740	€ 1.925,00
19		 LUMEN 1200		3005741	€ 2.350,00
21		 LUMEN 1600		3005742	€ 2.920,00
40		 MARLENA.16	Anthracite Black	3002840	€ 1.835,00
88		 MILLY.16	Bordeaux	3002920	€ 2.800,00
			White Infinity	3002921	€ 2.800,00
120		 MONOBLOCCO 90PA.165		3011740	€ 4.815,00
119		 MONOBLOCCO 3LC.165		3009740	€ 5.480,00
59		 NOVA FORNO.16 MAIOLICA	Bordeaux	3003220	€ 3.175,00
			Matt White	3003221	€ 3.175,00
60		 NOVA FORNO.16 STEEL	Anthracite Black	3003230	€ 2.725,00
96		 ROSA L.16 STEEL	Anthracite Black	3003530	€ 2.425,00
85		 ROSA SX REVERSE.16 CERAMICA	Liberty Bordeaux	3005800	€ 2.465,00
			Liberty Panna	3005802	€ 2.465,00
86		 ROSA SX REVERSE.16 PETRA	Natural Stone	3005810	€ 2.545,00
98		 ROSA XXL.16 MAIOLICA	Bordeaux	3003720	€ 2.950,00
			White Infinity	3003721	€ 2.950,00

INDEX WOOD-BURNING PRODUCTS

Nr. Pag.	Model name		Colour	Code	Price
97		 ROSA XXL.16 PETRA	Natural Stone	3003710	€ 3.010,00
99		 ROSA XXL.16 STEEL	Anthracite Black	3003730	€ 2.505,00
89		 ROSA.16 CERAMICA	Liberty Bordeaux	3003400	€ 2.225,00
			Liberty Panna	3003402	€ 2.225,00
91		 ROSA.16 MAIOLICA	Bordeaux	3003420	€ 2.550,00
			White Infinity	3003421	€ 2.550,00
			Taupe	3003422	€ 2.550,00
90		 ROSA.16 PETRA	Natural Stone	3003410	€ 2.305,00
92		 ROSA.16 STEEL	Anthracite Black	3003430	€ 2.090,00
			Dotted White	3003431	€ 2.090,00
82		 ROSETTA SX.16 CERAMICA	Liberty Bordeaux	3003900	€ 1.960,00
			Liberty Panna	3003902	€ 1.960,00
83		 ROSETTA SX.16 PETRA	Natural Stone	3003910	€ 2.045,00
84		 ROSETTA SX.16 STEEL	Anthracite Black	3003930	€ 1.830,00
			Dotted White	3003931	€ 1.830,00
79		 ROSETTA.16 CERAMICA	Liberty Bordeaux	3003800	€ 1.960,00
			Liberty Panna	3003802	€ 1.960,00
81		 ROSETTA.16 MAIOLICA	Bordeaux	3003820	€ 2.375,00
			Taupe	3003822	€ 2.375,00
80		 ROSETTA.16 PETRA	Natural Stone	3003810	€ 2.045,00
51		 ROSSELLA PLUS FORNO.165 CERAMICA	Liberty Bordeaux	3009900	€ 2.515,00
			Liberty Panna	3009902	€ 2.515,00
52		 ROSSELLA PLUS FORNO.165 PETRA	Natural Stone	3009910	€ 2.515,00
49		 ROSSELLA R1.16 CERAMICA	Liberty Bordeaux	3004100	€ 1.525,00
			Liberty White Infinity	3004101	€ 1.525,00
			Liberty Panna	3004102	€ 1.525,00
50		 ROSSELLA R1.16 PETRA	Natural Stone	3004110	€ 1.560,00
71		 SIERRA.16	Anthracite Black	3004230	€ 6.550,00
78		 SOVRANA EASY.16	Anthracite Black	3007030	€ 1.625,00
			White	3007031	€ 1.625,00
			Caramello	3007034	€ 1.625,00
26		 SUPER JUNIOR LEAN	Black	3008930	€ 770,00
			Green	3008935	€ 770,00
93		 SUPREMA.16	Glazed Black	3004330	€ 2.970,00

INDEX WOOD-BURNING PRODUCTS

Nr. Pag.	Model name		Colour	Code	Price
37		 TEA.16	Anthracite Black	3004830	€ 810,00
			White	3004831	€ 810,00
121		 TERMOCAMINO WF PLUS.16		3005940	€ 4.735,00
105		 TERMOROSA DSA LEAN LIBERTY	Liberty Bordeaux	3011500	€ 3.510,00
106		 TERMOROSA DSA LEAN PETRA	Natural Stone	3011510	€ 3.510,00
107		 TERMOROSA XXL DSA LEAN	Anthracite Black	3012030	€ 4.179,00
			Liberty Bordeaux	3004400	€ 2.285,00
69		 TERMOROSSELLA PLUS DSA.16 CERAMICA	Liberty Panna	3004402	€ 2.285,00
70		 TERMOROSSELLA PLUS DSA.16 PETRA	Natural Stone	3004410	€ 2.300,00
67		 TERMOROSSELLA PLUS FORNO DSA.16 CERAMICA	Liberty Bordeaux	3004500	€ 3.121,00
			Liberty Panna	3004502	€ 3.121,00
68		 TERMOROSSELLA PLUS FORNO DSA.16 PETRA	Natural Stone	3004510	€ 3.121,00
			Anthracite Black	3005430	€ 3.385,00
87		 VENEZIA.16	White	3005431	€ 3.385,00
			Inox	3005433	€ 3.420,00
75		 VERONA XXL.16 MAIOLICA	Bordeaux	3005520	€ 3.545,00
			White Infinity	3005521	€ 3.545,00
74		 VERONA XXL.16 PETRA	Natural Stone	3005510	€ 3.585,00
76		 VERONA XXL.16	Anthracite Black	3005530	€ 3.200,00
			Inox	3005533	€ 3.240,00
73		 VICENZA.16	Anthracite Black	3006830	€ 2.555,00
			Inox	3006833	€ 2.600,00

INDEX PELLET PRODUCTS

Nr. Pag.	Model name	Colour	Code	Price
160	 AMIKA AD	White	001297200	€ 2.970,00
		Black	001297201	€ 2.890,00
161	 AMIKA PETRA AD	Natural Stone	001297202	€ 3.010,00
152	 ANGELICA EVO	Ivory	001297000	€ 2.240,00
		Bordeaux	001297001	€ 2.205,00
		Black	001297002	€ 2.205,00
		Black	001296600	€ 2.010,00
151	 ANGELICA JUNIOR	Ivory	001296601	€ 2.065,00
		Matt Taupe	001296602	€ 2.100,00
		Ivory	001297050	€ 2.445,00
153	 ANGELICA PLUS EVO	Bordeaux	001297051	€ 2.400,00
		Black	001297052	€ 2.400,00
		White	001290200	€ 2.285,00
154	 ANGY TOP	Bronze	001290201	€ 2.285,00
		Black	001290202	€ 2.285,00
		White	001290300	€ 3.045,00
172	 ANNABELLA AD EVO	Black	001290301	€ 3.045,00
		Matt Taupe	001290302	€ 3.045,00
		Black	001296500	€ 4.255,00
189	 ANNALISA PLUS CRYSTAL EVO	Gres Ostuni	001296501	€ 4.255,00
190	 ANNALISA PLUS GRES EVO			
224	 COMFORT IDRO L80.16	Black	001290600	€ 5.425,00
220	 COMFORT P70 AIR	Black	001290800	€ 3.560,00
221	 COMFORT P70 AIR PLUS	Black	001290850	€ 3.970,00
219	 COMFORT P70 H49 5.0	Black	001291000	€ 3.490,00
222	 COMFORT P85	Black	001290700	€ 3.710,00
223	 COMFORT P85 PLUS	Black	001290750	€ 4.180,00
203	 COSTANZA IDRO 5.0	White	001291100	€ 3.974,00
		Bordeaux	001291101	€ 3.974,00
		Bordeaux	001295600	€ 2.630,00
		Ivory	001295601	€ 2.630,00
178	 DAHIANA AD	Black	001295602	€ 2.630,00
		Bronze	001295603	€ 2.630,00
		Bordeaux	001295650	€ 2.850,00
		Ivory	001295651	€ 2.850,00
179	 DAHIANA PLUS AD	Black	001295652	€ 2.850,00
		Bronze	001295653	€ 2.850,00
		Ivory	001297300	€ 2.590,00
		Black	001297302	€ 2.510,00
162	 DANIELA	Matt Taupe	001297303	€ 2.620,00
		Grigio Grafite	001297304	€ 2.555,00
		Ivory	001297350	€ 2.785,00
		Black	001297352	€ 2.700,00
163	 DANIELA PLUS	Matt Taupe	001297353	€ 2.815,00
		Grigio Grafite	001297354	€ 2.740,00

INDEX PELLET PRODUCTS

Nr. Pag.	Model name	Colour	Code	Price
173	 DEBBY EVO	White	001291402	€ 3.540,00
		Black	001291403	€ 3.450,00
174	 DEBBY PETRA EVO	Natural Stone	001291404	€ 4.100,00
214	 EVELYNE IDRO EVO	Grey	001296002	€ 5.425,00
		White	001296000	€ 5.425,00
		Taupe	001296001	€ 5.425,00
		Crystal	001296225	€ 5.020,00
215	 FLORIANA IDRO CRYSTAL	Gres Corten	001296230	€ 5.130,00
216	 FLORIANA IDRO GRES	Gres Ostuni	001296231	€ 5.130,00
		Ivory	001291700	€ 4.775,00
204	 GUENDA IDRO 5.0	Bronze	001291701	€ 4.775,00
		Matt Taupe	001291702	€ 4.775,00
		Parchment	001295301	€ 4.930,00
211	 ISIDE IDRO 5.0.16	White	001295302	€ 4.930,00
		Vogue Ametista	001295303	€ 4.930,00
		White	001296100	€ 5.360,00
205	 ISIDORA IDRO H16 5.0 EVO	Bordeaux	001296101	€ 5.360,00
		Bright Taupe	001296102	€ 5.360,00
		Ivory	001296103	€ 5.635,00
206	 ISIDORA IDRO H20 5.0 EVO	White	001296104	€ 5.635,00
		Bordeaux	001296105	€ 5.635,00
		Bordeaux	001296106	€ 5.860,00
207	 ISIDORA IDRO H23 5.0 EVO	White	001296107	€ 5.860,00
		Ivory	001296108	€ 5.860,00
		White	001292003	€ 3.775,00
176	 KATIA 11	Bronze	001292004	€ 3.775,00
		Matt Taupe	001292007	€ 3.775,00
		White	001295400	€ 3.540,00
175	 KATIA 9 5.0 EVO	Bronze	001295401	€ 3.540,00
		Matt Taupe	001295402	€ 3.540,00
		White	001292200	€ 1.615,00
150	 KETTY 5.0	Bordeaux	001292201	€ 1.615,00
		Black	001292202	€ 1.615,00
		Ivory	001292203	€ 1.615,00

INDEX PELLET PRODUCTS

Nr. Pag.	Model name	Colour	Code	Price
164	  KLAUDIA 5.0 EVO	Bordeaux	001292304	€ 2.230,00
		Black	001292305	€ 2.230,00
		White	001292306	€ 2.230,00
165	  KLAUDIA PLUS 5.0 EVO	Bordeaux	001292354	€ 2.430,00
		Black	001292355	€ 2.430,00
		White	001292356	€ 2.430,00
155	  LINA TOP	Black	001292400	€ 1.965,00
191	  LUCIA PLUS.16	Bordeaux	001292550	€ 3.775,00
		White	001292551	€ 3.775,00
		Taupe	001292552	€ 3.775,00
192	  LUCIA.16	Bordeaux	001292500	€ 3.450,00
		White	001292501	€ 3.450,00
		Taupe	001292502	€ 3.450,00
148	  LUISELLA 5.0 MAXI	Grigio Grafite	001294901	€ 1.660,00
		Black	001294902	€ 1.660,00
147	  LUISELLA 5.0	Bordeaux	001292600	€ 1.430,00
		Grigio Grafite	001292601	€ 1.430,00
		Black	001292602	€ 1.430,00
143	  MARGARET GRES	Gres Corten	001289200	€ 6.220,00
		Gres Ostuni	001289201	€ 6.220,00
144	  MARGARET PETRA	Natural Stone	001289202	€ 6.220,00
156	  MARIELLA AD	Ivory	001295900	€ 1.985,00
		Bordeaux	001295901	€ 1.955,00
		Black	001295902	€ 1.955,00
157	  MARIELLA PLUS AD	Ivory	001295950	€ 2.205,00
		Bordeaux	001295951	€ 2.160,00
		Black	001295952	€ 2.160,00
166	  MARILENA PLUS 5.0.16	White	001292700	€ 2.810,00
		Black	001292701	€ 2.810,00
168	  MARILENA PLUS CRYSTAL 5.0.16	White	001292703	€ 3.120,00
167	  MARILENA PLUS PETRA 5.0.16	Fume’	001292704	€ 3.120,00
		Natural Stone	001292702	€ 3.120,00

INDEX PELLET PRODUCTS

Nr. Pag.	Model name	Colour	Code	Price
201	  MARINA IDRO H11	Ivory	001292800	€ 4.015,00
		Bordeaux	001292801	€ 4.015,00
		Bronze	001292802	€ 4.015,00
202	  MARINA IDRO H13	Ivory	001292803	€ 4.245,00
		Bordeaux	001292804	€ 4.245,00
		Bronze	001292805	€ 4.245,00
177	  MIETTA EVO	Bordeaux	001292900	€ 3.055,00
		White	001292901	€ 3.055,00
208	  MIRIANA IDRO H16	Ivory	001296725	€ 5.360,00
		Black	001296726	€ 5.360,00
		Matt Taupe	001296727	€ 5.360,00
209	  MIRIANA IDRO H20	Ivory	001296825	€ 5.640,00
		Black	001296826	€ 5.640,00
		Matt Taupe	001296827	€ 5.640,00
210	  MIRIANA IDRO H23	Ivory	001296925	€ 5.865,00
		Black	001296926	€ 5.865,00
		Matt Taupe	001296927	€ 5.865,00
158	  MOIRA EVO	White	001293100	€ 2.115,00
		Black	001293101	€ 2.115,00
193	  NORIS	White	001293200	€ 3.955,00
		Bronze	001293201	€ 3.955,00
		Matt Taupe	001293202	€ 3.955,00
194	  NORIS LUX	White	001293220	€ 4.190,00
		Taupe	001293221	€ 4.190,00
195	  NORIS PLUS	White	001293250	€ 4.250,00
		Bronze	001293251	€ 4.250,00
		Matt Taupe	001293252	€ 4.250,00
196	  NORIS PLUS LUX	White	001293270	€ 4.485,00
		Taupe	001293271	€ 4.485,00
170	  PAMELA CRYSTAL - BLSC	Crystal Blsc	001293303	€ 3.375,00
169	  PAMELA STEEL	Bronze	001293301	€ 3.108,00
		White	001293308	€ 3.108,00
149	  PEGGY	Black	001293400	€ 2.050,00

INDEX PELLET PRODUCTS

Nr. Pag.	Model name	Colour	Code	Price
227	 PK15 EVO	Light/Dark Grey	001203200	€ 6.270,00
228	 PK20 EVO	Light/Dark Grey	001203300	€ 6.670,00
230	 PK25 EVO	Light/Dark Grey	001203400	€ 7.170,00
231	 PK30 EVO	Light/Dark Grey	001203500	€ 7.660,00
229	 PR20 EVO	Light/Dark Grey	001203600	€ 7.360,00
232	 PR30 EVO	Light/Dark Grey	001203700	€ 8.360,00
212	 RAFFAELLA IDRO H15 5.0.16	Bordeaux	001294600	€ 4.550,00
		White	001294601	€ 4.550,00
		Grigio Luce	001294602	€ 4.550,00
213	 RAFFAELLA IDRO H18 5.0.16	Ivory	001294700	€ 4.780,00
		Grigio Luce	001294701	€ 4.780,00
199	 ROSANNA IDRO 5.0	Bordeaux	001293500	€ 3.870,00
		Ivory	001293501	€ 3.870,00
		Bronze	001293502	€ 3.870,00
		Black	001293503	€ 3.870,00
159	 SABRY AD	Ivory	001295800	€ 1.860,00
		Bronze	001295801	€ 1.880,00
		Black	001295802	€ 1.860,00
		Grigio Grafite	001295803	€ 1.880,00
181	 SHARON PLUS CRYSTAL	Crystal	001293701	€ 3.605,00
180	 SHARON PLUS PETRA	Natural Stone	001293700	€ 3.724,00
182	 SHARON PLUS STEEL	Black	001293702	€ 3.385,00
188	 SINFONY	White	001293800	€ 3.523,00
		Bright Taupe	001293801	€ 3.523,00
183	 SOUVENIR PLUS LUX 5.0	White	001293900	€ 3.520,00
		Taupe	001293902	€ 3.520,00
184	 SOUVENIR PLUS PETRA 5.0	Natural Stone	001293920	€ 3.660,00
185	 SOUVENIR PLUS STEEL 5.0	White	001293950	€ 3.270,00
		Bordeaux	001293951	€ 3.270,00
		Black	001293952	€ 3.270,00
171	 TEODORA EVO	Black	001294000	€ 3.003,00

INDEX PELLET PRODUCTS

Nr. Pag.	Model name	Colour	Code	Price
186	 TEOREMA	Bordeaux	001294100	€ 2.850,00
		Ivory	001294101	€ 2.850,00
		Black	001294102	€ 2.850,00
187	 TEOREMA PLUS AD	Bordeaux	001295750	€ 3.245,00
		Ivory	001295751	€ 3.245,00
		Black	001295752	€ 3.245,00
197	 TERRY PLUS	Bordeaux	001294300	€ 4.128,00
		White	001294301	€ 4.128,00
		Bright Taupe	001294302	€ 4.128,00
200	 VIRNA IDRO.16	Bordeaux	001294400	€ 3.948,00
		White	001294401	€ 3.948,00
		Matt Taupe	001294402	€ 3.948,00



List of functions of pellet products

EASY SETUP

The Easy Setup function allows the user to easily configure the stove so that it can operate as efficiently as possible with most types of pellets available on the market. It ensures optimum performance in terms of yield for each type of pellet.

EASY CONTROL

In order to function, a stove must be connected to a system that has a flue and an external air inlet. Not all systems are the same as they depend on the physical characteristics of the building in which they are used; consequently, the operating conditions of the stove can vary considerably depending on the system itself. Thanks to the Easy Control function, the stove operates under optimal conditions even in difficult situations, minimising unwanted effects such as condensation and poor combustion, and it can also help to keep the glass of the stove door cleaner.

FLOW PERFORMANCE CONTROL (FPC)

The FPC system keeps the supply of combustion air constant at all times, thus ensuring that combustion characteristics remain the same. In this way, maximum stove efficiency is achieved even when system conditions (stove–flue pipe) change.

FLOW PERFORMANCE CONTROL PLUS (FCP PLUS)

The FPC PLUS system, in addition to the work done by FPC, allows the identification of abnormal situations, putting the generator in safe conditions.

AUTOMATIC

The stove accurately and continuously regulates the power output in order to reach and maintain the temperature set by the user. This translates into improved thermal and acoustic comfort and reduced consumption.

AIR ZONE CONTROL (AZC)

The Air Zone Control feature is exclusive to products with a dedicated motor for ducting. The AZC function ensures maximum heat output to the ducting when the room in which the stove is installed has not yet reached the set temperature. In this way, maximum comfort is achieved in the ducted area, while consumption is significantly reduced once the set temperature is reached in the main room.


PRO AIR SETUP

New setup for ventilation mappings. It allows the user to choose between 4 different room ventilation modes:
Off = Fan off. N.B. Mode only available for models that have this setting option.
Quiet = Fan speed is reduced for noise reduction (compared to Regular).
Regular = Default configuration.
Boost = Fan speed is increased compared to Regular in order to maximise ventilation air flow.

SMART HOME INTEGRATION “ALEXA”

With this extra feature, the stove can be controlled via the Alexa® (Amazon) voice assistant. This operation requires an internet connection and the new Total Control 3.0 app; therefore, the product must have the “Grey” module or have this function integrated in the board/display set up for the 3.0 app.

Control at your fingertips.



REMOTE



IR Touch Remote Control



Radio Remote Control
With thermostat function



9-Key Remote Control



5-Key Remote Control

WI-FI MODULE



Console Wi-Fi
Total Control 3.0



Modules Wi-Fi
*White label
Total Control*



Modules Wi-Fi
*Grey label
Total Control 3.0*



Modules Navel Wi-Fi
*Larissa.16
Total Control 3.0*

DISPLAY



Display LED



Display LED Wi-Fi
App Total Control 3.0



Display TFT Color
App Total Control 3.0



Display LCD Wi-Fi
App Total Control 3.0



Display Black LCD



Display Black Mask
App Total Control 2.0 / 3.0



Display LCD

App Total Control 3.0

A smartphone and tablet app to monitor and manage La Nordica-Extraflame products in real time, even from outside the home or directly via Bluetooth.

An Internet connection is always required for the App to function properly.

You can download the version of the application compatible with your product free of charge from the online stores and turn your mobile device into a platform for controlling and managing your home heating system.

Simply and intuitively control many functions of your pellet stove remotely:

- Product status monitoring
- On/off control
- Heating power and temperature adjustment
- Weekly chrono-thermostat settings
- Alerts and notifications (e.g. stove alarm, minimum pellet level in tank)

Scan the QR Codes to download the TOTAL CONTROL 3.0 APP



 **APPLE
DEVICES**



 **ANDROID
DEVICES**



TOTAL CONTROL
(For white label Wi-Fi module and previous models)



 **APPLE
DEVICES**



 **ANDROID
DEVICES**

TERMS AND CONDITIONS OF SALE

1. The contractual relationship resulting from acceptance of each individual order is governed by the standards described in these general terms of sale. The purchaser waives any other general purchasing conditions, unless otherwise specifically accepted in writing by LA NORDICA S.p.A. / EXTRAFLAME S.p.A.

2. The purchase order is irrevocable and binding for the purchaser, and shall be considered accepted when the purchaser receives formal confirmation thereof from LA NORDICA S.p.A. /EXTRAFLAME S.p.A.. Once confirmed, the purchase order may not be cancelled without the prior written consent of LA NORDICA S.p.A. / EXTRAFLAME S.p.A.. In this event, LA NORDICAS.p.A. / EXTRAFLAME S.p.A. shall have the right to a suitable indemnity for the expenses and costs sustained in beginning to fulfill the order.

3. The prices indicated in the sale catalogues/price lists are purely indicative, and may change during the validity period of the catalogues/price lists themselves due to increased productioncosts. Once confirmed according to the procedures set forth in art. 2, the sale prices indicated in the order shall become binding, except in the event of unforeseen increases in productioncosts beyond LA NORDICA S.p.A. / EXTRAFLAME S.p.A.’s control. In this event LA NORDICA S.p.A. / EXTRAFLAME S.p.A. shall inform the purchaser of the price increase, indicating thecause thereof.

4. Delivery terms are purely indicative unless specifically agreed otherwise. Should the manufacturer be unable to fulfill the order due to circumstances of force majeure, irregular supply ofraw materials or other unforeseeable circumstances, the terms of delivery shall be considered extended, and the new terms will be established by mutual agreement between the parties.

5. Products will be delivered to the purchaser ex-works (EXW) from the LA NORDICA S.p.A. / EXTRAFLAME S.p.A. facilities in Montecchio Precalcino (Vicenza, Italy) (Incoterms® 2010).Products will be sold under retention of title and remain property of LA NORDICA S.p.A. / EXTRAFLAME S.p.A. until the full-agreed price has been paid.

6. The purchaser undertakes to verify the quantity and state of the shipped packages in confrontation with the carrier or forwarding agent. Any complaints regarding quantity discrepanciesor damaged packages must be notified to the carrier and according to the procedure agreed with the carrier itself. No Products may be returned unless previously agreed upon with LANORDICA S.p.A. / EXTRAFLAME S.p.A.. In the case of authorized returns, the Products will have to be returned via free port and packing free of charge and shall be credited at the purchaseprice with a deduction from 10% to 30% for inspection and repackaging costs. In any case return of items which are not included in the price list currently in force at the time of the requestwill not be taken into consideration.

7. LA NORDICA S.p.A. / EXTRAFLAME S.p.A. does hereby represent and warrant that the Products shall comply with the technical specifications available in LA NORDICA S.p.A. / EXTRAFLAMES.p.A.’s catalogues and literature in general. The products are guaranteed for the period of one year from the date of purchase. In order to enforce the guarantee, purchaser must reportthe non-conformity in writing to the vendor and exhibit the purchase receipt. In the event of non-conformity, the consumer may request LA NORDICA S.p.A. / EXTRAFLAME S.p.A. to repair orto replace the defective products. LA NORDICA S.p.A. / EXTRAFLAME S.p.A. guarantees to repair the defective products free of charge. The guarantee shall not operate in the event of improperuse of the products. Equally, non-conformities due to negligent or careless use, failure to comply with the instructions for operation of the equipment, installation in places that requirespecific safety standard, installation or maintenance performed by unauthorized personnel, damage caused during transport or by circumstances unrelated to manufacturing defects and/ornon-conformity of the products are not covered by the present guarantee. LA NORDICA S.p.A. / EXTRAFLAME S.p.A. declines all liability for damage or injury which may be caused directlyor indirectly to persons, property and domestic animals as a result of failure to comply with the instructions given in LA NORDICA S.p.A. / EXTRAFLAME S.p.A.’s catalogues and literature, inparticular those related to installation, use and maintenance of the product. This warranty is the only warranty given by LA NORDICA S.p.A. / EXTRAFLAME S.p.A. . Consequently, except incase it is proven LA NORDICA S.p.A. / EXTRAFLAME S.p.A.’s gross negligence, LA NORDICA S.p.A. / EXTRAFLAME S.p.A. shall not be liable for any direct or indirect damage or loss of profitdue to the misuse, the inability to use, or the incorporation of the Products in other products.

8. The Products must be installed and/or used in compliance with their technical specifications and instructions provided by LA NORDICA S.p.A. / EXTRAFLAME S.p.A.; they must also beinstalled and/or used in observance of the regulations and requirements governing the installation and/or use of electrical material in force in the country where the products are installedand/or used.Purchaser expressly relieves LA NORDICA S.p.A. / EXTRAFLAME S.p.A. of any liability in case the ordered products do not comply with the rules and/or standard and/or technical specificationsin force in the country where they are delivered or installed in. Ordering the products Purchaser expressly declares that he has carried out all the necessary investigations regardingthe compatibility of standards in force in the country for which they are purchased.

9. Payments must be made according to the procedures notified by LA NORDICA S.p.A. / EXTRAFLAME S.p.A.. Failure to pay invoices, in full or in part, beyond the established due dateshall immediately lead to the application of interest at the rate as per D.Lgs. 9th October 2002, n. 231, in addition to any bank charges and commissions. Failure to pay for any reason shallauthorize LA NORDICA S.p.A. / EXTRAFLAME S.p.A. to suspend additional shipments of material.

10. Under the terms of art. 10 of the law 196/2003, the purchaser is hereby informed that all personal information shall be entered into the LA NORDICA S.p.A. / EXTRAFLAME S.p.A. database,as a necessary aspect of correctly upholding the contractual relationship and compliance with certain legal requirements, as well as for statistical, commercial, marketing, promotionalpurposes, credit protection, management and transfer thereof. The personal information of the purchaser is processed by automated means and by authorized persons, with the use ofsecurity measures aimed at ensuring confidentiality. The personal information of the purchaser may be notified to public agencies, other firms within the group, credit retrieval firms or firms,consortia or associations for commercial, market research, and marketing purposes.LA NORDICA S.p.A. / EXTRAFLAME S.p.A. is the owner of processed data, whom the purchaser maycontact to exercise his rights as set forth in article 13 of the law cited above. To this end the purchaser is hereby informed that he may access his own personal information at any time, andrequest that it be updated, corrected, or deleted and/or refuse to allow processing thereof.

11. The rights and obligations of the Parties are governed by Italian law, and the Court of Vicenza has non-exclusive jurisdiction over any controversy that may arise in relation to the sale ofthe products. The purchaser irrevocably accepts the jurisdiction of the Court of Vicenza should LA NORDICA S.p.A. / EXTRAFLAME S.p.A. file a suit with said court.

Validity of price list from 01/02/2026 until otherwise notified.

“If the purchasing party transfers the products of La Nordica Spa or Extraflame Spa to a third party abroad, it must verify compliance with applicable national and international (re-)export control regulations.

In any event, the purchasing party must comply with the (re-)export control regulations of the Italian Republic, of the European Union and of the United States of America. To this end, prior to any transfer of the products supplied by La Nordica Spa or Extraflame Spa to third parties, the purchasing party must verify and guarantee with appropriate measures that:

- a) no embargo regulations imposed by the European Union, the United States of America and/or the United Nations are violated by such transfer;
- b) such products are not intended for use in connection with armaments, nuclear technology or weapons, if and to the extent that such use is subject to prohibition or authorisation, unless a specific authorisation is provided;
- c) the regulations of the Republic of Italy, of the European Union and of the United States of America envisaging lists of third parties subject to sanctions and those relating to trading with entities, persons and organisations listed therein are duly verified and applied.

If requested, in order to enable the authorities, or the companies La Nordica Spa and Extraflame Spa, to carry out (re-)export controls, the purchasing party must promptly provide all information regarding the specific end customer, the specific destination and the specific intended use of the products supplied by La Nordica Spa and Extraflame Spa.

The purchasing party will indemnify and hold harmless La Nordica Spa and Extraflame Spa from and against any and all claims, proceedings, actions, fines, losses, costs and damages arising out of or relating to any failure by the purchasing party to comply with export control regulations, and will indemnify La Nordica Spa or Extraflame Spa, as the case may be, for all losses and expenses resulting from such failure.

The purchasing party formally acknowledges that the ascertainment of a violation of the rules on (re)export to countries and/or subjects subject to an embargo imposed by the Republic of Italy, the European Union, the United States of America and/or the United Nations, will result in the cancellation of all orders and the application of a conventional penalty equal to 50% of the value of the cancelled orders.”

NOTE

- Due to printing reasons the reproduction of colours has to be considered only indicative.

- The fuel quantity (weight) inside the hopper and the hour consumption can change depending on the type of pellet which is used.

- All the figures were measured using approved pellets in compliance with EN ISO 17225-2.

- Facing tones and characteristics are subject to slight variations because they are natural products.

- The manufacturer reserves the right to change the products without any previous notice.

- The La Nordica-Extraflame products can be covered by industrial property rights (such as patents, designs and trademarks) owned by La Nordica-Extraflame exclusively. It is strictly forbidden to violate these rights as for removing, cancelling or corrupting the trademarks impressed on the products and impressing others.

- m³ that can be heated: the data is indicative. For the generator to be sized correctly, contact a skilled technician/designer.

- Before the purchase, ask your reseller all the information regarding the appliance.

One must also bear in mind all laws and national, regional, provincial and town council Standards present in the country in which the appliance has been installed, as well as the instructions contained in this manual.

- The images contained in this document are for product illustration purposes only and do not represent indications for the performance or technical characteristics of the same.

- The data in the catalogue can be rounded off to the first decimal.

- La Nordica-Extraflame products are approved to work with 230V 50Hz power supply only. The use with different voltages and / or frequencies suply can compromise the functionality and safety of the products.

- The majolicas (if present) are the result of high-quality artisan work. As they are completely carried out by hand, the majolica may present crackles, speckles, and shadings. These characteristics certify their precious origin. Enamel and majolica, due to their different coefficient of dilatation, produce microcrackles, which show their authentic feature.

- The stone claddings are natural materials and as such are subject to aesthetic or chromatic variations between a piece and the other, these features represent the beauty and uniqueness of the product and cannot be considered defects.

ENERGY LABEL

As of 1st January 2018 the Energy Labelling Regulation came into force also for all the biomass heating appliances, both roomheater appliances and appliances designed to heat the water for central heating and domestic hot water. This directive, in accordance with the regulations of the European Union, will assign an Energy Efficiency Class (from G up to A++) providing the buyers with information about the consumption and the efficiency



CERTIFICATES

Italian Regulation for the Environmental Certificate release of domestic solid fuels biomass room heaters.
(Classification from 1 up to 5 stars).



Only for Italy: the Ministerial Decree 07/08/2025, better known as "Conto Termico 3.0", allows a specific incentive in case of replacement of old appliances by new ones with certain characteristics

Certification issued by the German Federal Office for Economics and Export Control to promote the efficient use of biomass energy.



German regulations on controlling emissions.

French trademark of the ADEME agency for the environnement and the energy. The products "Flamme Verte" approved guarantee the best high energy performances and respect for the environment.





LA NORDICA S.P.A

Via Summano, 104 36030 Montecchio Precalcino - Vicenza - Italy
Tel. +39 0445 804000
info@lanordica.com

EXTRAFLAME S.P.A

Via dell'Artigianato, 12 36030 Montecchio Precalcino - Vicenza - Italy
Tel. +39 0445 865911
info@extraflame.com

www.lanordica-extraflame.com

EN L2

9300368-000

